# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.

	•	



TRADE LIST SPRING 1928

WM. Flemer's Sons Inc.

Princeton Nurseries - F.& F. Nurseries PRINCETON, NEW JERSEY



# Foreword

HIS new catalogue is an endeavor to place before you a comprehensive list of plant material available at our nurseries, so arranged as to assist you in quickly finding the information desired.

The three main divisions of plants, Deciduous, Evergreen and Herbaceous, are arranged separately in alphabetical order, and the whole completely indexed by using both the common and botanical name.

It is hoped the brief descriptions and appended "Lists" will prove helpful when compiling your planting plans.

Having over eight hundred acres under cultivation we are able to utilize the most modern and economical methods of growing and handling nursery stock to produce high class plant material at a consistently low price.

Anything we may say regarding our own business would necessarily be but a one-sided viewpoint, so we urge you to visit our nurseries this year to gain a first-hand impression.

Your business has been keenly appreciated and we believe the best method of expressing this appreciation is to handle your orders just as you would handle them yourself—this we shall try to do.

Respectfully

WM. FLEMER'S SONS, INC.

## Table of Contents

### For quick reference consult itemized index on page 75.

Deciduous Trees, Shrubs and Vines	ages	3	to	40
Roses	_			
Evergreens and Conifers	44	40	to	57
Herbaceous Perennials	44	58	to	67
Fruit Trees and Bushes	4.4	68		
Ground Covers	44	70		
Broad Leaved Evergreen Shrubs	44	73		
Rock Plants	4.4	69	to	70
Plants for Special Purposes	44	71	to	74
Index	44	75	to	79

## Conditions of Sale

**Liability**—Orders are accepted on condition they shall be void should stock become injured by frost, or other causes beyond our control. Errors made by us will be gladly corrected, but we must be notified within ten days from the arrival of the stock. The plants become your property upon delivery of them to the Transportation Co., and we cannot be responsible for loss, damage or delay in transit.

**Prices**- Are F. O. B. our nurseries, packing extra; 250, 25 or 5 of any one variety will be furnished at the 1000, 100 or 10 rates respectively.

**Terms**—Cash, security or satisfactory references are required from unknown parties. Discounts: 2% for 10 days, 1% for 30 days from date of invoice. Interest at six per cent, 6% per year will be charged from January 1st on fall accounts and from July 1st on spring accounts. Orders for C. O. D shipment must be accompanied by one fourth of the amount.

**Auto Truck Delivery**—We make deliveries by auto truck within one hundred miles of our nurseries. Charges are made according to the size of truck required and the distance. The advantages of truck delivery are many; the cost of boxing, freight and cartage is eliminated; the stock is delivered in a much better condition than when packed in cases; and above all, the goods are landed on the grounds within a short time after being dug.

#### Packing—Carloads packed free. Boxing charged at cost as follows:

12x 15 in. x 8 ft.	\$1.75	23x28 in. x	8 ft.	\$3.00	17x20 in. x	10 ft.	\$3.50
15x 16 in. x 8 ft.	2.00	28x32 in. x	8 ft.	3.50	19x24 in. x	10 ft.	4.00
17x 20 in. x 8 ft.	2.25	31x36 in. x	8 ft.	4.00	23x28 in. x	10 ft.	4.50
19x 24 in. x 8 ft.	2.50	15x16 in. x	10 ft.	3.00	27x32 in. x	10 ft.	5.00

**Standardized Plant Names**—With few exceptions, the plant names used conform to "Standardized Plant Names" as adopted by the Joint Committee on Horticultural Nomenclature.

A state Entomologist inspection certificate will accompany each shipment

# Deciduous Trees, Shrubs and Vines

NOTE—The figures in italics, following each variety, indicate in feet the approximate height of that plant when mature.

We recommend that all varieties marked with an asterisk be dug with a ball of earth and burlapped to minimize loss. This will involve an extra charge per plant, as follows:
2' to 4'—25c 5' to 6'—35c 7' to 8'—50c 9' to 12'—75c

Where marked B. & B, these charges are included in the printed list.
ABIES. See Evergreens, page 36. Each Per 10 Per 100
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
ACER campestre. Hedge Maple. 15'-20' Round dense head, corky bark, slow growth. Useful for dry location in undergrowth.  3 to 4 fi
dasycarpum. Silver Maple. 60'-80' Quick growing, graceful.  Leaves silvery underneath—clear yellow autumn coloring.  8 to 10 ft
- pyramidale. Pyramidal Silver Maple. 30'-40' A narrow form with vertical branches, useful for accent. Grows quickly.  6 to 8 ft
— wieri. Wier Cut Leaf Maple. 60'-80' Graceful, drooping tree. 6 to 8 ft
negundo. Box Elder. 60' Grows where other trees fail—especially good for dry barren places and seashore. Rapid grower. 8 to 10 ft., 1½ to 1½ in. 1.00 9.00 10 to 11 ft., 1½ to 1¾ in. 1.35 12.50
palmatum (polymorphum). <i>Green Japanese Maple.</i> 12'–15' Slow growth, picturesque outline. Forms a splendid lawn specimen. 1½ to 2 ft
— atropurpureum. Purple Leaf Japanese Maple. 6'-8' Has rich purple-red leaves. Best in sun. Carefully selected for color.
GRAFTED PLANTS  12 to 15 in2.50   2½" pots .75 7.00 60.00 15 to 18 in3.75   3" pots 1.25 11.00 100.00 1½ to 2 ft5.00   5" pots 3.00 2 to 2½ ft6.25   6" pots 4.00  - nigrum (Parsons). This old but scarce variety is the darkest colored

form known, retains its blackish-purple throughout summer.

 $2\frac{1}{4}$  in. pots.

.85

Each Per 10 Per 100
ACER pennsylvanicum (striatum). Striped Maple. 20'-30' Has very distinctive green bark striped with white. Thrives in wet soil
3       to 4       ft
platanoides. Norway Maple. 50'-75' The most popular street tree retains green leaves till late autumn, then turns rich yellow
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
- schwedleri. Schwedler Purple Maple. 40'-60' Probably the bes large growing purple leaf tree. Useful as a lawn specimen 5 to 6 ft
rubrum. Red or Scarlet Maple. 50'-75' Best in moist locations, also thrives in upland. Brilliant red autumn coloring—gray bark 6 to 8 ft
saccharum. Sugar Maple. 50'-75' Most popular in northern states  Best planted in spring—has a rich yellow autumn coloring 6 to 8 ft
tatarica ginnala. Tatarian Maple. 10'-12' Graceful and valuable for bright red autumn coloring. Has a good twiggy habit 2 to 3 ft
ACTINIDIA arguta. Bower Actinidia. 20'-30' Greenish white, July—rich dark green foliage—yellow berries. A quick growing vine 1 yr
AILANTHUS       glandulosa.       Tree of Heaven.       50'-60'       Succeeds under unde
AKEBIA quinata. Five Leaf Akebia. Dainty, beautiful vine—with purple flowers in May. Leaves deep green, persisting till winter.  2 yr

	DECIDUO	JS TRE	ES, SHRUBS	and vin	IES	5
				Each	Per 10	Per 100
AESCULUS			Horsechestnu			s a broad
		-	flowers white.			tree.
	2 to 3 to 4				6.50 8.50	
AMELANCH						7 W/L:4-
AMELANCII			otryapium) oring before lea			
					3.50	30.00
	2 to 3				4.00	35.00
MODBILL	3 to 4				5.00	
AMORPHA	canescens.	Lead P	lant. 2'-3' Haray-green folias	andsome tre	e tlower	ring com-
	15 to 18	in		.30	2.50	ers, jane.
	$1\frac{1}{2}$ to 2	ft		.40	3.50	
fruticosa	. Indigo B	ush. 8'-	-10' Deep pur	ple flowers,	June. \	/igorous.
	$1\frac{1}{2}$ to 2	ft		.25	2.00	
	2 to 3 to 4	ft		.30 .35	2.50	
AMDELODS		• • • • • • • • • • • • • • • • • • • •	Engelmann C	•00		Λ ~ ιΙ
AMI ELOFS			and vigorous,			A good
					1.80	15.00
					2.00	
heteroph	ylla. Porce	lain Ar	npelopsis. 1	5'-20' Lea	ves deep	ly lobed,
	_		n Sept.–Oct. \		re, grows 3.00	quickly,
						1 6
quinquef	olia. Virgi autumn ce	nia Cre	eper. 30'-50 Useful for na	)' Valuable	tor ri	ch fiery
		_			1.80	12.00
	-				2.00	15.00
tricuspida	ata (veitchi)	. Јара	nese Creeper.	40'-50'	Brilliant	autumn
	coloring, t	olue berr	ies turning blac	ck—close, s		
	1 yr 2 vr			.20 .45	4.00	10.00
	2		r. 6′-7′ Dee			
					4.50	ciinging.
	-		Flowering			ecorative
an in dond	double flo	wering,	blooms before	leaves—red		
	Pl	ease spe	cify color war	nted		
	2 to 3			.50	4.00	
	3 to 4 4 to 5				5.00 6.00	
	5 to 6			.80	0.00	
nana (Flo	owering Alu	iond).	See Prunus gl	landulosa, <sub>I</sub>	3age 25.	
ANDROMED	A. See Pie	ris, page	24, and Ever	greens, page	41.	
ARALIA pen	taphyllum.	See Aca	anthopanax, p	age 3.		
spinosa.	Hercules' (	Club. I	18'-20' Usefu	ıl for tropi	cal effe	cts and
	2 to 3	ft	lowers, July—	30	2.50	20.00
	4 to 5	ft		.40	3.50	30.00
	5 to 6	π		.33	5.00	35.00
	6 to 8				6.00	40.00
ARCTOSTAI			greens, page 4		~	
			nan's Pipe. L			rapidly.
	2 vr			.50	4.00	

	DECID	LOU	S TREES, SHP	UBS AND V	INES	
				Each	Per 10	Per 100
ARONIA ar	butifolia berrie		l Chokeberry. ucceeds in moist			
	1½ to	2	ft		4.50	
	2 to		ft		5.00	50.00
	3 to 4 to		ft		6.00 6.50	50.00 60.00
	41. to	5	ft		8.00	00.00
brillianti		6'-8'	So named for	its brilliant red	berries.	Valuable.
	2 to 5 to	3	ft		5.00	
		4	ft		6.50	
1	4 to	5	ft		7.00	
melanoc			Black Chok May. Black ber			
	1½ to	2	ft		3.50	30.00
	2 to 5 to	3 4	ft		4.00 5.00	35.00 45.00
	5 to 4 to		ft ft			50.00
AZALEA.			varieties see pag			
			Azalea, 10'-12		nite flower	rs, June.
		N	Gursery Grown	Clumps		
	12 to	15	in. B. & B			100.00
	15 to 115 to		in. B. & B ft. B. & B		12.50 15.00	120.00
	2 ft.	_	В. & В		18.50	133.00
	21/2 ft		В. & В	2.50		
amoena			ens, Page 41.			
calendul			Flame Azalea			
	Howe		early spring.cov Iursery Grown (		mub. Des	1 111 111455.
	1.5 to		in. B. & B	-	12.50	
	1 ½ to	2	ft. B. & B	1.75	16.50	
canescei	-			The second second		_
		mont	Azalea. 5'-6'	Rare and ex-	cellent spe	cies. Pink.
	112 to	1mont 2	Azalea. 5'-6' ft. B. & B	Rare and ext	cellent spe	cies. Pink.
	$\frac{1}{2}$ to $\frac{1}{2}$ to	mont 2 2½	Azalea. 5'-6' ft. B. & B ft. B. & B B. & B	Rare and ex 2.00 3.50 5.00	cellent spe	cies. Pink.
	$ \begin{array}{ccc} 1_{2} & \text{to} \\ 2 & \text{to} \\ 2_{2} & \text{ft.} \end{array} $	2 2½	ft. B. & B ft. B. & B B. & B	Rare and ext. 2.00 3.50 5.00	cellent spe	cies. Pink.
hinodeg	1 <sup>1</sup> <sub>2</sub> to 2 to 2 <sup>1</sup> <sub>2</sub> ft. iri. See	2 2½ Everg	ft. B. & B ft. B. & B B. & B greens, page 41. zalea. 4-5'	2.00 3.50 5.00 Warm brick-re	d flowers	in May.
hinodeg	1 1 2 to 2 to 2 1 gft. iri. See 2 2 A bea	2 2½ Everg ch Asautiful	ft. B. & B ft. B. & B B. & B greens, page 41. zalea. 4'-5' V I, unusual color	2.00 3.50 5.00 Warm brick-re	d flowers habit, qu	in May.
hinodeg	1 1 2 to 2 to 2 1 2 ft. iri. See eri. Ton A bea	2 2½ Everg ch Asautifut	ft. B. & B	2.00 3.50 5.00 Warm brick-re, erect bushy 2.00	d flowers habit, qu 17.50	in May.
hinodeg	$1\frac{1}{2}$ to $2$ to $2^{1}_{2}$ ft. iri. See eri. To A beautiful 15 to $1\frac{1}{2}$ to	2 2½ Everg ch Asautifut	ft. B. & B	2.00 3.50 5.00 Warm brick-re, erect bushy 2.00	d flowers habit, qu	in May.
hinodeg kaempfe	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	2 2½ Everg ch Asautifut 18 2	ft. B. & B	2.00 3.50 5.00 Warm brick-re , erect bushy 2.00 2.25 2.75	d flowers habit, qu 17.50 20.00	in May. ite hardy.
hinodeg	1½ to 2 to 2½ ft. iri. See eri. Ton A bea 15 to 1½ to 2 ft. Chinese orang	2 2½ Everg ch A: autiful 18 2 Aza ge and	ft. B. & B	2.00 3.50 5.00  Warm brick-re, erect bushy 2.00 2.25 2.75 rge showy flce. Large hair	d flowers habit, que 17.50 20.00 wers in y leaves—	in May. ite hardy. shades of -likes sun.
hinodeg kaempfe	1½ to 2 to 2½ ft. iri. See eri. Ton A bea 15 to 1½ to 2 ft. Chinese orang	2 2½ Everg ch A: autiful 18 2 Aza ge and	ft. B. & B	2.00 3.50 5.00  Warm brick-re, erect bushy 2.00 2.25 2.75 rge showy flce. Large hair	d flowers habit, que 17.50 20.00 wers in y leaves—	in May. ite hardy. shades of -likes sun.
hinodeg kaempfe	1½ to 2 to 2½ ft. iri. See eri. Ton A bea 15 to 1½ to 2 ft. Chinese orang	2 2½ Everg ch A: autiful 18 2 Aza ge and	ft. B. & B	2.00 3.50 5.00  Warm brick-re, erect bushy 2.00 2.25 2.75 rge showy flce. Large hair	d flowers habit, que 17.50 20.00 wers in y leaves—	in May. ite hardy. shades of -likes sun.
hinodeg kaempfe mollis.	$1\frac{1}{2}$ to $2$ to $2\frac{1}{2}$ ft. iri. See eri. Ton A beat 15 to $1\frac{1}{2}$ to $2$ ft. Chinese orang 12 to $1\frac{1}{2}$ to $1\frac{1}{2}$ to $1\frac{1}{2}$ to $1\frac{1}{2}$ to	2 2½ Everg cch A: autifui 18 2 Aza ge and 15 18 2	ft. B. & B	2.00 5.50 5.00  Warm brick-re , erect bushy 2.00 2.25 2.75 rge showy floe Large hair 1.25 1.75 2.25	d flowers habit, qu 17.50 20.00 owers in 15.50 15.00 20.00	shades of -likes sun. 100.00 125.00
hinodeg kaempfe mollis.	1½ to 2 to 2½ ft. iri. See eri. Ton A bei 15 to 1½ to 2 ft. Chinese orang 12 to 1½ to 1½ to 2 ft. 2 ft	Everge Azage and 15 18 2 cterblo	ft. B. & B	2.00 5.50 5.00  Warm brick-re , erect bushy 2.00 2.25 2.75 rge showy flc e. Large hair 1.25 2.25 eet scented pir	d flowers habit, que 17.50 20.00 owers in y leaves—11.500 20.00 ok flowers	sin May. ite hardy. shades of -likes sun. 100.00 125.00 in May.
hinodeg kaempfe mollis.	1½ to 2 to 2½ ft. iri. See eri. Ton A bei 15 to 1½ to 2 ft. Chinese orang 12 to 1½ to 1½ to 2 ft. 2 ft	Evergench Asautifut 18 2 Asage and 15 18 2 cterblors moi	ft. B. & B	2.00 5.50 5.00  Varm brick-re, erect bushy 2.00 2.25 2.75 rge showy flee. Large hair 1.25 2.25 eet scented pird place. A bear	d flowers habit, que 17.50 20.00 owers in y leaves—11.500 20.00 ok flowers	sin May. ite hardy. shades of -likes sun. 100.00 125.00 in May.
hinodeg kaempfe mollis.	1½ to 2 to 2½ ft. iri. See eri. Ton A bei 15 to 1½ to 2 ft. Chinese orang 12 to 1½ to a. Pinus Prefe	Evergench Asautifut 18 2 2 Asaage and 15 18 2 cterblors moi	ft. B. & B	Z.00 5.50 5.00  Warm brick-re , erect bushy 2.00 2.25 2.75 rge showy flc e. Large hair 1.25 1.75 2.25 eet scented pir d place. A beat Clumps 1.35	d flowers habit, que 17.50 20.00 owers in y leaves—11.500 20.00 ok flowers	sin May. ite hardy. shades of -likes sun. 100.00 125.00 in May.
hinodeg kaempfe mollis.	1½ to 2 to 2½ ft. iri. See eri. Ton A bei. 15 to 1½ to 2 ft. Chinese orang 12 to 1½ to a. Pinx Prefe	Evergench Asautifut 18 2 Asaage and 15 18 2 Eterblors moi	ft. B. & B	2.00 5.50 5.00  Warm brick-re , erect bushy 2.00 2.25 2.75 rge showy flc e. Large hair 1.25 2.25 eet scented pird place. A bear Clumps 1.35 1.50	d flowers habit, qu 17.50 20.00 owers in y leaves—11.500 20.00 ok flowers utiful nati	sin May. ite hardy. shades of -likes sun. 100.00 125.00 in May.
hinodeg kaempfe mollis. nudiflor	11-2 to 2 to 2 to 2 1-2 ft. iri. See eri. Ton A bear 15 to 11½ to 2 ft. Chinese orang 12 to 15 to 11½ to a. Pinm Prefe	Evergench Asautifut 18 2 Asaage and 15 18 2 tterblors moi	ft. B. & B	Z.00 5.50 5.00  Warm brick-re , erect bushy 2.00 2.25 2.75 ge showy flor e. Large hair 1.25 2.25 eet scented pir d place. A bear Clumps 1.35 1.50 2.00	d flowers habit, que 17.50 20.00 owers in y leaves—11.50 15.00 20.00 ok flowers utiful nati	sin May. ite hardy. shades of -likes sun. 100.00 125.00 in May. ve variety.
hinodeg kaempfe mollis. nudiflor	1½ to 2 to 2½ ft. iri. See eri. Ton A bei. 15 to 1½ to 2 ft. Chinese orang 12 to 15 to 1½ to a. Pinm Prefe	2 2½ Everge cch A: 18 2 Azage and 15 18 2 Ctterblo N 18 2 2½ Azage ic As	ft. B. & B	Z.00 3.50 5.00  Warm brick-re , erect bushy 2.00 2.25 2.75 1.75 2.25 eet scented pird d place. A bear Clumps 1.35 1.50 2.00 Flowers yellor	d flowers habit, que 17.50 20.00 owers in y leaves—11.50 15.00 20.00 ok flowers utiful nati	sin May. ite hardy. shades of -likes sun. 100.00 125.00 in May.
hinodeg kaempfe mollis. nudiflor	1½ to 2 to 2 12 ft. iri. See eri. Tor A bei: 15 to 1½ to 2 ft. Chinescorang 12 to 15 to 1½ to 2 ft. Chinescorang 12 to 15 to 1½ to 2 ft. Prefe 15 to 1½ to 2 to 2 to 2 to 1½ to 2 to 1½ to 1½ to 1½ to 1½ to 1½ to 1½ to	2 2½ Everge Asautifui 18 2 Asage and 15 18 2 Exterblors moi N 18 2 2½ ic As 2 18 2	ft. B. & B	2.00 5.50 5.00  Varm brick-re , erect bushy 2.00 2.25 2.75 rge showy flc e. Large hair 1.25 2.25 eet scented pir d place. A bear Clumps 1.35 2.00 Flowers yellor 2.00 2.25	d flowers habit, que 17.50 20.00 owers in y leaves—11.50 15.00 20.00 ok flowers utiful nati	sin May. ite hardy. shades of -likes sun. 100.00 125.00 in May. ve variety.
hinodeg kaempfe mollis. nudiflor	1½ to 2 to 2½ ft. iri. See eri. Ton A bei: 15 to 1½ to 2 ft. Chinese orang 12 to 1½ to a. Pina Prefe	2 2½ Everge Asautifui 18 2 Asage and 15 18 2 Exterblors moi N 18 2 2½ ic As 2 18 2	ft. B. & B	Z.00 5.50 5.00  Warm brick-re , erect bushy 2.00 2.25 2.75 rge showy flc e. Large hair 1.25 1.75 2.25 eet scented pir d place. A beat Clumps 1.35 2.00 Flowers yelloo 2.20 2.25 2.75	d flowers habit, que 17.50 20.00 owers in y leaves—11.50 15.00 20.00 ok flowers utiful nati	sin May. ite hardy. shades of -likes sun. 100.00 125.00 in May. ve variety.

							Per 10	
AZALEA ro	sea. Do	wny 1	Azalea.	4'-5'	Good bus	hy hab	it. Beaut	iful clear
	pink				Clumps		nady, moi	st place.
	15 to						13.50	
	1½ to	2	ft. B.	& B		1.75	16.50	
	2 to	21/2	ft. B.	& B		2.25	10100	
vasevi							. Rare,b	eautiful
vacey	15 to			& B		1.50	ii (dic)c	eddin di.
	$1\frac{1}{2}$ to			& B		2.00		
viscosa.	Swam	D Az	alea.	4'-5' W	hite, very	fragra	nt, June–J	ulv.
				Grown			, , ,	5
	15 to	18	in. B.	& B		1.35	12.50	115.00
	$1\frac{1}{2}$ to	2	ft. B.	& B		1.60	15.00	140.00
	2 to	$2\frac{1}{2}$	ft. B.	& B		2.00	18.50	175.00
yodogaw							-lavender	
	in M	ay. (	Quite ha	rdy and	of except	ional m	ierit. Bush	
	12 to	15	in. B.	& B		1.25	10.00	90.00
	15 . to	2	ft B	& B & B		2 25	13.50 20.00	
	2 to	$\frac{2}{2}\frac{1}{2}$	ft. B.	& B		2.75	20.00	
BACCHARI								ie fluffy
Briceman	seed p	ods i	n Sept.	Good f	or seash	ore. Be	est in mas	ses.
	2 to	3	ft			.40	3.50	
	3 to	4				.50	4.50	
BENZOIN a	estivale	(Line	lera B	enzoin).	Spice 1	Bush.	10'-12'	Flowers
	yellov	w, Ap:	ril —scar	·let berrie	s, leaves :	aromati	c—likes n	noisture.
	$1\frac{1}{2}$ to	2	ft			.40		
	2 to 3	3 4	ft	•		.50 60		
BERBERIS				reens, pa		.00		
						I 1	sing folia	
macraca							oreading b	
	12 to							
	15 to		in			.40		
	$1\frac{1}{2}$ to	2	ft			.50		
sieboldi.							leaves pur	
			-			-	ed fruit al	l winter.
	12 to	15				.35		
	15 to					.50		
thunberg	gi. Jap for m	<i>anese</i> nassin	Barbe B—brill	rry. 4'- iant autu	5′ A sple mn colori	endid lo ing. scai	w hedge rlet berries	plant or
	12 to	1.5	in			15	1.00	7.50
	15 to	18	in			.20	1.50	10.00
	$1\frac{1}{2}$ to	2	ft			.25	2.00	15.00
	$\frac{2}{2\frac{1}{2}}$ to ft.	$2\frac{1}{2}$	ft			.30	2.50 3.00	20.00
- SHE			ES Th	000 050 11	rall chana		formal sp	ecimens
Di ILI	15 in.		25. TI	ese are v & B & B	en-sirape		11.00	connens.
	1½ ft.		В.	& B		1.75		
— atrop	urpurea	. Red				A new	form wit	h bright
	reddis	sh pu					sun for be	
	1 yr					.55	4.50	40.00
	12 to	15	ın			.75	5.00	

	DECIDOO	D TICLE	B, BITTO BE	711112	D 10	
BERBERIS	thunbergi r Japanese ba 9 to 12	in		25	A dwar nall trimm 2.00	18.00
vulgaris.	of red fruits, $1\frac{1}{2}$ to 2 2 to 3 5 to 4	ftft	ill mid-winte	er. Vigor 20 25 30	ous, upri 1.50 2.00 2.50	ght habit. 12.00 15.00 20.00
— purpi	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	ftft	•••••	25	2.00 2.50 3.00	le foliage. 15.00 20.00
*BETULA a	when ground to 6 to 8 to 10	iped agaii ftft	te Birch. 3 nst dark gree	en backgro . 1.00 . 1.50	Thite bark und—ver 9.00 13.50	, effective y graceful.
*— lacini	iata. Weepi 5 to 6 6 to 8 8 to 10	ftft	af. 30'-40	2.00 2.50	18.50 23.50 27.50	specimen.
*— pyrar	midalis. <i>Pyr</i> 3 to 4 4 to 5	ft	Vhite Birch	. 2.50	Dense	columnar.
*— youn;	gi. Young V branches. 3 to 4	Pictures	Birch. 30'- que rugged l	looking lav	preading p vn specim	pendulous en.
*lenta.	Sweet Birch. 4 to 6 6 to 8	ft	Smooth r	. 1.00	k, shows 8.50 12.50	catkins.
*lutea.	Yellow Birch 4 to 6 6 to 8 8 to 10 10 to 12	ft ft ft	0' Makes f	1.00 1.50 1.75	reak—goo 8.50 12.50 15.00 20.00	od foliage.
*papyrife	ra. Paper o 4 to 6 6 to 8 8 to 10 10 to 12	ft ft ft	Birch. 40'	1.00 1.25 1.75	9.00 9.00 11.00 16.50 22.50	85.00 150.00
*populifo	lia. Gray Bir 4 to 6 6 to 8 8 to 10	ft ft	40° Succeeds	.85 1.25	7.50 11.50 14.00	hite bark.
BIGNONIA	shaped flo 2 yr	wers, scai	Vine. 20'- let and orar	.25		trumpet it climbs. 15.00 20.00
grandiflo	ora. Chinese 2 yr	Trumpe		0'-25' De		

DECIDUOUS TREES. SHRUBS AND VINES Each Per 10 Per 100 BIGNONIA grandiflora Madame Gallen. 15'-20' A marked improvement on preceding. Has larger flowers of deeper coloring. yr..... .50 2 vr..... .60 5.00 BIOTA. See Evergreens, page 42. BUDDLEIA veitchiana. Butterfly Bush. 5'-6' Very effective with gray-green foliage and deep lilac flows. Likes sun. June-Sept. 1½ to 2 ft..... .15 1.20 10.00 to 3 ft..... .25 2.00 15.00 3 to 4 ft..... .30 2.50 20.00 — nanhoensis. 3'-4' New. Dwarf, compact, flowers similar to type. .50 2 vr..... 4.00 30.00 BUXUS. See Evergreens, page 42. CALLICARPA japonica. Japanese Beautyberry. 3'-4' Pink flowers, violet fruits. Foliage gives a pleasing feathery effect. .40 purpurea. Chinese Beauty-Berry, 3'-4' Especially attractive in August with its violet-lilac berries. Graceful branching habit. 3.00 to 3 to 4 ft..... .40 2 3 3.50 30.00 .50 4.50 35.00 CALLUNA. See Evergreens, page 42. CALYCANTHUS floridus. Common Sweet Shrub. 4'-5' Reddish-brown flowers, June-Sept. Spicy fragrance, good deep green foliage. 1½ to 2 ft..... 2 to 3 ft..... .45 CARAGANA arborescens. Siberian Peatree. 10'-12' Yellow pea-shaped flowers, May-June. Does best in an open well-drained place. to 3 ft..... .30 2.50 .40 3.50 to 4 ft..... CARPINUS caroliniana (americana). American Hornbeam. 30'-40' Closely resembles the beech—smooth blue-gray bark. Spring. 1½ to 2 ft..... .40 3.50 CARYOPTERIS incana (mastacantha). Bluebeard. 2'-3' Lavender-blue flowers, Sept.-Oct. Splendid for massing. Requires protection. 12 to 15 in ..... .25 2.00 15 to 18 .n ..... .30 2.50 CATALPA bungei. Umbrella Catalpa. 10'-15' For formal planting. Light Heads 1.25 11.00 90.00 Medium Heads...... 11/4 in. stems 1.35 12.50 100.00 First Class Heads...... 1 1/2 in, stems 1.55 14.50 135.00 2.00 160.00 X Large Heads ...... 13/4 in. stems 17.50 XX Large Heads 2 in stems 2.50 22.50 XXX Specimens .....21/2 in. stems 3.00 speciosa. Western Catalpa. 30'-35' Large light green leaves, showy

to 8 ft.....

white flowers followed by long seed pods. Interesting tree.

.60

5.00

DECIDUOUS TREES, SHRUBS AND VINES
Each Per 10 Per 100 CELASTRUS orbiculatus (articulatus.) Oriental Bittersweet. 15'-20' Has decorative orange and crimson berries which last all winter.
2 yr
scandens. American Bittersweet. 20'-25' Most adaptable vine with orange and red berries that retain color when cut and dried.
2 yr
CEPHALANTHUS occidentalis. Button Bush. 5'-6' Round heads of creamy-white flowers, July-Sept. Good foliage, likes moisture.
2 to 3 ft
CERASUS. See PRUNUS, page 25.
*CERCIDIPHYLLUM japonicum. Katsura Tree. 60'-80' Develops into a magnificent tree. Beautiful spring and autumn coloring.
4 to 5 ft
CERCIS canadensis. American Redbud. 12'-15' Rosy-pink, April. Very
1½ to 2 ft
2 to 3 ft
1½ to 2 ft
5 to 6 ft
chinensis (japonica). Chinese Redbud. 10'-12' Flowers larger and darker than above—best in rather moist soil. Good foliage.
1½ to 2     ft     .50     4.00     35.00       2     to 3     ft     .60     5.50     50.00       3     ft     .75     6.50
3 ft
CHAMAEDAPHNE. See Evergreens, page 42.
CHIONANTHUS virginica. White Fringe. 15'-18' Fragrant tassel-like white flowers, May-June. Blue-black plum-like fruits follow.
2 to 3 ft
3 to 4 ft
CLADRASTIS lutea. Yellow-wood. 30'-40' Fragrant white flowers, June.  3 to 4 ft
CLEMATIS jackmanni. Jackman Clematis. 10'-15' Large deep purple flowers. A popular attractive vine, useful for covering lattice.
2 yr
vine which during the spring months is almost covered with a blanket of small delicate pink flowers. Beautiful and hardy.
2 yr
Sept. Woolly seed pods also attractive. Useful rampant vine.
2 yr
CLETHRA alnifolia. Summer Sweet. 4'-5' Spikes of fragrant flowers,
July-Sept. Prefers moist shady places—good for massing.
$1\frac{1}{2}$ to 2 ft
2½ to 3 ft

	Each	Per 10	Per 100
COLUTEA arborescens. Bladder Senna. 8'-1			
Aug. Useful for dry places—inflate	d seed 1		colored.
2 to 3 ft	.30 .35	2.50 3.00	
4 to 5 ft	.40	3.00	
CORNUS alba (siberica.) Coral Dogwood.		Bright r	ed bark.
Porcelain-blue fruits—quick growe			
1½ to 2 ft	.20	1.50	10.00
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.40	3.50	30.00
<ul> <li>elegantissima. Silverblotch Dogwood. 5</li> <li>and green leaves and reddish ba</li> </ul>	6'–6' F rk. Go	ias attract ood shrub	ive silver by habit.
$1\frac{1}{2}$ to 2 ft	.30	2.50	
2 to 3 ft	.40	3.50	
3 to 4 ft	.50 .60	4.50 5.00	
			1 11
— spaethi. Spaeth Dogwood, 6'-8' Large 2 to 3 ft		margined	1 yellow.
2 to 3 ft 3 to 4 ft	.45	4.00	
alternifolia. Pagoda Dogwood. 15'-18' B			i
horizontal tiers making deep shadov			
2 to 3 ft	.40	3.50	
3 to 4 ft	.50	4.50	
amomum (sericea.) Silky Dogwood. 8'-9' twigs purple. Prefers moist places, l			
		1.50	10.00
$1\frac{1}{2}$ to 2 ft 2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
*florida. White Flowering Dogwood. 15'-			
native spring flowering small trees-	-		
2 to 3 ft	.75	6.50	50.00
3 to 4 ft	.85 1.00		
*— rubra. Red Flowering Dogwood. 15'-2		:l. fl.	
more persistent than the white. Ber	o in	ilar to wh	ite type.
$2\frac{1}{2}$ to 3 ft	3.00		J.
$3^{1/2}$ to $3\frac{1}{2}$ ft	4.00		
	4.50		
4 to 4½ ft	5.00 6.00		
4½ to 5 ft	6.50		
kousa. Kousa Dogwood. 16'-18' Large wh	nite flov	vers in Iui	ne. Con-
spicuous cherry-like scarlet fruits, a	ttractive		
2 to 3 ft	.65		
3 to 4 ft	.75		
paniculata. Gray Dogwood. 10'-12' Nume	rous sn	nall white	flowers
in May, followed by white fruits on 1½ to 2 ft	red sten .25	1s—likes t 2.00	noisture. 15.00
2 to 3 ft	.35	3.00	25.00
3 to 4 ft	.45	4.00	35.00
4 to 5 ft	.60	5.00	45.00
sanguinea. Purple or Red Branch Dogwood		Blood-re	
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30 .40	2.50 3.50	20.00
4 to 5 ft	.40	5.50	

DECIDUOUS TREES, SHRUBS AND VINES	
Each Per 10 Pe	r 100
CORNUS stolonifera. Red Osier Dogwood. 7'-8' Spreading habi bark white fruits. Grows vigorously, very adaptable.	t, red
2 to 3 ft	15.00
3 to 4 ft	20.00 30.00
<ul> <li>lutea. Golden Bark Dogwood. 6'-7' Distinct yellow</li> <li>Very effective in winter when planted with the precedent</li> </ul>	bark. eding.
	15.00
2 to 3 ft	20.00
	35.00
COTONEASTER acutifolia. Pekin Cotoneaster. 8'-10' Slender sping branches; black fruits. Very hardy; good hedge	plant.
2 ft	
foveolata. 8'-10' Vigorous spreading shrub. Large leaves turn o	range
and scarlet before they fall. Black fruits.  2" pots	
For other COTONEASTER see Evergreens, page 43.	
*CRATAEGUS coccinea. Thicket Hawthorn. 10'-12' Shrubby	
long curved spines, oval shaped shiny leaves. Large flowers, dull red fruits, makes good hedge or single spec	
3 to 4 ft 1.00 4 to 5 ft 1.25	
5 to 6 ft	
6 to 8 ft	
*cordata. Washington Hawthorn. 15'-20' Berries are small, l red and persist nearly all winter. Brilliant autumn fo	oright diage.
3 to 4 ft	
*crusgalli. Cockspur Thorn. 15' Deep green shiny leaved distint hawthorn. Conspicuous white flowers, red fruits. Long the	ictive iorns.
2 to 3 ft	
4 to 5 ft 1.25	
*mollis. Downy Hawthorn. 15' Vigorous; large leaves, red be	erries.
3 to 4 ft	
4 to 5 ft	
6 to 8 ft 2.25 20.00	
*oxycantha (Monogyna.) English Hawthorn. 12'-15' Single v	vhite.
2 to 3 ft	
— *Double Pink or Double White. This is the English May Tree	2.
4 to 5 ft	
*Paul's Scarlet. 12'-15' Very double scarlet flowers freely produ	ced.
5 to 4 ft	
4 to 5 ft	
CYDONIA japonica. Flowering Quince. 4'-5' Scarlet flowers in A	April.
1½ to 2 ft	1
2 to $2\frac{1}{2}$ ft	
2½ ot 5 ft	vel.
low flowers, June. Succeeds and looks well on rocky ba	
1 yr	

```
DAPHNE See Evergreens, page 43.
DESMODIUM See LESPEDEZA, page 18.
DEUTZIA gracilis. Slender Deutzia. 3' Profuse bloomer, pure white, May.
Each Per 10 Per 100 Per 1000
                                       2.00
           .25
                                             12.00
                                                       80.00
                                .30
                                       2.50
                                               15.00
                                                      100.00
                              .40
.50
.60
           15 to 18 in .....
                                       3.50
                                               20.00
                                                      150.00
                 1\frac{1}{2} to
                                       4.00
                                               30.00
                                       5.00
              to
                                               40.00
   lemoinei. Lemoine Deutzia. 4'-5' Large white flowers, June, graceful.
           2.00 15.00
                                                    100.00
           1 ½ to 2 ft. ... .35
2 to 3 ft. ... .45
3 to 4 ft. ... .55
                                       3.00
                                               20.00
                                                      150.00
                                       4.00
                                               30.00
                                                      250.00
                                      5.00
                                               45.00
   magnifica. 6'-8' Large tassel·like flowers, June. Vigorous grower.
                                       Each
                                             Per 10 Per 100
                    ft.....
           2
              to 3
                                       .40
.50
                                              3.50
                                                       30.00
           3
             to 4 ft.....
                                               4.50
                                                       35.00
   parviflora. Mongolian Deutzia. 4'-5' Erect habit. White with pink
            markings. Very free flowering—June. Attractive and useful.
           2.50
                                                3.00
   scabra candidissima. Snowflake Deutzia. 9'-10'
                                               Graceful habit,
            double white, June. Grows vigorously-one of the best.
              to 3 ft.....
                                        .25
                                               2.00
             to 4 ft......to 5 ft.....
                                        .30
           3
                                               2.50
           4
                                               3.50
   - crenata fl. pl. Double Pink Dentzia. 6'-8' White, tinged pink.
           2.00
           3
              to 4
                                         .30
                    ft.....
   - Pride of Rochester. 9'-10' Vigorous, large flower tinged pink, lune.
              to 3 ft.....
                                        .30
                                               2.50
                                                       20.00
              to 4
                                         .35
                                               3.00
           3
                     ft.....
                                                       25.00
              to 5
                                               3.50
                    ft.....
                                         .40
           4
   vilmorinae. Vilmorin Deutzia. 4'-5' Graceful spreading habit—
            white flowers in loose clusters. May-June. Rather scarce.
              2.50
                                               3.50
DIERVILLA sessilifolia (lutea). Southern Bush Honeysuckle.
                                                      4'-5'
            Yellow, more vigorous and free blooming than following
            variety. The young branchlets are square. June-July.
              2.50
                                                       20.00
              3
                                               3.00
                                                       25.00
                                                3.50
          Dwarf Bush Honeysuckle. 3' Yellow, June-July. A good low shrub for shady places. Branchlets are round, no ridges.
           1\frac{1}{2} to 2
                    ft.....
                                        .35
                                                3.00
                                                       25.00
DIOSPYROS virginiana. Persimmon. 25'-30' Handsome shiny foliage.
           4 to 5 ft.....
                                         .60
ELAEAGNUS angustifolia. Russian Olive. 15'-18' Silver-gray leaves and
            branchlets, orange berries. Good for massing-prefers sun.
           3 to 4 ft.....
                                         .35
                                               3.00
             to 5 ft.....to 6 ft....
                                         .45
                                               4.00
                                                       35.00
                                         .60
                                               5.00
   longipes. Cherry Eleagnus. 6'-8' Silvery leaves, fragrant yellow
            flowers, May. Large red berries, July. Good for limestone.
                     1 1/2 to 2
                                               3.50
           2 to 3
                                                5.00
```

	Each	Per 10	Per 100
ELAEAGNUS umbellata. Autumn Eleagnus.			ing habit.
2 to 3 ft	.60	5.00	
EPIGAEA repens. See Evergreens, page 43.			
EUONYMUS alatus. Winged Eonymus. 9'-1 Warm crimson autumn coloring, r	0' Inter	esting co	rky bark.
1½ to 2 ft	.55	5.00	40.00
2 to 2½ ft	.75	7.00	60.00
2½ to 3 ft	.85 1.00	8.00 9.00	70.00 80.00
americanus. Brook Euonymus. 7'-8' Pink			
$1\frac{1}{2}$ to 2 ft	.35	3.00	25.00
2 to 3 ft	.40 .50	3.50 4.50	30.00
bungeanus. Winter Enonymus. 12'-14'		tumn co	lor. The
attractive orange and white seed p	ods persi	st for a l	ong time.
2 to 3 ft	.30 .40	2.50 3.50	
4 to 5 ft	.50	4.50	
europaeus. European Burning Bush. 12'-	<i>14</i> ' Pink		reen bark.
2 to 3 ft 3 to 4 ft	.35 .45	3.00 4.00	25.00
3 to 4 ftFor Evergreen EUONYMUS see page 38.	.43	4.00	
EXOCHORDA grandiflora. Pearl Bush. 6'-9	' Dazzl	ing white	e flowers.
May. Is improved by annual pro	ıning p	refers a r	noist soil.
2 to 3 ft	.40 .50	3.50 4.50	25.00 30.00
3 to 4 ft	.60	5.00	40.00
*FAGUS americana. American Beech. 80'-9		planted	in spring.
$\frac{1}{2}$ to 2 ft	.90 1.10		
2 to 3 ft* *sylvatica. English Beech. 70'–80' Grows sl		ine lawn	snecimen
1½ to 2 ft	1.00	are servin	specimens
2 to 3 ft	1.25		
FIR. See ABIES, page 36.	.11 0	o/ D : 1	. 11.
FORSYTHIA intermedia. Border Golden B flowers in April before leaves unfo	eii. o- old—pro	ø Brigr fuse and	beautiful.
2 to 3 ft	.30	2.50	20.00
3 to 4 ft 4 to 5 ft	.40 .50	3.00	25.00
— spectabilis. Showy Border Golden Bell.		Most p	rofuse of
all, with large rich golden yellow			nabit.
2 to 3 ft 3 to 4 ft	.40 .50	3.00 4.00	
suspensa. Weeping Golden Bell. 4'-6'			
excellent for massing, banks, or had 2 to 3 ft	anging o .35		ing walls.
2 to 3 ft 3 to 4 ft	.33	3.00 4.00	30.00
4 to 5 ft	.50	4.50	
— fortunei. Fortune Golden Bell. 7'-8' Go			
2 to 3 ft	.30 .40	2.50	20.00 25.00
viridissima. Green Stem Forsythia. 7'-8' N			
$1\frac{1}{2}$ to 2 ft	.25	2.00	15.00
2 to 3 ft	.30 .35	2.50 3.00	20.00 25.00
	100	2.00	_0.00

FRAXINUS	p	leasii	ng go	White Ash. 70'-80' Fair	ly rapid g Good in	moist a	Assumes and lime
	6 8 8	to to to	8 10 10	es a splendid street tree v ftft ft., 1¼ to 1½ in.		7.00 9.00 11.00	60.00 80.00 100.00
GAULTHER	RIA 1	proc	umbe	ens. See Evergreens, pa	ge 44.		
GENISTA t	incto	ria.	$W_{\epsilon}$	oadwaxen. 3′ Yellow		ed flowe	rs, June.
	1½ 2	to	$\frac{2}{2\frac{1}{2}}$		.40 .50	3.00 4.00	
GINKGO bil	ir	(SA nteres ern.	sting,	BURIA). Maidenhair ( , quite distinct. Leaves nune from insects—thri	shaped	like ma	idenhair
	6 8 8 10 10	to to to to	8 10 10 12 12	ft	1.75 2.25 3.00 3.50 4.50		
GLEDITSIA			thos		7-70' TI	norny tr	ee with
	3 4 6 8	to to to to to	4 6 8 10	vhite flowers in May. ft ft ft ft ft	.50 .65 .75	or grave 4.50 6.00	40.00 50.00
GYMNOCL				. Kentucky Coffee Tro resque outline.	ee. 40'-	-50′ B1	ue-green
	3	to to	4 5	ft ft	.75 1.00	7.00 9.00	
HALESIA te	etrap fl	tera owe	. Gr	reat Silver Bell. 12'-15 May profusely borne on secimen or massed. Decor	5' Snow- branchlet ative brov	white bel s -can b	e grown
	2 3 4 5 6	to to to to	3 4 5 6 8	ft	.50 .60 .70 .80 1.00	4.50 5.50 6.50 7.50 8.50	35.00 45.00 55.00 65.00
HAMAMEL				n. Witch Hazel. 10' octNov. Good foliage			
	1½ 2 3 4	to to to	3	ft	.40 .50 .65 .80	3.50 4.50 6.00 7.50	30.00 40.00
HEDERA.	See :	Ever	green	ns, page 38.			
HIBISCUS s	ir	out	tline,	CHEA). Rose of Sharo flowering in August. C te, Purple, Pink, Single ftft.	Compact it and Do	ipright h	
variegat		to to	2	ed Rose of Sharon. 6'- ft ft ft	-8' Leave .40 .50 .60	es striped 3.50 4.50 5.00	yellow. 30,00 40.00
HYDRANG			resce	ns. Smooth Hydranged	1. 4′−5′ \	White, Ju	
	2 3	to to	3 4	ft ft	.35	2.50 3.00	20.00 25.00

16 DECIDUOUS TREES, SHRUBS A	and VI	NES	
		Per 10	
HYDRANGEA arborescens grandiflora. Snow	Hill H	ydranged	1. 4'-5'
Large heads, pure white. Best when			
$\frac{1}{2}$ to $\frac{2}{7}$ ft	.35	3.00	25.00
2 to 3 ft	.45 .55	4.00 5.00	30.00 40.00
radiata (nivea). Silver Leaf Hydrangea. 4 neath, attractive fresh green above.	Flowers	aves whit white, Ju	e under- ine-July.
3 to 4 ft	.50	4.00	
paniculata. Panicle Hydrangea. 8'-9' La flowers, August. A graceful, desi	rge loose rable shr	panicles ub, best	of white n mass.
2 to 3 ft		3.50	
3 to 4 ft	.50	4.50	
— grandiflora. Peegee. 8'-9' Very showy	v blooms	, August-	-Sept.
12 to 18 in	.25	2.00	15.00
$1\frac{1}{2}$ to 2 ft	.30	2.50	22.00
2 to 3 ft 5 to 4 ft	.45	4.00	
5 to 4 ft	.55 .75	5.00 6.50	
, y			
STANDARD TREE FORM. Flower			
First class, 3 to 4 ft			65.00
Extra, 4 to 5 ft	1.00	9.00	80.00
petiolaris (scandens). Climbing Hydrange clinging vine having thick leaves and June-July. The sterile flowers of are large, and these consist of four the Schizophragma the flowers have 2 vr	d heads o n the edg r white s re only o	f creamy ge of eac sepals wh	flowers, n cluster ereas on
quercifolia. Oak Leaf Hydrangea. 3'-4'		eave che	
1-1 .6 C-1 - 1:1	1	1 :	n shade.
1½ to 2 ft	.65	5.50	
an oak leaf. Splendid autumn country to 2 ft	.80	7.50	
HYPERICUM arnoldiana. Arnold St. Johnswe	ort. 3'-4	4' Yello	w. July.
		3.50	, , ,
aureum. Golden St. Johnswort. 3'-4'	Yellow	Inlv-And	Rlue-
green foliage, dense habit, good for	r margin	of shrub	bery.
$1\frac{1}{2}$ to 2 ft	.35	3.00	25.00
2 to 2½ ft	.40	3.50	
		4.00	
buckleyi. Dwarf St. Johnswort. 1' Good for b		ock work	, yellow.
3 in. pot	.35	3.00	
densiflorum. 4'-5' Bright yellow, July-Sept	Very	free flow	ering.
11/2 to 2 ft		3.00	
1½ to 2 ft 2 to 2½ ft	.40	3.50	
kalmianum. Kalm St. Johnswort. 4'-5' underside. Withstands drought and	Blue-gree	n leaves į	
1½ to 2 ft	.30	2.50	, , со
$2$ to $2\frac{1}{2}$ ft	.35	3.00	
$2\frac{1}{2}$ to $3$ ft	.40	3.50	
moserianum. Gold Flower. 2' Large yell Dainty half-herbaceous splendid m	ow flow	ers, July-	-August.
12 in	.35	3.00	25.00
15 in	.40	3.50	30.00

HYPERICU	Мра	atul	um s	grandi	florun	n. 2½′	Ur	Each	Per 10 flowers.	Per 100 July-Aug.
	12	in						.35	3.00	25.00
1	10	111 r r							3.50	30.00
— henry									wers, July	
	14	in						.35	3.00 3.50	30.00
ILEX verticil	llata in	(PR	UNO mid	S). W winter	interi r. N	berry. ( ot eaten	6'-8' by	Brigh birds-	t red berri –prefers r	es persist- noist soil.
	15	to	18	in				.35	3.00	25.00
	$\frac{1\frac{1}{2}}{2}$	to to	21/	ft		· · · · · · · · · · · · · · · · · · ·		.40	3.50	
For other								.43		
ITEA virgini	ica.	Sw	eetsta	ire :	3'-4'	Snikes	f fra	grant v	white flow	ers July
TI DIT TII GIIII	G	ood	for l	ow sv	, <del>z</del> zampy	places-	-brilli	iant au	itumn col	oring.
	$1\frac{1}{2}$	to	2	ft				.35 .40	3.00	25.00
	2	to	$2\frac{1}{2}$	ft				.40	3.50	
JASMINUM	nudi	iflor	um.	Win	ter Ja	ısmine.	3'	Yellov	w, April-I	May.
	15	to	18	in .		· · · · · · · · · · · · · · · · · · ·		.30 .35	2.50	
	$1\frac{1}{2}$							.35	3.00	
JUNIPERUS	. Se	e E	vergr	eens, p	ages	39-42.				
KALMIA. S	See E	verg	greens	s, page	43.					
KERRIA jap	onic	a.	Јара	mese 1	Kerric	ı. 4'-5'	Go	olden	yellow, I	une-Sept.
KERRIA jap	G	reen	brar	nches i	ıseful	for win	ter ef	fects.	Graceful	habit.
	$1\frac{1}{2}$	to	2	ft				.40	3.50 4.00 4.50	25.00
	21/	to	$\frac{2\frac{1}{2}}{3}$	ft				.45	4.00	30.00 35.00
— flore	172 nler	10	Do	ıhle l	aban	oso Kor	ria	1'-5'	Desirab	la doubla
nore			DUt			030 1101				
	flo	owe	ring 1							
				form.	Strong	ger grow	th an	d bloo	ms more j	
	$\frac{1}{2}^{\frac{1}{2}}$	to to		form. ft ft	Strong	ger grow	th an 	d bloo	ms more j 3.50 4.50	30.00 40.00
,	1½ 2 3	to to	2 3 4	form. ft ft	Strong	ger grow	th an	.40 .50 .60	3.50 4.50 5.50	30.00 40.00 50.00
, — varieg	1½ 2 3 gata.	to to to	2 3 4 uriega	form. ft ft ft	Strong	ger grow	th an oliage	d bloo .40 .50 .60 e mark	3.50 4.50 5.50 ed white	30.00 40.00 50.00 or yellow.
	1½ 2 3 gata. 12	to to to Va	2 3 4 uriega 18	form. ft ft ft ited K	Strong	ger grow	th an oliage	.40 .50 .60 mark	3.50 4.50 5.50 ed white 6	30.00 40.00 50.00 or yellow. 25.00
, — varieg KOELREUT	1½ 2 3 gata. 12 ERI	to to to to to	2 3 4 1riego 18 anicu	form. ft ft ft ited K in ilata. July—	Strong erria. Varna valu	ger grow  4'-5' Finish Tree able sma	th an oliage oliage all tre	d bloo .40 .50 .60 e mark .35 5'-30' e of in	3.50 4.50 5.50 ed white 6	30.00 40.00 50.00 or yellow. 25.00 ht yellow
	1½ 2 3 gata. 12 ERIA flo	to to to Value to Apower to	2 3 4 18 anicurs in 4	form. ft ft ft in in lata. July ft ft	Strong erria. Varn a valu	4'-5' Facilish Treestable small	th an oliage oliage all tree	d bloo .40 .50 .60 e mark .35 5'-30' e of irr	3.50 4.50 5.50 ed white 6 3.00 Has brig regular ou 4.50	30.00 40.00 50.00 or yellow. 25.00 ht yellow
	1½ 2 3 gata. 12 EERIA 51 3	to to Value to A power to to to	2 3 4 18 anicu rs in 4 5	form. ft	Strong erria. Varn a valu	ger grow  4'-5' Fraish Tree	th an  oliage  all tree	d bloo .40 .50 .60 e mark .35 5'-30' e of irr	3.50 4.50 5.50 ed white 6 3.00 Has brig	30.00 40.00 50.00 or yellow. 25.00 ht yellow
	1½ 2 3 gata. 12 ERIA flo	to to Value to A power to to to	2 3 4 18 anicu rs in 4 5	form. ft	Strong erria. Varn a valu	ger grow  4'-5' Fraish Tree	th an  oliage  all tree	d bloo .40 .50 .60 e mark .35 5'-30' e of in .50 .65	3.50 4.50 5.50 ed white 6 3.00 Has brig regular ou 4.50	30.00 40.00 50.00 or yellow. 25.00 ht yellow
KOELREUT	1½ 2 3 gata. 12 ERIA 5 6	to	2 3 4 18 anicurs in 4 5 6 7	form. ft .	Strong erria. Varr a valu	4'-5' F	th an oliage lacetimes the contraction of the contr	d bloo .40 .50 .60 e mark .35 5'-30' e of in .50 .65 .85 1.00	3.50 4.50 5.50 ed white 3.00 Has brig regular ou 4.50 6.00	30.00 40.00 50.00 or yellow. 25.00 ht yellow
	1½ 2 3 gata. 12 ERIA 5 4 5 6 I vul	to	2 3 4 18 anicurs in 4 5 6 7	form. ft ft ft ft llata. July—ft ft foolden	erria.  Varna valu	ger grow  4'-5' F.  tish Tree able sma	th an  oliage  authorized the second	d bloo .40 .50 .60 e mark .35 5'-30' e of in .50 .65 .85 1.00	3.50 4.50 5.50 ed white 3.00 Has brig regular ou 4.50 6.00	30.00 40.00 50.00 or yellow. 25.00 ht yellow.
KOELREUT	1½ 2 3 gata. 12 EERIA 5 6 1 vul, flo	to t	2 3 4 4 18 anicurs in 4 5 6 7 7 2. Grs in 3	form. ft	Strong erria. Varn a valu Chai A use	4'-5' For the state of the stat	th an oliage all tree class of the class of	d bloo .40 .50 .60 e mark .35 5'-30' e of irr .50 .65 .85 1.00 Handse-best .60	3.50 4.50 5.50 ed white 6 3.00 Has briggegular ou 4.50 6.00  ome golde in protect 5.00	30.00 40.00 50.00 or yellow. 25.00 ht yellow. titline.
KOELREUT	1½ 2 3 gata. 12 EERIA 5 6 1 vul, flo 2 3	to t	2 3 4 4 18 anicurs in 4 5 6 7 7 e. G	form. ft ft ft ited K in illata. July— ft	erria.  Varna valu  Chai A use	4'-5' F. tish Tree able sma  n. 20'-; ful smal	th an oliage	d bloo .40 .50 .60 e mark .35 5'-30' e of iri .50 .65 .85 1.00 Handse-best .60	3.50 4.50 5.50 ed white 6 3.00 Has brig regular of 4.50 6.00	30.00 40.00 50.00 or yellow. 25.00 ht yellow. ttline.
KOELREUT	1½ 2 3 gata. 12 ERIA 5 6 1 vul flo 2 3	to to to Value to	2 3 4 4 anicego 18 anices in 4 5 6 7 7 2. G	form. ft ft ft ft in ilata. July— ft ft folden June. ft ft ft ft ft June.	Varra valu Chai A use	4'-5' F.  tish Tree able sma  n. 20'-; ful smal	th an old the control of the control	d bloo .40 .50 .60 e mark .35 5'-30' e of irr .50 .65 .85 1.00 Handse-best .60 .70	3.50 4.50 5.50 ed white 6 3.00 Has brig regular of 4.50 6.00	30.00 40.00 50.00 or yellow 25.00 ht yellow ttline. en yellow ed places. 40.00 50.00 for spring
KOELREUT  LABURNUM  LARIX euro	1½2 3 gata. 12 ERIA flo 3 4 5 6 6 1 vul flo 2 3	to to to Value to	2 3 4 4 18 anicu 7 5 6 6 7 7 7 4 5 6 6 7 7 4 5 6 6 7 4 5 6 6 6 7 7 4 7 4 7 8 7 8 8 7 8 7 8 7 8 7 8 7 8	form. ft f	erria.  Varn  Varn  Chai  A use	4'-5' F.  tish Tree able sma  n. 20'- ful smal	ooliage	d bloo .40 .50 .60 e mark .35 .50 .60 .65 .50 .65 .85 .1.00 Hands .60 .70 .70 .70 .70 .70 .70 .70 .70 .70 .7	3.50 4.50 5.50 ed white 6 3.00 Has brig regular of 4.50 6.00  ome goldein protect 5.00 6.00 dlly good fall pyram	30.00 40.00 50.00 or yellow. 25.00 ht yellow ttline. en yellowed places. 40.00 50.00 for spring idal tree.
KOELREUT  LABURNUM  LARIX euro	1½2 3 gata. 12 ERIL fld 3 4 5 6 6 1 vul flc 2 3 paea. eff 3	to t	2 3 4 arriege 18 anicu 4 5 6 7 7 4 £ £ £ £ £ £ £ £ £ £ £ £ £ £ £ £ £	form. ft ft ft ted K in ilata. July— ft ft ft folden June. ft ft ft ft bean I rows ft. B.	Varria.  Varria a valu  Chai A usee  arch  rapidl  & B.	4'-5' F.  tish Tree able sma  n. 20'- ful smal  substitution of the second of the seco	th an oliage colling c	d bloo .40 .50 .60 e mark .35 5'-30' e of in .50 .65 .85 1.00 Handse-best .60 .70 Special	3.50 4.50 5.50 ed white 6 3.00 Has brig regular ou 4.50 6.00 ome golde in protect 5.00 6.00 lly good f	30.00 40.00 50.00 or yellow. 25.00 ht yellow ttline. en yellowed places. 40.00 50.00 for spring idal tree.
KOELREUT  LABURNUM  LARIX euro	1½2 3 gata. 12 ERIA 5 6 1 vul flo 2 3 paea. eff 3 Am 3	to t	2 3 4 4 18 anicurs in 4 5 6 7 7 6 7 7 4 5 6 7 4 5 6 7 4 5 6 7 4 4 5 6 7 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	form. ft .	erria.  Varria a valu  Chai A use  arch rapidl  B B.  or Ta  B B.	4'-5' F.  tish Tree table small  1'-5' F.  tish Tree table small  1'-5' F.	th an oliage of the collage of the c	d bloo .40 .50 .60 e mark .35 5'-30' e of in .50 .65 .85 1.00 .Flands: -best .60 .70	3.50 4.50 5.50 ed white 6 3.00 Has brig regular of 4.50 6.00  ome goldein protect 5.00 6.00 dlly good fall pyram	30.00 40.00 50.00 or yellow. 25.00 ht yellow ttline. en yellowed places. 40.00 50.00 for spring idal tree.
KOELREUT  LABURNUM  LARIX euro  laricina.	1½2 3 ggata. 12 ERIA flo 3 4 5 6 1 vul flo 2 3 paea. eff 3 Am 3 4	to t	2 3 4 4 18 anicu rs in 4 5 6 7 7 2 2 3 4 4 5 6 7 4 5 6 7 4 5 6 7 4 7 4 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	form. ft B. ft. B. ft. B. ft. B. ft. B.	Varria.  Varria  Chai A use  arch  arch  arch  B B  B B  B B  B B	4'-5' F.  uish Tree able sma  n. 20'- ful smal	th an ooliage 22. 25′ l tree	d bloo .40 .50 .60 .e mark .35 .57 -30' e of in .50 .65 .85 1.00 .70 .70 .50 .70 .70 .50 .70 .70 .66 .70 .70 .66 .70 .75 .66 .70 .75 .75	3.50 4.50 5.50 ed white 6 3.00 Has brig regular of 4.50 6.00  Other golde in protect 5.00 6.00 bly good fall pyram Good for w	orofusely. 30.00 40.00 50.00 or yellow. 25.00 ht yellow utline.  en yellowed places. 40.00 50.00 for spring idal tree. yet places.
KOELREUT  LABURNUM  LARIX euro  laricina.	1½23 ggata. 12 flc flc 3 4 5 5 6 1 vul flc 2 3 ppaea. eff 3 4 4 5 5 6 5 6 1 vul flc 2 5 5 6 6 7 vul flc 2 5 6 6 7 vul flc 6 7 vul flc 7	to to to Value to	2 3 4 arriege 18 anicu 18 5 6 7 7 22. G 4 Curof 4 5 poferi)	form. ft Jap.	erria.  Varn Chai A use  arch B B. B B. B B. B B. Banesee	4'-5' F.  tish Tree able sma  n. 20' ful smal  . 50'-60 y into a  marack	th an	d bloo .40 .50 .60 .50 .60 .50 .65 .85 .60 .70 .50 .65 .85 .60 .70 .50 .66 .60 .70 .50 .65 .60 .70 .65 .60 .75 .65 .60 .75 .60 .65 .75 .60 .75	3.50 4.50 5.50 ed white 6 3.00 Has brig regular ou 4.50 6.00  Ome golde in protect 5.00 6.00  Clly good f all pyram  Good for w	orofusely. 30.00 40.00 50.00 or yellow. 25.00 ht yellow titline.  en yellow ed places. 40.00 50.00 for spring idal tree.  yet places.
KOELREUT  LABURNUM  LARIX euro  laricina.	11/2 2 3 ggata. 12 ERIL flo 3 4 5 6 6 1 vul flo 2 3 Am 3 4 s (ka	to to to Value to	2 3 4 arriege 18 anicurs in 4 5 6 7 7 7 4 Eurof 4 5 can I 4 5 pferi)	form. ft gean I rows ft B. ft B. ft Jap ght years ft	erria.  Varn a valu  Chai A use  arch arpidi B B B B B B B B B B B B B B B B B B B	4'-5' F.  tish Tree able sma  n. 20' ful smal  . 50'-60 y into a  marack  Larch. in autu	th an	d bloo .40 .50 .60 .50 .60 .50 .60 .35 .57-30' e of im e of imperior of control of contr	3.50 4.50 5.50 ed white 6 3.00 Has brig regular of 4.50 6.00  Other golde in protect 5.00 6.00 bly good fall pyram Good for w	orofusely. 30.00 40.00 50.00 or yellow. 25.00 ht yellow titline.  en yellow ed places. 40.00 50.00 for spring idal tree.  yet places.
KOELREUT  LABURNUM  LARIX euro  laricina.	11/2 2 3 gata. 12 FERIA flo 3 4 5 5 6 1 vul, flo 2 3 Paea. eff 3 4 5 5 6 4 5 8 4 8 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8	to to to Value to	2 3 4 arriege 18 anicurs in 4 5 6 7 7 7 4 Eurof 4 5 can I 4 5 pferi)	form. ft gean I rows ft B. ft B. ft Jap ght years ft	erria.  Varn a valu  Chai A use  arch arpidi B B B B B B B B B B B B B B B B B B B	4'-5' F.  tish Tree able sma  n. 20' ful smal  . 50'-60 y into a  marack	th an	d bloo .40 .50 .60 .50 .60 .50 .60 .35 .57-30' e of im e of imperior of control of contr	3.50 4.50 5.50 ed white 6 3.00 Has brig regular ou 4.50 6.00  Ome golde in protect 5.00 6.00  Clly good f all pyram  Good for w	orofusely. 30.00 40.00 50.00 or yellow. 25.00 ht yellow tiline.  en yellow ed places. 40.00 50.00 for spring idal tree.  yet places.

18 DECIDUOUS TREES, SHRUBS AND VINES
LEIOPHYLLUM. See Evergreens, page 48. Each Per 10 Per 100
LESPEDEZA bicolor. Bush Clover. 5'-6' Rose and white flower, July-Aug. Slender graceful shrub—attractive clover-like foliage.
11/ 0 5
1½ to 2 ft
3.50
formosa (Desmodium penduliflorum). Purple Bush Clover. 3'-4' Rosy purple flower conspicuous in Sept. Attractive shrub.
1 yr
— albiflora. Japanese Bush Clover. 3' White flowers, similar to type.
1 yr
2 yr
LEUCOTHOE. See Evergreens, page 48.
LIGUSTRUM amurense. Amur Privet. 14'-15' Half-evergreen, very hardy.
1½ to 2 ft
2 to 3 ft
3 to 4 ft
ibota. Ibota Privet. 9'-10' Good dense habit, flowers and fruits freely.  Decorative black berries—very hardy. Retains leaves late.
1½ to 2 ft20 1.50 10.00
2 to 3 ft
— regelianum. True Spreading Regal Privet. 5'-6' Makes a splendid low dense hedge—good in shrubbery or evergreen plantings. Unusually bushy stock.
1½ to 2 ft25 2.00 15.00
2 to 2½ ft
2½ to 3 ft
Lodense. Dwarf Privet. 2½' Compact dwarf form for hedgings.
6 to 12 in 1.00
12 to 15 in
lucidum. Glossy Privet. 6'-8' Glossy leaves, almost evergreen. Tender.
9 to 12 in
ovalifolium. California Privet. 9'-10' Most popular hedge plant.
This is nice bushy stock. Per 10 Per 100 Per 1000
- 12 to 18 in
$1\frac{1}{2}$ to 2 ft
2 to 3 ft
3 to 4 ft
— GLOBE FORM—Sheared Lodense Privet. Each Per 10 Per 100
15 in. diam., B. & B
- PYRAMIDAL FORM-Sheared California. Well shaped specimens.
2 ft. B. & B 1.00 9.00
2½ ft. B. & B 1.25 10.00 80.00
3 ft. B. & B 1.50 13.50 125.00
— STANDARD, TREE FORM—Sheared round heads, straight stems.
2 yr., 12 in. head, first class 1.00 9.00 65.00 3 yr., 15 in. head, extra 1.25 11.00 85.00
,

							Each	Per 10	Per 100
LIGUSTRUM ovalifolium aureum. Golden Privet, 8'-9' Grows rather slowly—good color. This is a particularly fine block.									
	12 15 1½	to 1 to 2	8	in in ft			.30 .40 .50	2.50 3.50 4.50	20.00 30.00 40.00
vulgare.	Eur	ореа	n P	rivet. 10'	-12′ Cre	amy-v	vhite fl	owers, Ju	ine-July.
	2 3	to 3 to 4		ft ft	····	-	.25 .30	2.00 2.50	18.00
LINDERA.	See I	3enzo	in,	page 7.					
*LIQUIDAMI	for tra	autu	mn nts Fi	lua. Swee color H best in earl ine shapel ft	as corky y spring. y specim	bark a Succ ens.	nd sta	r-shaped	leaves
: !	5 6 8	to 6 to 8 to 1	0 .	ftft		. 2	2.00 2.50 5.25 2.00	18.50 22.50 30.00 35.00	
(	Th flat	e yelli topp to 6 to 8	ow ed 1	tulip-like f leaves clear ft ft	lowers at yellow in	e pros autur	luced i	in June—	-peculiar
LONICERA I	Belgi gla l ½	ca. ucous to 2	Du be	tch Wood meath. Fr ftft	bine. 12 agrant cr	'–15' eamy	Thick flower .30 .35	2.50 3.00	outside.
bella albi	da.	Whi	te	Bell Hone	ysuckle.	8'-9'	Vig	orous; re	d fruits.
3	5 t	to 3 to 4 to 5 to 6		ft ft ft ft		-	.25 .30 .40	2.00 2.50 3.50 4.50	18.00 22.00
fragrantis	sima	. W	int	er Honeys Half-eve	uckle. 6	6'-8'	Fragra	nt white	flower,
	2 t 3 t	711-1VI 20 3 20 4 20 5		ftft			.30 .35 .50	2.50 3.00 4.00	20.00 25.00
japonica (	brac	hypo	da).	. Japanes	e Honeys	suckle.	15'-	20' Use	ful vine
3	2 yı 3 yı	·		banks. Alr			.25 .30	2.00 2.50	15.00 20.00
— hallian				panese Ho s freely, de			−25′ nt. A .25	A quick-; lmost ev 2.00	growing ergreen 15.00
heckrotti.	out ! y	side,	уе.	ing Honey llow inside	e, July-Se	ept. V	0′ Flo Very fr .40 .45	wers pur ee flower 3.00 3.50	ple-rose ring. 25.00
korolkowi	Aori	bund	2		Toneveno	·blo (	0'=10'	Has smal	l bluish in Aug.

20 DECIDOOCS TREES, STIROBS AT	
	Each Per 10 Per 100
LONICERA maacki. Amur Honeysuckle. 8'-9' Small scarlet berries persisting until	
2 to 3 ft 3 to 4 ft	.35 3.00 25.00
4 to 5 ft	.50 4.50
- podocarpa. Late Honeysuckle. 8'-9'	Smaller pinkish flowers,
better fruit than preceding, holds lea	ives longer. Vigorous.
2 to 3 ft	
3 to 4 ft	.35 3.00 25.00
morrowi. Morrow Honeysuckle. 7-8' Sprea	ading habit, yellow, May-
June. Red fruits, good bluish-green	
We also have an upright form of	of this—same price.
1½ to 2 ft	.25 2.00 15.00 .30 2.50 20.00
3 to 4 ft	.35 3.00 25.00
2 to 3 ft	.40 3.50
pileata. See Evergreens, page 48.	
punicea. Blooms freely, June. Almost evergre	
2 yr 3 yr	.30 2.50 20.00
reticulata aurea. Japanese Golden Honey	suckle. 15'-20' Leaves
veined golden yellow—a rampant gr	rowing vine.
3 yr	er 10 Per 100 Per 1000 2.00 15.00 100.00
ruprechtiana. Manchurian Honeysuckle. flowers June. Berries red, sometime	8'-9' Creamy white
2 to 3 ft	.30 2.50 20.00
3 to 4 ft	.35 3.00
4 to 5 ft	
sempervirens. Trumpet Honeysuckle. 15'-2	20' Bright scarlet showy
flowers, July-Sept. A quick-growing	
2 yr	
spinosa alberti. Albert Honeysuckle. 2' Ro May–June. Bluish-green leaves, red	ose-pink fragrant flowers,
15 to 18 in	
1½ to 2 ft	.50 4.00
standishi. Standish Honeysuckle. 4'-5'	Fragrant blush flowers,
April. Scarlet fruits, foliage persists	; wide spreading habit.
$1\frac{1}{2}$ to 2 ft	.30 2.50
syringantha. Lilac Honeysuckle. 3'-5' Att	
shrub with small bluish leaves and f in June, followed by red fruits in Au	
1½ to 2 ft	.40 3.00
2 to $2\frac{1}{2}$ ft	.50 4.00
— wolfi. Wolf Honeysuckle. 2½'-3' Sprea	ding, sometimes procum-
bent habit—smaller leaves, more	
more gracful habit than type. Fragi	.50
1½ to 2 fttatarica. Tatarian Honeysuckle. (Pink, re	
	A most adaptable shrub.
Please state color wanted.	
1½ to 2 ft	.25 2.00 15.00
2 to 3 ft	.30 2.50 20.00
3 to 4 ft	.35 3.00 25.00
4 to 5 ft	.50 4.00

						Per 20	
LONICERA	thib	etica	. Ti	betan Honeysuckle. 3'– e flowers densely branch	4' Small g	gray-green	n foliage.
						3.00	TOCKELY.
	2	to	21/2	ftft	.50	4.00	
species.	Α		hone	eysuckle introduced by A	Arnold Ar	boretum.	
	2	to	3	ft	.40	3.50	
	3		4	ft	.50	4.00	_
LYCIUM ba	arba f	rum.	Ma red b	atrimony Vine. 10'-1. y bright red fruits. For	2′ Violei hanks o	t flowers	in June,
	2	to	3	ft	.25	2.00	15.00
	3	to	4	ft	.30	2.50	20.00
chinensi	s.	Chir	iese I	Matrimony Vine. 12'-			prolific.
	2	to	3	ft	.25	2.00	15.00
MACNOLIA	3	to	4	ft	.30	2.50	20.00
MAGNOLIA				wth; large leaves; flower			
	3	to		ft		8.50	
	4	to		ft	1.35	12.00	
elaaa	5		6	ft 15'-20' Delightfully	1.85	17.50	
glauca.	-57	veet t Mav.	ouy. glauc	cous leaves nearly evergr	rragrant c een, prefe	reamy 110 rs moist	location.
		to					1000000111
		to	3	ft., B. & B ft., B. & B	2.25		
macropl	ıylla	i. B	iglea	f Magnolia. 20'-35' L	arge fragr	ant crean	n-colored
	5			spring. Unusually larg		ive tropic	ai eileci.
	6	to	8	ft. B. & B ft. B. & B	5.00		
	8	to	10	ft. B. & B	6.00		
soulang	eana	a. S	ance	r Magnolia. 15'–18' vers—May. Best transp	Large p	ourplish p	ink and
	311	wnite	. 110 W	vers-way. Dest transp	1 50		
	4''	pot	S		2.00	18.50	100.00 175.00
	0	ρυι	S		2.50		
stellata.	2			ft. B. & B nolia. 8'–10' Spreadin	5.00	. bobit	frammant
stenata.	٥	semi-	doule	white flowers, appear	long befo	re leaves	appear.
				ctive.			
					1.50	12.50	
tripetala				Magnolia. 30'-40' I			flowers.
	2	to	3	ft. B. & B ft. B. & B	1.25	10.00	
MAHONIA	3	to Fu		ens, page 48.	1.50	13.30	
				nold Crab. 8'-10' Wi	nite flowe	rs. compa	act habit.
i i i i i i i i i i i i i i i i i i i	3	to	4	ft	.85	7.50	
	4	to	5	ft	1.00	9.00	
atrosan				mine Crab. 10'-15'			
	3	to to	4 5	ftft	.75 .90	6.50 8.50	60.00 75.00
	5	to	6	ft	1.25	10.00	75.00
baccata				ab. 15′–18′ White fl			y hardy.
	4	to	5	ft	.75		
	. 5	to	6	ft	1.00	9.00	
coronar	ia. 3	Swee	et Cra 4	ab. 15'-20' Fragrant l	olush pinl .70	flowers 6.00	ın April.
	4	to	5	ft	.85	7.50	
	5	to	6	ft	1.00	8.50	

DECIDUOUS TREES, SHRUBS AND VINES
Each Per 10 Per 100
MALUS floribunda. Japanese Flowering Crab. 12'-15' Literally covered with pink buds and white flowers in spring—yellow fruits.
3 to 4 ft
4 to 5 ft 1.00 9.00 5 to 6 ft 1.25
halliana parkmanni. Parkman Crab. 12'-15' Double pink flowers, resembling tiny roses on long stems. Grows rather slowly.
3 to 4 ft
ioensis plena. Bechtel Crub. 10'-15' Large double pure pink fragrant flowers on long stalks. Vigorous grower—last to flower.
2 to 3 ft
2 to 3 ft65 5.00 40.00 3 to 4 ft1.00 8.50 75.00 4 to 5 ft1.35 12.50 5 to 6 ft2.00
5 to 6 ft 2.00
niedzwetzkyana. Redvein Crab. 12'-15' Has red flowers, leaves, branches and fruit—one of the earliest to bloom. Distinct.
4 to 5 ft 1.25 prunifolia rinki. Chinese Apple. 12'-15' Large fruits, red or yellow;
white flowers.
4 to 5 ft
purpurea. Purple Crab. 12'-15' Reddish purple flowers—open growth.
3 to 4 ft
robusta. Cherry Crab. 12'–15' Large white flowers, early; red fruits.
4 to 5 ft
sargenti. Sargent Crab. 5'-6' Pure white, very compact and dwarfsmall scarlet fruits hang on almost till spring Distinct.
2 to 3 ft
3 to 4 ft
scheideckeri. Scheidecker Crab. 10'-15' Double pink lasting flowers.
Large yellow fruits—branches form narrow pyramidal heads.
3 to 4 ft
4 to 5 ft
sieboldi. Siebold Crab. 15'-18' Pale pink flowers—showy red fruits.
3 to 4 ft
spectabilis. Showy Crab. 15'-18' Large fragrant bright pink flowers.
3 to 4 ft
4 to 5 ft
4 to 5 ft 1.00 9.00
MORUS acidosa. Acid Mulberry. 20'-25' Small tree producing edible berries.
3 to 4 ft
alba pendula. Tea's Weeping Mulberry. 8'-10'
Medium Grade         2.25         20.00           First Class Heads         2.75         25.00
Extra
MYRICA carolinensis (cerifera). Northern Bayberry. 4'-5' Does well
in poor gravelly soil. Gray waxy berries persisting all winter.
15 to 18 in
2 to 21½ ft

	DECIDUOUS TREES, SHRUBS AND VI	NES 23
	Each	Per 10 Per 100
NANDINA		sing soft texture,
	good autumn coloring. Red berries in large	
	2" pots	2.50 20.00
OSTRYA vi	virginiana. Hop Hornbeam. 25'-30' Slender s	preading branches;
	handsome beech-like foliage, clear yellow in blue-gray bark, hop-like fruits. Useful for	autumn. Smooth
OVUDENDI	1½ to 2 ft	0.00
OXYDENDI	PRUM arboreum. Sourwood. 25'-30' Gr white flowers-Aug. Good leathery foliage,	
		6.50
	2 to 3 ft	8.50
	4 to 5 ft	12.50 16.00
D. I. GITTGMIL		16.00
PACHISTIN		_
PAULOWN	NIA tomentosa. Royal Paulownia. 30'-40 very large leaves, purple flowers. Not qu	Grows rapidly,
	6 to 8 ft 1.35	ne nardy in norm.
	8 to 10 ft 2.00	
PHELLODE	ENDRON sachaliense. Cork Tree. 50'-	-75' Picturesque
	growth, large leaves. Corky bark. Resists	
	3 to 4 ft	7.00
	4 to 6 ft	9.00 13.50
	6 to 8 ft	13.30
PHILADEL	PHUS Avalanche. Avalanche Mock Orang	se. 3'-4' Graceful
	arching habit. Blooms profusely—long na	
	1½ to 2 ft	2.50
	2 to 3 it	3.00
Bannier	re. A good double variety, compact growth	
	2 to 3 ft	4.00 5.00
D		
Bouque	et Blanc. White Bouquet Mock Orange. 3' Blooms freely in large bunches, May-Ju	
		2.50 20.00
	2 to 3 ft	3.00 25.00
	3 to 4 ft	3.50 30.00
coronar	rius. Mock Orange or Syringa. 9'–10' Tl white flowers are freely produced in M	
	2 to 3 ft	2.50
	3 to 4 ft	3.00
	4 to 5 ft	4.00
— aurei	,	
	12 to 15 in	3.00 25.00
	15 to 18 in	3.50 4.00
	2 to 2½ ft	
— gran		7'-8' Vigorous.
g	2 to 3 ft	2.50 20.00
	3 to 4 ft	3.00 25.00 3.50 30.00
gordoni	4 to 5 ft	
goruom	2 to 3 ft	2.50 20.00
	3 to 4 ft	3.00 25.00

2 3 4

to 4

ft..... to 5 ft.....

.30 .35 .45

2.50 3.00 3.50

20.00 25.00 30.00

DECIDUOUS TREES. SHRUBS AND VINES 24 Each Per 10 Per 100 PHILADELPHUS lemoinei. Lemoine Mock Orange. 4'-5' Compact habit. fragrant semi-double flowers produced along slender branches. .30 2.50 1½ to 2 ft ..... Snowbank Mock Orange, 4'-5' Free flowering, fragrant. nivalis. .30 to 3 ft ..... 2 50 ft.... ft ... to 4 .35 3.00 5 .40 3.50 to virginalis. Virginal Mock Orange. 7'-8' Beautiful semi-double flowers produced intermittently all summer. Most desirable. 4.00 5.00 PHOTINIA glabra. Smooth Photinia, 8' Small flowers, bright red Red Berried Photinia. 8'-9' Flowers white, June, rich villosa. scarlet berries profusely borne in autumn, splendid thick foliage. 4.50 .60 5.50 45.00 to 4 ft ..... to 5 ft...... .75 6.50 60.00 to 6 ft..... 1.00 8.50 PHYSOCARPUS opulifolius (SPIREA). Ninebark. 9'-10' Creamy white June—good for shade. Good vigorous shrub, easily grown. 3 ft .... ... . .35 to 4 3.00 3.50 ft..... .40 - aureus. Goldleaf Ninebark. 9'-10' Leaves turn yellow to bronze. to 3 ft..... .30 2.50 to 4 ft ..... .35 3.00 PICEA. See Evergreens, pages 49. PIERIS mariana. Stagger Bush. 5'-6' Waxy white flowers, May-June. 40.00 1½ to 2 ft ..... .60 5.00 floribunda. See Evergreens, page 49. japonica. See Evergreens, page 49. PINUS. See Evergreens, page 50. PLATANUS occidentalis. American Plane Tree. 100' The tallest native North American tree. Has creamy white bark which sheds in patches. Fruits or buttonballs borne singly. Grows quickly to 8 ft..... 1.50 to 10 ft..... 2.00 to 10 ft.,  $1\frac{1}{4}$  to  $1\frac{1}{2}$  in. 2.50 orientalis. European Plane Tree. 70'-80' A good tree for park and street use—quick grower, stands city conditions, also succeeds at seashore. Each Per 10 Per 100 Per 1000

	ats	casiioi	Laci le lo le loo le looo			
5			ft			
6	t	0 8	ft 1.25 11.50 100.00 750.00			
8	t	o 10	ft 1.75 16.50 150.00 1250.00			
8	t	0 10	ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. 2.35 22.50 220.00			
1	0 to	0 11	ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in 3.00 28.50			
			ft., 1 1/4 to 2 in. 3.75 35.00			
1.	2 t	o 14	ft., 2 to $2\frac{1}{4}$ in. 4.25			
			Each Per 10 Per 100			
POLYGONUM	l au	ıberti.	China Fleecevine. 25'-35' Vigorous growing			
	vin	e cove	red during early summer and autumn with numer-			
	ous	small	white flowers.			
2	V	r	.50 4.00			
• 100						

```
Each Per 10 Per 100
10 to 12 ft., 1\frac{1}{4} to 1\frac{1}{2} in.
                                          .75
                                                 6.50
    bolleana. Bolleana Poplar. 50'-60' Leaves white underneath; similar
             character to Lombardy poplar—gray bark, grows quickly.
               to
                  6
                     ft.....
                                          .65
                                                 6.00
                                                        50.00
           6
                  8
                      ft.....
                                          .85
                                                 7.50
                                                        70.00
               to
                 10 ft.....
           8
               to
                                         1.00
                                                 9.00
   8 to 10 ft., 1½ to 1½ in. 1.25
12 to 14 ft., 1¾ to 2 in. 2.00
12 to 14 ft., 2 to 2¼ in. 3.00

canescens. Gray Poplar. 30′-40′ Hardy—useful for exposed places.
                 10 ft., 1½ to 1½ in.
12 ft., 1½ to 1¾ in.
12 ft., 1¾ to 2 in.
14 ft., 2 to 2½ in.
14 ft., 2½ to 3½ in.
                                        1.50 13.50
2.00 18.50
2.50 23.50
3.00 28.50
           9 to
           10 to
           10 to
           12
               to
           12 to
                                        4.00
                                               37.50
    eugenei(monolifera). Carolina Poplar. 75'-90' Rapid grower succeeds
           even on dry places and near seashore. Has spreading roots.
                 10 ft....
                                          .50
                                                 4.00
                                                        35.00
           8 to 10 ft., 1½ to 1½ in. 11 to 12 ft., 1½ to 1¾ in.
                                          .65
                                                 5.00
                                                        45.00
                                                 8.50
                                         1.00
   nigra italica. Lombardy Poplar. 60'-80' Tall spire-like character-
             is valued for screens and architectural effects. Grows quickly,
             and retains its lower branches. Each Per 10 Per 100 Per 1000
                    6
               to
           8
               to
           10
           11
               to
           12
               to
               to
           12
                                          Each Per 10 Per 100
          simoni.
    Volga Poplar. Has similar upright growth to the Lombardy poplar.
             5.00
                                                        40.00
               to 10 ft.....
                                          .75
                                                 6.00
                                                        50.00
                                         1.00
                                                 8.50
                                                        70.00
               to
                 10 ft., 1\frac{1}{4} to 1\frac{1}{2} in.
TRIDENTATA. See Evergreen page 50.
PRINOS. See ILEX glabra, page 44.
PRUNUS cerasifera pissardi. Purple Leaf Plum. 12'-15' Valued because
          glandulosa (amygdalus nana). Double Flowering Almond.
       Pink and white. (Please specify which color you want.)
           2.50
                                                        20.00
                                                 3.50
                                                        30.00
                                                4.00
                                                        35.00
```

26 DECIDUOUS TREES, SHRUBS AND VINES Each Per 10 Per 100 PRUNUS maritima. Beach Plum. 9'-10' Small white flowers, Aprilpurple fruits. Splendid subject for sandy soil or near seashore. 3.00 European Bird Cherry, 30'-40' Decorative flowering tree: padus. has long drooping racemes of white flowers, black fruit. ft.... .60 5.00 serrulata. Oriental Cherry. 25'-30' Pure white, semi-double, May. 1½ to 2 ft..... .50 - Hisakura. Double Pink Japan Cherry. 25'-30' Large clusters of double flowers of a delicate pale pink. Grows vigorously. 4 to 5 ft. B. & B. 4.00 - James H. Veitch (Fugenzo). Veitch Japan Cherry. 30'-40' The most handsome double flowering cherry cultivated. Has large rose-pink flowers, upright habit; vigorous grower. 4 to 5 ft. B. & B. .... 4.00 - flore pleno. Double White Cherry, 30'-35' Upright, branching-4 to 5 ft. B. & B. 4.00 - Single Pink. Japan Flowering Cherry. This is the beautiful single pink cherry that is the great attraction at the Capitol grounds. subhirtella pendula. Weeping Japan Cherry. 12' 15' Most beautiful and graceful tree covered with pink blossoms in early spring. PYAMIDAL FORM (budded low). 4 to 5 ft. B. & B. 3.50 5 to 6 ft. B. & B. 5.00 6 to 7 ft. B. & B. 6.00 STANDARD FORM 2 yr. head, B. & B. 3.75 3 yr. head, B. & B. 5.00 3 yr. head, B. & B. tomentosa. Nanking Cherry. 6'-7' A splendid shrub, has pink buds expanding to white flowers—small red fruits relished by birds. to 5 ft..... .40 3.50 to 4 ft..... .50 4.50 4 to 5 ft..... .60 5.50 triloba plena. Double Flowering Plum. 7'-8' Double pink flowers before the leaves, April-May. Handsome and useful shrub. 3.50 25.00 30.00 4.00 5.00 PTELEA trifoliata. Hop Tree. 10'-12' Fruit clusters look and smell like hops, turning brown in Autumn. Fresh green foliage. 2.50 3.00 5.00

PYRACANTHA. See Evergreens, page 51. QUERCUS alba. White Oak. 100' Best planted in spring; slow growth. coccinea. Scarlet Oak. 75'-90' Most striking autumn colors, tall stately grower, deeply cut leaves-succeeds in dry places. 8 to 10 ft...... 2.50

		702 11111137 5111(03) 1	1112
OUDDOUG	1	D' 0 1 77 00 77 1	Each Per 10 Per 100
QUERCUS			kindly to cultivation, prefers Particularly fitting as a street
	tree witl	n symmetrical pyramidal h	ead. Good autumn effects.
	8 ft		2.25 20.00
	8 ft., 1	$\frac{1}{4}$ to $\frac{1}{2}$ in	3.25 30.00
	7 to 9	$10 \text{ ft., } 1\frac{1}{2} \text{ to } 1\frac{9}{4} \text{ in.}$	3.75 35.00 4.50
	10 to	12 ft., 2 to 21/4 in.	5.50
	12 to	1/4 to 1½ in	6.50
	13 to 13 to 13	15 ft., 3 to $3\frac{1}{2}$ in.	8.00 10.00
		15 ft., $3\frac{1}{2}$ to 4 in.	11.00
robur (p	edunculata		Forms broad round head.
		1½ in	2.50 7.50
rubra.	2½ to ∃ Red Oak.	in	quick growth, rich autumn
rubra.		g in greens and reds—unfo	lding leaves pink.
	6 to 8	ß ft	2.00
		ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in.	3.25
	- 10	10 ft., 1½ to 1¾ in. 11 ft., 1¾ to 2 in.	3.75 4.50
		10 ft., 1½ to 1¾ in. 11 ft., 1¾ to 2 in. 12 ft., 2¼ to 2½ in.	6.50
RETINOSPO	RA. See	Evergreens, pages 52 53	
RHAMNUS	cathartica	. Common Buckthorn.	9'-10' Dark green leaves,
	numero	us black berries.  Valuable 2    ft	background shrub—hardy20 1.50
		5 ft	.30 2.50
	3 to 4		.35
frangula		Buckthorn. 8'-9' Berri	es red changing to black.
	2 to 3 to 4		.25 2.00 .30 2.50
	4 to 5	5 ft	.35 3.00
	-	5 ft	
		See Evergreens, pages 53	
RHODORA	appear	before the leaves. Habit :	ractive rosy-purple flowers somewhat similar to Azalea
	Vaseyi.	Useful for shady places	and naturalistic planting.
		1½ ft	.50 4.00
DHODOWY		2´ ft	.60 5.00
KHODOTY	flowers	May-lune—shining black	resh green foliage, pure white k bead-like berries all winter.
	$1\frac{1}{2}$ to 2	ft	.40 3.50 25.00
	2 to 3		.50 4.00 30.00 .55 4.50 35.00
PHUS cana	0 10		.55 4.50 35.00 ch. 4'-5' Clusters of small
Kiios cana	yellow	flowers, April–May. Attra	active in June when covered
	with co	ral-red fruits. Withstands	drought. Aromatic foliage.
		18 in 2 ft	
			.50 4.50
copallin	a. Shinin	g Sumach. 12'-13' Sh	owy crimson fruits, hand-
	some fo	oliage, good autumn colori	ng. Succeeds in poor soil.
	$\frac{1}{2}$ to $\frac{1}{2}$	3 ft	.35 3.00 25.00
	3 to 4	ł ft	owy crimson fruits, handong. Succeeds in poor soil.  30 2.50 20.00  35 3.00 25.00  40 3.50 30.00
cotinus.	Smore	ree. Purple Fringe.	10-12 Feathery purplish
	1 to 3		e, brilliant autumn coloring. .75 6.50
	3 to 4	ł . ft	1.00 9.00
	4 to 5	5 ft	1.25

RHUS glabra.	Smoo	oth S	umach.	10'-12'	Crims			nes—rich
J							s bluish t	
3	to	4	ft			.30		
laciniata								
							nn colori	ng.
2	to to	2	ft			.40 .45	3.50 4.00	
3	to	4	ft			.50	4.50	40.00
typhina.	Stagl	orn				Pictureson	ıe habit-	– brilliant
v, p	autum	nn ef	fect. Use	eful for p	ark and	general l	andscape	planting.
3	to	4				.30	2.50	
4 5	to	5 6				.40 .50	3.50 4.00	30.00 35.00
	to to	8				.60	5.00	45.00
— laciniat	- Cı	itlea	f Staoha	rn Sum	ach	14'-15'	I eaves fi	nely cut
iacinaci							lliant in	
2	to	3	ft			.30	2.50	20.00
3 4	to	4 5	ft			.40 .50	3.50 4.50	30.00 40.00
6	to to	8				.60	5.50	50.00
RIBES odorat	um (2	aurei					Fragran	t yellow
MBES GGGIA							er ''leggy.'	'shrubs.
2	to	3	ft				2.50	20.00
3	to	4	ft			.35	3.00	25.00
gordoniana	ı. Go	ordoi					e flowers	in May.
2	to	3				.30	2.50	
3	to	4	ft			.35	3.00	
		_						
ROBINIA hisp	ida.	Rose	Acacia.	5'-6'	Attractiv	ve rosy p	ink flowe	rs, May-
	June.	Soc	on develo	ps into a	a mass.	Good f	or dry ba	rs, May– nks.
1 2	ida. June. ½ to to	Soc	on develo ft	. 5'-6' ops into a	a mass.	ve rosy p Good f .30 .35	or dry ba 2.50	rs, May- nks.
1.	June. ½ to	Soc 2	on develo ftf ft	ops into a	mass.	Good f	or dry ba	rs, May- nks.
1 2	June. ½ to to to	Soc 2 3 4 Loca	on develo ftft ft st. 60'	-80' Fr	a mass.	Good f .30 .35 .40 white flo	or dry ba 2.50 wers in N	nks.
1 2 3 pseudo aca 4	June.  ½ to to to to to to	Soc 2 3 4 Locu 6	ftftst. 60'	-80' Fr	a mass.	Good f .30 .35 .40 white flo	or dry ba 2.50 wers in N 4.00	nks. Иау. 30.00
1 2 3 pseudo aca	June.  ½ to to to to to to to	Soc 2 3 4 Locu 6 8	ftftst. 60'	-80' Fr	a mass.	Good f .30 .35 .40 white flo .50 .70	or dry ba 2.50 wers in N 4.00 6.00	nks. May.
1 2 3 pseudo aca 4 6 8	June.  to to to to to to to	2 3 4 Loca 6 8	on develor ft	-80' Fr	a mass.	Good f .30 .35 .40 white flo .50 .70 1.00	or dry ba 2.50 wers in N 4.00 6.00 8.50	May. 30.00 50.00
pseudo aca 4 6 8 ROSA blanda.	June.  ½ to to to acia. to to to  Mea	Soc 2 3 4 Loca 6 8 10	on develor ft	-80' Fr	a mass ragrant v	Good f .30 .35 .40 white flo .50 .70 1.00	2.50 wers in A 4.00 6.00 8.50 nornless,	May. 30.00 50.00
pseudo aca 4 6 8 ROSA blanda.	June.  ½ to  Mea	Soc 2 3 4 Loca 6 8 10	on develor ft	-80' Fr	a mass ragrant v	Good f .30 .35 .40 white flo .50 .70 1.00	vers in N 4.00 6.00 8.50 nornless, 2.00 3.50	May. 30.00 50.00
1 2 3 5 pseudo aca 4 6 8 ROSA blanda.	June.  ½ to to to to to to  Mea  ½ to to to  Logical	Soc 2 3 4 Locu 6 8 10 dow 2 2 <sup>1</sup> / <sub>2</sub> 3	on develor ft	-80' Fr	a mass.	Good f .30 .35 .40 white flo .50 .70 1.00 almost tl .30 .40	vers in N 4.00 6.00 8.50 nornless, 2.00 3.50 4.50	May. 30.00 50.00 red bark. 30.00 40.00
pseudo aca 4 6 8 ROSA blanda.	June.  ½ to to to to to to  Mea  ½ to to  Mea  ½ to to  Krathe	Soc 2 3 4 Locu 6 8 10 dow 2 2½ 3 r Hu	on develor ft	-80' Fr	a mass.  ragrant v  , May;  Clear y	Good f .30 .35 .40 white flo .50 .70 1.00 almost tl .30 .40 .50	vers in N 4.00 6.00 8.50 nornless, 2.00 3.50 4.50	May. 30.00 50.00 red bark. 30.00 40.00 ers freely
pseudo aca 4 6 8 ROSA blanda. 1 2 2 hugonis.	June.  ½ to to to to to to  Mea  ½ to to  ½ to to  Fathe produ	Soc 2 3 4 Locu 6 8 10 dow 2 2½ 3 r Hu	on develor ft	-80' Fr -5' Pink 2. 6'-8' Bushy ha	a mass.  ragrant v  , May;  Clear y  bit; sma	Good f .30 .35 .40 white flo .50 .70 1.00 almost tl .30 .40 .50 rellow sir	vers in N 4.00 6.00 8.50 nornless, 2.00 3.50 4.50	May. 30.00 50.00 red bark. 30.00 40.00 ers freely
pseudo aca 4 6 8 ROSA blanda. 1 2 2 hugonis.	June.  ½ to to to to to to  Mea  ½ to to  Fathe produ	Soc 2 3 4 Loca 6 8 10 dow 2 2½ 3 r Hi ced, 2	on develor ft. ft. ft. sist. 60' ft.	-80' Fr -5' Pink -5' Pink 2. 6'-8' Bushy ha	a mass.  ragrant v  , May;  Clear y  bit; sma	Good f .30 .35 .40 white flo .50 .70 1.00 almost th .30 .40 .50 rellow sir all decora	or dry ba 2.50  wers in M 4.00 6.00 8.50  nornless, 2.00 3.50 4.50 agle flowtive folia; 5.00	May. 30.00 50.00 red bark. 30.00 40.00 ers freely ge. 40.00
pseudo aca 4 6 8 ROSA blanda. 1 2 2 hugonis. 1 lucida (virg	June.  2 to to to to to to  Mea  2 to to to  Fathe produ  2 to ginian fruits,	Soc 2 3 4 Loca 6 8 10 dow 2 2½2 3 r Hu ced, 2 a). red	on develor ft	-80' Fr -5' Pink -2, 6'-8' ushy ha	a mass.  a grant v  agrant v  c, May;  Clear y  bit; sma  5'-6'  leaves.	Good f .30 .35 .40 white flo .50 .70 1.00 almost tl .30 .40 .50 rellow sir ell decora .60 Pink, Jur Useful	or dry ba 2.50  wers in M 4.00 6.00 8.50 nornless, 2.00 3.50 4.50 ngle flowetive folia, 5.00 ne. Red d for seash	May. 30.00 50.00 red bark. 30.00 40.00 ers freely ge. 40.00 decorative
pseudo aca 4 6 8 ROSA blanda. 1 2 2 hugonis. 1 lucida (virg	June.  2 to to to to to  Mea  2 to to y to to y to ginian fruits,	Soc 2 3 4 Loca 6 8 10 dow 2 2½2 3 r Hu cced, 2 a). red 2	on develor ft	-80' Fr -5' Pink -2. 6'-8' Sushy ha	clear y bit; sma	Good f .30 .35 .40 white flo .50 .70 1.00 almost tl .30 .40 .50 rellow sir ill decora .60 Pink, Jur Useful	or dry ba 2.50  wers in N 4.00 6.00 8.50  mornless, 2.00 3.50 4.50 with folia, 5.00 ne. Red d for seash 2.50	May. 30.00 50.00 red bark. 30.00 40.00 ers freely ge. 40.00 decorative
pseudo aca 4 6 8 ROSA blanda. 1 2 2 hugonis. 1 lucida (virg	June.  2 to to to to to to  Mea  2 to to to  Fathe produ  2 to ginian fruits,	Soc 2 3 4 Loca 6 8 10 dow 2 2½2 3 r Hu ced, 2 a). red	on develor ft. ft. st. 60' ft.	-80' Fr -5' Pink 2. 6'-8' 8ushy ha a Rose. ck shiny	clear y bit; sma	Good f .30 .35 .40 white flo .50 .70 1.00 almost tl .30 .40 .50 rellow sir ell decora .60 Pink, Jur Useful	or dry ba 2.50  wers in M 4.00 6.00 8.50 nornless, 2.00 3.50 4.50 ngle flowetive folia, 5.00 ne. Red d for seash	May. 30.00 50.00 red bark. 30.00 40.00 ers freely ge. 40.00 decorative
pseudo aca 4 6 8 ROSA blanda. 1 2 2 hugonis. 1 lucida (virg	June.  1 to to to to to to to to to form to to to to to to to to to father products, to	Soc 2 3 4 Loca 6 8 10 dow 2 2½ 3 r Hu ced, 2 a). red 2 3 4	on develor ft. ft. st. 60' ft.	-80' Fr -5' Pink 2. 6'-8' 8ushy ha 1 Rose. ck shiny	clear y bit; sma	Good f .30 .35 .40 white flo .50 .70 1.00 almost tl .30 .40 .50 rellow sir ill decora .60 Pink, Jur Useful .35 .40	or dry ba 2.50  wers in M 4.00 6.00 8.50  mornless, 2.00 3.50 4.50 nogle flowtive foliations 5.00 ne. Red d for seash 2.50 3.00	May. 30.00 50.00 red bark. 30.00 40.00 ers freely ge. 40.00 lecorative sore.
pseudo aca 4 6 8 ROSA blanda. 1 2 2 hugonis. 1 lucida (virg	June.  1 to to to to to to to to to form to to to to to to to to to father products, to	Soc 2 3 4 Loca 6 8 10 dow 2 2½ 3 r Hu ced, 2 a). red 2 3 4	on develor ft. ft. st. 60' ft.	-80' Fr -5' Pink 2. 6'-8' 8ushy ha 1 Rose. ck shiny	clear y bit; sma	Good f .30 .35 .40 white flo .50 .70 1.00 almost tl .30 .40 .50 rellow sir ill decora .60 Pink, Jur Useful .35 .40	or dry ba 2.50  wers in N 4.00 6.00 8.50  mornless, 2.00 3.50 4.50 with folia, 5.00 ne. Red d for seash 2.50	May. 30.00 50.00 red bark. 30.00 40.00 ers freely ge. 40.00 lecorative sore.
pseudo aca 4 6 8 ROSA blanda. 1 2 2 hugonis. 1 lucida (virg 3 moyesi. M	June. $1/2$ to to to to to to to $1/2$ to to to $1/2$ to to $1/2$ to $1/2$ to $1/2$ to to to $1/2$ to to to to to to to to to $1/2$ to	Soc 2 3 4 Loca 6 8 10 dow 2 2½ 3 7 r Ha ced, 2 3 4 Rosa ful f	on develor ft. ft. st. 60' ft. ft. st. ft. ft. ft. st. go Rose June. E ft. ft. ft. ft. ft. ft. ft. st. ft. ft. ft. st. ft. ft. ft. st. ft. ft. ft. ft. ft. ft. ft. ft. st. ft. ft. ft. ft. st. ft. ft. ft. st. ft. ft. st. ft. ft. st. ft. ft. st. ft. st. ft. st. ft. st. ft. ft. ft. st. ft. ft. ft. st. ft. ft. ft. ft. st. ft. ft. ft. ft. ft. ft. ft. ft. ft. f	-80' Fr -5' Pink 2. 6'-8' 8ushy ha 1 Rose. ck shiny	clear y bit; sma	Good f .30 .35 .40 white flo .50 .70 1.00 almost tl .30 .40 .50 rellow sir ill decora .60 Pink, Jur Useful .35 .40	or dry ba 2.50  wers in M 4.00 6.00 8.50  mornless, 2.00 3.50 4.50 nogle flowtive foliations 5.00 ne. Red d for seash 2.50 3.00	May. 30.00 50.00 red bark. 30.00 40.00 ers freely ge. 40.00 lecorative sore.
pseudo aca 4 6 8 ROSA blanda. 1 2 2 hugonis. 1 lucida (virg 3 moyesi. M	June.  ½ to for to  Mea ½ to Fathe produ ½ to fruits, fruits, to to to Joyes beauti yr.,	Soc 2 3 4 Loct 6 8 10 dow 2 21/2/2 3 r Hi ced, 2 a). red 2 3 4 Ross ful f heav	on develor ft. ft. sist. 60' ft.	-80' Fr -5' Pink 2. 6'-8' 8ushy ha 1 Rose. ck shiny	clear y bit; sma	Good f .30 .35 .40 white flo .50 .70 1.00 almost tl .30 .40 .50 rellow sir all decora .60 Pink, Jur Useful .30 .35 .40 rers 2½ fine bus	or dry ba 2.50  wers in M 4.00 6.00 8.50  nornless, 2.00 3.50 4.50 agle flowtive foliation 5.00 he. Red d for seash 2.50 3.00 inches hy specin	May. 30.00 50.00 red bark. 30.00 40.00 ers freely ge. 40.00 leccorative fore. across—nen.
pseudo aca 4 6 8 ROSA blanda. 1 2 2 hugonis. 1 lucida (virg 3 moyesi. 3	June.  ½ to for to  Mea ½ to Fathe produ ½ to fruits, fruits, to to to Joyes beauti yr.,	Soc 2 3 4 Loct 6 8 10 dow 2 21/2/2 3 r Hi ced, 2 a). red 2 3 4 Ross ful f heav	on develor ft. ft. st. 60' ft. ft. sgo Rose June. E ft. ft. ft. ft. sgo Rose ft. ft. ft. sgo Rose ft. s	-80' Fr -5' Pink 2. 6'-8' 8ushy ha 1 Rose. ck shiny	clear y bit; sma	Good f .30 .35 .40 white flo .50 .70 1.00 almost tl .30 .40 .50 rellow sir all decora .60 Pink, Jur Useful .30 .35 .40 rers 2½ fine bus .60 attractive	or dry ba 2.50  wers in N 4.00 6.00 8.50  nornless, 2.00 3.50 4.50 nogle flowitive folia; 5.00 ne. Red d for seash 2.50 3.00 inches hy specir 5.00	May. 30.00 50.00 red bark. 30.00 40.00 ers freely ge. 40.00 leccorative fore. across—nen.

DECIDUOUS TREES, SHRUBS AND VINES 29 Each Per 10 Per 100 ROSA nitida. Bristly Rose. 3' Deep pink, June-July. Good for holding banks and general mass planting. Good autumn coloring. 1½ to 2 ft..... .30 2.50 20.00 .35 2½ ft..... to 3.00  $2\frac{1}{2}$  to 3 ft..... .40 3.50 palustris (Carolina). Swamp Rose. 6'-7' Pink, May-July. Vigorous. .35 1½ to 2 ft..... 3.00 25,00 2 to 2½ ft..... .40 3.50 30.00 2½ to 4.00 3 ft..... .45 35.00 rubiginosa. Sweet Briar. 5'-6' Bright pink, June. Aromatic foliage. .40 to 3 ft ..... 3.50 ft ..... .50 4.50 40.00 rubrifolia (ferruginea). Redleaf Rose. 5'-6' Has distinct purplish-red leaves and bark; good winter subject. Pink flowered, June. to 3 ft ..... .50 .60 to 4 ft.. ..... Red Rugosa Rose. 4'-5' Handsome shrub, large deep pink rugosa. flowers, June-Sept. Rich green foliage and large red fruits. Useful in shrubbery border or as hedge-good fall coloring. 1½ to 2 2.00 ft..... 3 .35 3.00 to ft..... 3 4 ft.. .... .40 3.50 to 4 ft..... .50 4.50 - alba. White Rugosa Rose. 4'-5' Large pure white flowers. .35 ft.. ..... 1½ to 2 3.00 3 ft ...... 2 to .45 4.00 35.00 3 to 4 ft ..... .50 4.50 4 ft..... .60 5.50 - repens alba. Trailing Rugosa Rose. Has the same handsome foliage as type. Large white flowers are exquisite. Prostrate habit; good for rocky bank. Grows quickly, soon binds the soil. yr..... .60 5.00 - Max Graf. Similar habit to preceding; beautiful single pink flowers. 2 yr. heavy..... .60 Prairie Rose. 5'-6' Tall arching branches, vigorous growth. handsome foliage, deep rose flowers in clusters, June-July. Each Per 10 Per 100 Per 1000 3.00 4 .35 25.00 to .40 3.50 30.00 270.00 to ft..... spinosissima. Scotch Rose. 3'-4' A dainty but compact grower branches covered with soft thorns. Has attractive small foliage. Per 10 Per 100 Pink or creamy single flowers: Each .40 3.50 15 to 18 in ..... 30.00 .50 4.50 40.00 1 1/2 to 2 ft..... wichuriana. Memorial Rose. 15'-25' White—particularly useful for

С	overi	ng	banks or	boulders.	Thick	small shir	ning green fo	oliage.
						.25	2.00	
2	to	3	ft			.35	3.00	
3	to	4	ft			.40	3.50	

## Roses

The following roses have been selected as being a really representative All are vigorous growers and free bloomers, hardy and collection. dependable.

### HYBRID TEA or MONTHLY BLOOMING ROSES

50c. each: 4.50 ten: 40.00 hundred

Betty, yellow shaded pink. Columbia, dark pink. Duchess of Wellington, yellow. Eldorado, golden yellow Gen. McArthur, red. Gruss an Teplitz, red. Kaiserine A. Victoria, white. Killarnev Queen, dark pink. Lady Ursula, light pink.

Laurent Carle, rich crimson. Los Angeles, yellow shaded pink. Mad. Butterfly, light pink. Mad. C. Testout, dark pink. Mad. E. Herriot, yellow shaded pink Mad. Jules Bouche, white. Mrs. Aaron Ward, yellow. Mrs. Henry Morse, pink. Ophelia, flesh pink Radiance, dark pink. Red Radiance, red.

Souv. de C. Pernet, yellow. White Killarney, white.

### HYBRID PERPETUAL or JUNE ROSES

50c, each: 4.50 ten: 40.00 hundred

Frau Karl Druschki, pure white. General Jacquiminot, red. George Ahrends, light pink.

J. B. Clark, crimson. Mrs. John Lang, clear pink. Paul Neyron, rose pink.

#### POLYANTHA ROSES or BABY RAMBLERS

50c. each: 4.50 ten: 40.00 hundred

Dorothy Haworth, pink. Eblouissant, crimson. Edith Cavell, crimson. Geo. Elgar, vellow.

Gruss an Aachen, large flesh pink. Marie Pavie, white. Mrs. Cutbush, pink. Mrs. Wm. Koning, white.

#### CLIMBING ROSES or RAMBLERS

50c. each; 4.50 ten; 40.00 hundred

Albertine, double clear pink. Aviateur Bleriot, yellow. Bess Lovett, crimson red. Christine Wright, clear pink. Climbing American Beauty, rose red. Dr. Van Vliet, flesh pink.

Gardenia, yellow. Mary Lovett, large white. Mary Wallace, bright pink. Paul's Scarlet Climber. Purity, pure white. Silver Moon, pure white.

3 to 4 ft., 50c. each; 4.00 ten; 30.00 hundred

American Pillar, single red, white cen. Dorothy Perkins, pink. Excelsa, crimson.

Hiawatha, single red. Tausendschon, light pink. White Dorothy Perkins.

		Each Per 10 Per 10	
RUBUS odoratus.	Flowering Raspberry. 5'-	-6' Rose colored fragran	nt
	ers produced all summer—goo	d for covering shady bank	S.
2 to		.30 2.50	
3 to	4 ft	.35 3.00 25.0	00
4 to		.40 3.50	
SALISBURIA. See	GINKGO, page 14.		
SALIX babylonica.	Babylon Weeping Willo		
appro	opriate for waterside planting-		S.
4 to	6 ft	.65 6.00 50.0	
6 to	6 ft	.90 8.50 75.0	
8 ot	10 ft	1.35 12.50 100.0	)()
	12 ft	1.75 15.00	
	sa). Wisconsin Weeping W		
	ulous branches; leaves dk. gree		
4 to	6 ft	.60 5.00 40.0	
6. to		.75 6.50 50.0	
caprea. Pusy V	Villow. BUSH FORM. 13 g effects. Will succeed in dr	5-20 Very desirable 1	or
6 to 8 to	8 ft 10 ft	.50 4.50 .75 6.00	
	Thurlow Weeping Willow. 6		
		75 Vigorous, spreadin	
4 to 6 to	_	.75 6.00 50.0 1.00 9.00 75.0	
8 to		1.35 12.50 100.0	
10 to		1.75 15.00	,,,
incana (rosmari	nifolia). Rosemary Willow.		X-
	in foliage effects-narrow le		
2 to	3 ft	.25 2.00 15.0	
3 to	3 ft	.35 3.00	
pentandra. La	urel Leaf Willow. 20'-30'	Shining dark green leav	es
	e this a worthwhile backgrour		
3 to	4 ft	.35 3.00 20.0	
4 to	-	.45 4.00 30.0	-
6 to		.60 5.00 40.0	
vitellina. Gold	en Willow. 25'–30' Valua g bright golden yellow. Silky	ble for winter effect, bar	rk
	4 ft		
4 to 6 to		.50 4.00 30.0 .60 5.50	JU
	olden Weeping Willow. 20	20' Createful behit	
_			
4 to		.90 8.50 75.0	00
	10 ft		-
			ed
with	Bronze Willow. 20'–25' P Golden Willow. Has distinct	t reddish-bronze bark.	
3 to		.30 2.50	
4 to	6 ft	.50 4.00 30.0	00
6 to		.60 5.50	
SAMBUCUS canad		-9' Fine for swampy place	
Frag	rant flowers, June–July. Bla	,	
2 to			
3 to		.40 3.50 30.0	
— acutiloba. C	utleaf American Elder. 8'-9	Leaves finely cut. Simil	lar
	rers and fruit to preceding.		
2 to 3 to			
3 to 4 to		.35 3.00 .40 3.50	
T (C		.10 3.30	

Each Per 10 Per 100
SAMBUCUS canadensis aurea. Golden Elder. 10'-12' Yellow foliage.
$1\frac{1}{2}$ to 2 ft
2 to 3 ft
3 to 4 ft
racemosa (pubens). Red Elder. 8'-10' Bright red berries in June. 4 to 5 ft
4 to 5 ft
SASSAFRAS variifolium. Common Sassafras. 40'-50' Handsome light green foliage, striking autumn color; transplants best in spring.
3 to 4 ft
4 to 5 ft
SCHIZOPHRAGMA. See HYDRANGEA petiolaris, page 16.
SHORTIA. See Evergreens, page 54.
SOPHORA japonica. Pagoda Tree. 30'-40' White flowers in late summer.
5 to 6 ft
6 to 8 ft
SORBARIA aitchisoni. Kashmir False Spirea. 4'-5' Graceful compound foliage. Large heads of flowers creamy white in July-Sept.
2 to 3 ft
3 to 4 ft
4 to 5 ft
arborea glabrata. Smooth Tree Spirea. 10'-12' Handsome flower
spikes, July-Aug. Has smooth purplish branchlets. Scarce. 3 to 4 ft
4 to 5 ft
5 to 6 ft
sorbifolia. Ural False Spirea. 4'-5' Fluffy white flowers, June-Aug.
2 to 3 ft
3 to 4 ft
SORBUS americana. American Mountain Ash. 20'-25' Has pointed leaves, small bright red berries. Grows slower than European.
4 to 5 ft
aucuparia. European Mountain Ash. 25'-30' A valuable tree on a small lawn. The conspicuous orange-scarlet berries are quite striking and are a favorite food of robins. Has smaller rounded leaves and larger berries than the American variety.
4 to 5 ft
5 to 6 ft. 1.00 8.50 70.00 6 to 8 ft. 1.25 11.00 80.00
6 to 8 ft
10 to 12 ft
- pendula. Weeping Mountain Ash. Curious pendulous branches.
2 yr. heads 2.00
3 yr. heads
<b>SPIRAEA arguta.</b> Garland Spirea. 5'-6' Small light green leaves—very free flowering. May. Coarser, more vigorous than Thunbergi.
1½ to 2 ft
<b>billiardi.</b> Billiard Spirea. 5'-6' Bright pink fluffy flower spikes sometimes eight ins. long in July-Oct. Valuable for dry places.

DECID	JOUS TREES, SHE	KORZ AND V	INES 33
		Each	
SPIRAEA bumalda.	Bumalda Spirea. 2	2'-3' Light pink	flowers, July-Sept.
15 to	18 in		2.50 20.00
$1\frac{1}{2}$ to	2 ft	.35	3.00 25.00
2 to	2½ ft		4.00 30.00
$2\frac{1}{2}$ to	3 ft		4.50 40.00
- Anthony Wa	aterer. Waterer Sp	oirea. 3' Dee	per rose pink than
preced	ding—very free flowe	ring all summer.	A compact shrub.
		Each Per 10	Per 100 Per 1000
15 to	18 in	.25 2.00	18.00 100.00
$\frac{1}{2}\frac{1}{2}$ to	2 ft	.30 2.50	20.00 150.00
$\frac{2}{2\frac{1}{2}}$ to	2½ ft	.35 3.00 .40 3.50	25.00 200.00 30.00 250.00
· -			
fortunei (callosa	rosea). Fortune Spi	rea. 3' Handso	
		Each	Per 10 Per 100
$1\frac{1}{2}$ to	2 ft		2.00
2 to	3 ft		2.50
3 to	4 ft		3.00
froebeli. Froebe	el Spirea. 4' Simil	ar to Anthony	Waterer, but more
vigoro	ous and the flowers	are a lighter sh	ade of pink.
$1\frac{1}{2}$ to	2 ft		2.00 15.00
2 to	5 ft	.30	2.50 20.00
3 to			3.50 30.00
japonica (callos	a alba). Japanese ish-green foliage whe	Spirea. 3'	White, June-July.
Purpli	ish-green foliage whe	en young. Blo	oms freely—good.
12 to	15 in	30	2.50 15.00
15 to	18 in		3.00 20.00
$1\frac{1}{2}$ to	2 ft		3.50 25.00
2 to	2½ II	43	4.00 30.00
latifolia (salicifoli			—July.
$1\frac{1}{2}$ to	2 ft	.25	2.00 15.00
2 to	3 ft		2.50 20.00
3 to	4 ft		3.00 25.00
nipponica rotun			9' White, June—
	dark green leaves p		
$\frac{1\frac{1}{2}}{2}$ to 2	2 ft		2.50 3.00
	3 ft		3.00
	PHYSOCARPUS, pa		E a ·
prunifolia. Brid	al Wreath. 7'-8' D ome dark green foliag	ouble white, Ma	ly. Free flowering,
nanus			
2 to		.35 3.00	Per 100 Per 1000 20.00 150.00
3 to	4 ft	.40 3.50	25.00 200 00
4 to	5 ft	.50 4.00	30.00 250.00
reevesiana. Ree	ves Spirea. 4'-5'		y-June. Graceful
archin	g habit. Retains gree	n leaves till late	, janer Gracerar
•		Each	Per 10 Per 100
$1\frac{1}{2}$ to	2 ft		2.00 15.00
2 to	3 ft		2.50 20.00
3 to	4 ft	35	3.00 25.00
thunbergi. Thu	nberg Spirea. 4'-5'	Slender archin	g branches clothed
with j	pure white flowers, A	April-May. Fe	athery light green
ieaves.	pure white flowers, A Valuable for seasi	Fach Per 10	Per 100 Per 1000
12 to	18 in	.30 2.50	15.00 100.00
$1\frac{1}{2}$ to	O C	75 700	20.00 150.00
2 to	2½ ft	.35 3.00 .40 3.50 .50 4.00	25.00 200.00
$2\frac{1}{2}$ to	3 ft	.50 4.00	35.00 250.00

Each Per 10 Per 100

SPIRAEA to	mentos	a. Han	rdhack. 3′–4′ Wo wnish underside.	oolly rose-p	ink flo	wers, Jul	y-Sept.
		2	ftft			2.00 2.50	15.00
trichocar			Arnold Arboretu				
	lar to	Van	Houtte and prom	ises well to	be ve	ry popul	ar.
	2 to		ft		O X 7		
van nout	habit.	Extr	outtei Spirea. 8'- cemely free flower	ring and ve	rv ada	ıptable.	
	$1\frac{1}{2}$ to 2	2	ft	2	.0	2.50	15.00 20.00
	3 to	4	ft ft ft	3	5	3.00	25.00
OPPHOD	4 to	5	ft	5	0	4.00	35.00
	See PICI A. colchi		iges 49. Colchis Bladder	N <sub>11</sub> +' 10	191	Elamora	white
STAFFILLE	with	distinc	tive fragrance, M	lay-June.	Decor	ative seed	d pods.
	$1\frac{1}{2}$ to	2	ft	5	0	4.50	
trifolia.	Americ April-	can Bl -Mey,	laddernut. 10'- followed by deco	12′ Uprigh orative blad	nt habi der-lik	t, white e fruits.	flower,
	4 to 5 to	5	ft	8	55	7.50	
STEPHANA	-		osa. Cutleaf S				Fraceful
STEI HANA		act ha	bit; handsome fol	liage, simila	r to si	nall map	
	$1\frac{1}{2}$ to	2	ftft	3	0	2.50	20.00
	$\frac{2}{2\frac{1}{2}}$ to	$\frac{2\frac{1}{2}}{3}$	ft	4	:0 i0	3.50	
STRANVAE		vidian:	a. See Evergreer	ns. page 54			
	onica.	Japa	mese Storax. 12	′–15′ Whi	te bell-	shaped p	pendant
	flowe	rs, Jur	ne-July. Makes a	a handsome	lawn	specime	n.
	2 to 3	3 4	ftft	4	.0	3.50	
	4 to	5	ft		50	4.50 5.50	
CALL ADDITION OF	5 to	6	ft ft enaulti. 4'-5' A	7	5		
SYMPHORIC	CARPO 1½ to	S che	ft	A usetul, co	ompact 50	2.50	
			ft			3.00	
racemosu		owber	ry. 4'-5' Large	white berrie		ept. At	tractive
	foliag	e. Be	est in half-shady,	moist locat	ions.	2.00	15.00
	$\frac{1}{2}$ to	3	ft	3	55	3.00	20.00
	3 to	3½	ft ft ft	4	15	4.00	30.00
vulgaris.	Coral	herry	ft	compact th	an nre	ceding.	Coral-
vargaris.	red h	erries t	percieting through	out winter-	-for st	nady dry	places.
	$\frac{1}{2}$ to	2	ft	2	25	2.00	12.00 15.00
	3 to	$\frac{3}{1}\frac{1}{2}$	ftftft	3	55	3.00	25.00
arinabi o co	$3\frac{1}{2}$ to	4	ft		0	4.00	35.00
SYMPLOCO	S pani Num	culata	(crataegoides). small white flow	Asiatic	Swee	tleat.	15'-20' bright
	turqu	oise-bl	lue berries in aut Spreading bran	umn. God	od fol	iage retai	ned till
	late at	utumn 2½	ft	ches—pret	ers dra 5	ıned hali	-snade.
SYRINGA o	chinonei	e (ve	thomagoneis)	Chinges I	ilac	8'-9'	Slender
	branc	hes, g	raceful. Violet f	lowers in	May-	-free flo	wering.
	$\frac{172}{2}$ to	3	raceful. Violet f ft ft	4	10	3.50	30.00
	3 to	4	ft	5	0	4.50	40.00

Each Per 10 Per 100 SYRINGA chinensis saugeana. Purple Chinese Lilac. 8'-9' Deep purple-red. 1½ to 2 ft ..... 3.00 25.00 .35 to 3 ft..... .40 3.50 30.00 3 to 4 4.50 ft..... 40.00 .50 to 5 ft..... 4 .60 5.50 50.00 japonica. Japanese Tree Lilac. 25'-30' Loose bunches creamy white flowers, June–July. Handsome foliage; smooth shiny bark. to 3 ft..... 3.50 .40 30.00 3 to 4 ft..... .50 4.50 40.00 to 5 ft..... .75 7.00 65.00 Hungarian Lilac. 9'-10' Rosy-lilac flowers, June. Has iosikea. 2 to 5 ft..... .60 5.00 40.00 Persian Lilac. 9'-10' Blooms freely—rich lilac, May-June. persica. ft..... .50 4.50 alba. 2 to pubescens. Hairy Lilac. 6' Graceful free-flowering shrub. Handsome dark green foliage, pale lilac flowers. 3 to 4 ft..... 5.00 .60 Late Lilac. 7'-8' Pale rosy-lilac, June. Good foliage—compact. villosa. 3.00 25.00 2 to 30.00 4.00 .5.5 3 4 ft ... ..... 5.00 40.00 to 4 to 5 ft..... .65 5.50 45.00 vulgaris. Common Purple Lilac. 12'-15' Popular old-fashioned lilac. 2.50 20.00  $2^{\prime\prime}$  to 3ft..... .35 3.00 25.00 to 4 ft.... .40 3.50 30.00 4 to 5 ft..... .50 4.50 40.00 Common White Lilac. 10'-12' alba. .35  $1\frac{1}{2}$  to 2 ft..... 3.00 25.00 3 .45 4.00 35.00 2 to ft..... 3 to 4 ft..... .55 5.00 45.00 to 5 ft..... .65 6.00 NAMED LILACS (all on own roots.) 1½ to 2 ft ..... .50 4.50 35.00 to 3 ft..... .65 6.00 45.00 2 .75 7.00 60.00 3 to 4 ft..... 1.00 Alphonse Lavalle. Double light purple. Charies Joly. Double deep violet. Charles the Tenth. Rosy lilac, single. Lamartine. Single rosy-mauve. L'Oncle Tom. Single red-purple.
Ludwig Spaeth. Single dark red purple.
Michael Buchner. Double lilac. Mme. Casimir Perrier. Double white. Marie Le Graye. Single white.
Mme. Lemoine. Double white.
President Grevy. Large Double blue. President Poincaire. Double large claret-mauve. Rubra De Marly. Single light blue. Vestale. Single large white. √Wm. Robinson. Double violet pink.

36	DECID	UOL	S TREES, S	SHRUBS,	AND V	INES	
					Each	Per 10	Per 100
TAMARIX	africana	. Afri	can Tamar foliage. Ef	ix. 12'–14' fective pear	Pink, A	pril-May.	Feathery seashore.
	1½ to					1.50	10.00
	2 to	3	ft		.25	2.00	15.00
	3 to	4	ft		.30	2.50	20.00
gallica.	French	ı Tam	arix. 8'-9'	Lt. pink, N	lay-July;	blue-gree	n foliage.
	11/2 to	2	ft		.20	1.50	10.00
	2 to 5		ft		.25	2.00	15.00
TAXODIUI	-	∔ num.	ft Bald Cypr			etrical pyr	amid: has
		trunk	, warm brow	'n spongy	bark; bes	t in swam	py place.
	$1^{1}_{2}$ to	2	ft., B. & B.		.75	6.50	
	4 to 5 to	5 6	ft., B. & B. ft., B. & B.		1.50	13.50	
TAVIC					1.73		
			page 54.				
			pages 54–57				
TILIA ame		Amer	ican Linder	n. 80'-90	_	leaves, op	oen habit.
	8 to	10	ft	1.1.	1.75		
	10 to 12 to	12 14	ft., 1 <sup>1</sup> <sub>4</sub> to ft., 2 to	$2^{\frac{1}{2}}$ in.	2.00 4.00		
	12 to	1.5	ft. 21/2 to	21, in.	5.50		
		15	ft., $2\frac{1}{2}$ to	3 in	6.75		
	14 to		ft., 3 to	$5\frac{1}{2}$ in.	10.00		
platyph		_	an Large Le	af Linden.	60'-75'	Light gre	en leaves.
	8 to		ft., $11_{\frac{1}{4}}$ to	1 ½ in.	2.50 3.00		
	9 to 10 to	11	ft., $1\frac{1}{2}$ to ft., $1\frac{3}{4}$ to	2 in.	4.00		
	11 to	12	ft., 2 to		5.00		
vulgari	s (europa	iea).	European I	Linden. 6	60'-70'	Fragrant f	lowers in
			rows vigorou			ict symme	trical tree.
	8 to 9 to	9 10	ft., 114 to	1 ½ in.			
	9 to 10 to	11	ft., $1\frac{1}{2}$ to ft., $1\frac{3}{4}$ to	$ \begin{array}{ccc} 1\frac{3}{4} & \text{in.} \\ 2 & \text{in.} \end{array} $	3.00 4.00		
	11 to		ft., 2 to	$2\frac{1}{4}$ in.	5.00		
TSUGA. S	See Everg	reens.	page 57.				
ULMUS am	ericana.	Am	erican Elm.	80'-100'	Fairly	rapid in	growth.
	this 1	typical	American	tree soon	assumes		
	Very	adapı	able, but bes				
	4 to	6	f.	Each	Per 10 6.00	Per 100 50.00	Per 1000 350.00
	4 to 6 to	-	ft	.75 1.00	8.50	70.00	
	8 to		ft	1.30	8.50 12.50 18.50 23.50	110.00	
	8 to		ft., $1\frac{1}{4}-1\frac{1}{2}$	2.00	18.50	110.00 175.00 225.00	
	9 to 10 to		ft., $1\frac{1}{2}-1\frac{9}{2}$ ft., $1\frac{3}{4}-2$	3.00	23.50	225.00	
— Mol			rain having l			oro Gra	uc vicor
- 14101	ously	and and	quickly deve	lops into d	ense coni	age. Gio cal specim	en. Has
	smoo	oth cle	an bark.		Each	Per 10	Per 100
	6 to	8	ft		1.25	10.00	
	8 to	10	11		1.50	13.50	
— Vas	e shape.		is the typic				
	lected	1 For i	ts splendid c quick grow	naracteristic	cs. Larg	je toliage hane	, straight
	6 to		ft			10.00	
			ft	•••	1.50		

	DECID	UOU	S TREES, S	HRUBS	and v	INES	37
ULMUS camp	to to	8 10	glish Elm. ftft ft., 1½ to				Per 100 nd head.
VACCINIUM			<b>n.</b> Highbusl autiful fruit;				
1 1 2	2 to 5 to 1/2 to 2 to 21/2 to	15 18 2	inin		.40	3.50 4.50 5.50 6.50	30.00 40.00 50.00
VIBURNUM a	June.	Black	Maple Lear fruits, maple dry shady p	e-like leav	es turninį	g purple in	
	$\frac{1}{2}$ to	2 3	ft ft		.40 .50		
americanu			os). Americ				
1 2 3 4	½ to to to	2 3	ft		.40 .50 .60 .70	3.50 4.50 5.50 6.00	25.00 35.00
cassinoide	s. Wi	thero	od. 5'-6' Wl e. Rich autı	nite, June- ımn color	July. Bei	ries pink endid for	changing massing.
1 2 3	½ to	2 3 4	ft ft		.40 .50 .60		
dentatum.			ood. 10'-12'	2′ White purple and	, May-Ju d red. T	une. Berr Thrives in	ies blue- wet soil.
2 3 4	to	3 4 5	ft ftft		.35 .45 .55	3.00 4.00 4.50	25.00 30.00 40.00
dilatatum.			iburnum. 8 y berries persi				
1 2	$\frac{1}{2}$ to to		ft ft		.40 .50		
lantana.	Wayfa green	ring wrink	Tree. 15'-18 sled leaves; be	3′ White, rries red c	May-Jur hanging	ie; handso to bľack; v	me dark rigorous.
1 2 3 4	to to to to	3 4	ft ft ft		.40 .45 .55 .60	3.50 4.00 5.00	30.00 35.00 45.00
			e Leaf Wayf led leaves tha				
2 3	to to		ftft		.45 .55	4.00 5.00	35.00 45.00
lentago.	Nanny	berry		/hite, May			
2 3 4	to to to	3 4	ftft		.45 .60 .70	4.00 5.00 6.00	35.00 40.00

					Each	Per 10	Per 100 I	Per 1 0 0 0
VIBURNUM	1 mo le	lle. aves	Ker , but	ntucky Viburni otherwise simil	ım. 10	′–12′ La	rger, dark	er green
	1½ 2 3 4	to to to	2 3 4 5	ft ft ft	.30 .35 .45 .55	2.50 3.00 4.00 4.50 Each	20.00 25.00 30.00 40.00 Per 10	200.00 250.00
nudum.	Sm th	ootl	ı Wi shiny	itherod. 10'–1 leaves; berries	2′ Upri pink cha	ght grow	th. Dee	o green
	1 ½			ft		.40		
opulus.	bı	ope at ha	is sn	Eranberry. 8'- naller leaves and	9′ Simi berries;	more con	npact hab	anberry it.
	2 3 4	to to	3 4 5	ft ft ft		.50 .55 .65	4.50 5.00 6.00	
- steril	e. (	Com hite	mon flow	Snowball. 9 ers, May–June.	′–10′ H No fri	las showy aits are pr	round hoduced.	eads of
	1 ½ 2 3	to to to	2 3 4	ftft		.40 .50 .60	3.50 4.50 5.00	30.00 35.00
— nanu	m. sł	Dwa rub.	rf Rar	Cranberry. I ely flowers. Ve	½'-2' ry comp	Useful e act habit-	edging or —slow in	facing growth.
	4 6 9	to to	6 9 12	inin		.25 .30 .35	2.00 2.50 3.00	15.00 20.00 25.00
pubesce	ns.	Dou	vny	Viburnum, 5'	-6' Lil	ke limesto	one soils-	-scarce.
	$\frac{1}{2}^{\frac{1}{2}}$	to to		ftft		.40 .50		
prunifol	ium. B	Bl lue-b	ack black	Haw. 15'-20' glaucous berries	Pure S Sturd	white flo y habit.	wers, Ap Handsom	ril–June. e shrub.
	$\frac{1}{2}^{\frac{1}{2}}$	to to	2 3	ftft		.40 .55		
rhytidop	hyllu	ım.	See	Evergreens, pa	ge 57.			
sieboldi	. Si	ebol nang	d Vi	burnum. 9'–1 o black. Has	0' White handsom	e, May-Ju le large c	ine. Berri lark greei	es pink, n leaves.
	3	to to	3 4	ft ft		.40 .55		
tomento				lefile Viburnu me. Berries red			heads o	
	1½ 2 3 4	to to to	2 3 4 5	ftftft		.40 .50 .55	3.50 4.50 5.00	30.00 35.00
— plica			-	ese Snowball. . Handsome fo		Showy v		
	3 in 1½ 2 2½ 3	to to to	$\frac{2}{2\frac{1}{2}}$	yr		.45 .50 .60	2.00 4.00 4.50	15.00

		ــابـــ	CIL	OOC	75 11(2	,,,,,,	111(000	THIND	II VLD	
								Each		Per 100
/I	ΓEX agn							Dainty sh		
		I	Aug.	-Sept	. Has	gray-g	green sta	r-shaped l	eaves—pre	fers sun
		1 1/2	to	2		•			2.50	
		2	to	3	ft			.35	3.00	
	macrop	hylla	ı. 3'-	-4' La	vender-	blue flo	owers. Iu	ly-Oct. A	good impr	ovement.
			to	2					3.50	
717	ΓIS heter	, -	•							
ΝI	EIGELA							Light pinl		
		2	to to	3 4				.35	3.00 3.50	20.00 25.00
		4	to	5				.40 .45	4.00	35.00
	candida	Š		_				hite flowe		
	cuitataa	2	to	3			Large W		3.00	25.00
'		3	to	4					3.50	30.00
		4	to	5				.50	4.50	40.00
	Desbois	. D	esbo	is W	eigela.	6'-7'	Deep r	ose pink	-flowers p	rofusely.
		2	to	3					3.00	25.00
		3	to	4	ft			.40	3.50	30.00
		4	to	5	†t			.50	4.50	35.00
	Eva Ra	athke	<b>:</b> . :	Red .	Flower	ing W	'eigela.	4' 5' C	armine, Ju	ine -Aug.
							Each	Per 10	Per 100	Per 1000
		$1\frac{1}{2}$	to	2	ft		.40	3.00	25.00	200.00
		2	to	$2\frac{1}{2}$	ft		.45	3.50	30.00	250.00
		$2\frac{1}{2}$	to	3	ft		.50	4.00	35.00	300.00
		3	to	4	ft		.55	4.50	40.00	
	floribun	da.	Cri	msor	ı Weige	ela. 7	"-8′ Cr	imson, Jui	ne. Free fl	owering.
								Each	Per 10	Per 100
		$1\frac{1}{2}$	to	2				.30	2.50	20.00
		2	to	3					3.50	30.00
		3	to	4	ft			.45	4.00	
	Lavalle.	La	vall	e We	eigela.	7'-8'	Bright	crimson-	rather ne	at habit.
		2	to	3	ft			.35	3.00	25.00
		3	to	4	ft			.40	3.50	30.00
		4	to	5	ft			.45	4.00	
	nana va	riega	ıta.	Vai	riegated	l Leaf	Weigelo	a. 4'-5'	Pale pink	flowers.
				,	· · · · · · · · · · · · · · · · · · ·	. 2011)		Per 10	Per 100	
		11/2	to	2	ft		.25	2.00	15.00	100.00
		2	to	3	ft		.40	3.00	25.00	200.00
		3	to		ft		.50	4.50		250.00
		31/2		4	ft			5.00	45.00	
	W0405	Dinh	Wa	igela			uur ninle	flowers,	Iuna via	orous.
	rosea.	2 2	to	igeia 3	ft		.30	2.50	20.00	150.00
		3		4			.35	3.00	25.00	200.00
		4	to to	5	ft ft		.50	4.00	30.00	200.00
		-		_						
	steltznei	ri. S	teltz	ner	Weigelo	ı. 6'-	7' Dark	red flowe		
									Per 10	Per 100
		2	to	3				.30	2.50	
		3	to	4	ft			.35	3.00	25.00

10	DEC	שטוב		5 IREES, SHRUDS P	MD VII	VE2	
					Each	Per 10	Per 100
WEIGELA	Van	Hou	ttei.	Van Houttei Weigela.	7'-8' Car	rmine; go	od color.
	2	to	2	ft	.30	2.50	20.00
	3	to	4	ft	.35	3.00	25.00
	4	to	5	ft	.50	4.00	30.00
Venust	a. 6	'-7'	New	. Large rose-color flow	ers, June.	One of	the best.
	2	to	3	ft	.30	2.50	20.00
	3	to	4	ft	.35	3.00	
UNICTEDIA	6	0000	20 1	mariam Wiataria 20'	25' Sand	Dimon Lil.	
WISTERIA				American Wisteria. 20' owers in June. A beaut			ac-purpie
				ft		3.50	30.00
	2	to		ft			30.00
	3	ιο	4	10	.30	4.30	
multiju	ga.	Lon,	g Clı	ıster Wisteria. 40'–50'	Seedlings	. Fragrar	nt purple
				long clusters, May. Se		: advanta	ge when
	tı	raine	d on	old trees or open trellise	:S-		
	3		4	ft			
	4	to	5	ft	.60	5.00	
sinensis				Visteria. 40'–50' See			r white.
	2	to	3	•	.40	3.50	
	3		_	ft	.45	4.00	
	3	ιο	7	16	.43	4.00	
(	Grafte	ed Ci	hines	e Wisteria. 40'-50'	Blue.		
	$1\frac{1}{2}$	to	2	ftft	.40	3.50	
	2	to	3	ft	.50	4.50	
YUCCA. S	See E	vergr	eens,	page 57.			
ZANTHOR	HIZA	<b>A</b> api	ifolia	. Yellowroot. 2'-3'	Good gr	round co	ver—will
				dry, sandy soil, but not			

succeed on dry, sandy soil, but not in limestone—soon spreads.

10	to	12	in	.25	2.00
12	to	15	in	30	2.50

Our shrubs are given ample space for development and are grown in soil particularly conducive to a splendid fibrous root system. We earnestly invite your inspection.

## **Evergreens and Conifers**

These have all been transplanted, most of them several times, giving ample room for full development, and frequently sheared to produce compact, symmetrical specimens.

Prices include B. & B. except as noted by \*\*

ABIES douglasi. See page 46. Each Per 10 Per 100	
1 ()	
fraseri. Fraser Fir. 40'-50' Soft dark green foliage, pleasant odor	
1½ to 2 ft 2.00	
2 to 2½ ft 2.75 2½ to 3 ft 3.25	
veitchi. Veitch Fir. 50'-60' Tall narrow pyramid; soft needles; hardy	
2 to 2½ ft 3.50 30.00	
$2\frac{1}{2}$ to $3$ ft 4.00 35.00	
3 to 4 ft	
4 to 5 ft 6.00 55.00	
ANDROMEDA. See LEUCOTHOE and PIERIS, pages 48–49. ARBORVITAE. See THUJA, pages 54–57.	
ARCTOSTAPHYLOS uva-ursi. Great Bear Berry. A good ground cover with evergreen foliage. Splendid for seashore planting.	
2 yr	
AZALEA amoena. Japanese Azalea. 2½'-3' Conspicuous purple rec	
flowers, April-May. Leaves turn rich bronze-green in winter.	
6 to 8 in **	
8 to 10 in **	
10 to 12 in	
hinodegiri. Red Japanese Azalea. 3'-4' Larger leaves and better	
habit than above. Flowers very bright carmine-pink. Effect-	
ive in masses or with Rhododendrons. Best when protected	
6 to 8 in **	
8 to 10 in **	
10 to 12 in	
Akebona—white shaded lilac ledifolia alba—single white.	
Fuji-manyo—attractive double lilac macranthum—single red	
Flame—distinct rich orange-red Pink Pearlsingle pink.	
Hatsu-giri — warm purplish red Snow — white.	
Hinamayo—clear soft pink Yaye-giri—semi dbl. salmon red	Parties and
6 to 8 in ** 1.00 8.50	
8 to 10 in	
10 to 12 in	
15 to 18 in	

For other AZALEAS see pages 6-7.

BERBERIS ilicifolia. Hollyleaf Barberry. 5'-6' Holly-like leaves persisting almost until new foliage appears. Flowers yellow.

12	to	15	ın	.65	6.00
15	to	18	in	.75	6.50
$1\frac{1}{2}$	to	2	ft	.90	8.50
2	to	$2\frac{1}{2}$	ft	1.10	10.00

julianae. Wintergreen Barberry. 4'-5' Long deep green leaves retain their color throughout winter. Compact; blue-black fruits.

2 yr., strong ... .75 6.00 15 to 18 in. bushy ... 2.00 17.50

For other BERBERIS see pages 7-8.

42	EVERGREENS AND CON	
BIOTA. S	ee THUJA orientalis, page 57.	Each Per 10 Per 100
BUXUS sen	mpervirens. Box. (Bush form) 12'-15	5' Useful for formal hedges
	10 to 12 in., bushy**	85 800 7500
	12 to 15 in., " **	1.10 10.00 95.00
	15 to 18 in., "	1.35 12.50 115.00
	1½ to 2 ft "	1.75 16.50 150.00
	2 ft., extra bushy	5.00
	2 ft., natural globes 2½ ft., natural globes	6.00 to 7.50 each
	2½ It., natural globes	10.00 to 15.00 each
1	PYRAMIDS. Broad specimens.	7.50
	2 ft	7.50
ianonic	a. Japanese Box. A hardy species	round light green leaves
	CLIPPED GLOBES	, round nght green leaves
	18 to 20 in	8.00 75.50
	20 to 24 in	10.00 80.00
suffruti	cosa. True Dwarf Box. 3'-4' Ext	tensively used for edgings
	4 to 6 in **	2.50 15.00
	6 to 8 in **	3.50 30.00
	6 to 8 in **	.75 6.50 55.00
CALLUNA	vulgaris alba. White Heather. 1'	-2' A splendid evergreer
	ground cover. Best in large mass	ses on well-drained slopes
	6 to 8 in **	.30 2.00
	6 to 8 in **	.40 3.00
	mondi. Hammond Heather. 1'-2'	
	amondi. Hammond Heather. 1'–2' Ela. Slender Heather. 6''–10'' Lav	
— tene CHAMAEC	ella. Slender Heather. 6''–10'' Lav EYPARIS. See RETINOSPORA, pa	vender. ages 52–53.
— tene CHAMAEC	ella. Slender Heather. 6''–10'' Lav EYPARIS. See RETINOSPORA, pa	vender. ages 52–53.
— tene CHAMAEC	ella. Slender Heather. 6''–10'' Lav EYPARIS. See RETINOSPORA, pa	vender. ages 52–53.
— tene CHAMAEC	Pla. Slender Heather. 6"–10" Las EYPARIS. See RETINOSPORA, pa DAPHNE calyculata. Leatherleaf. April. The brown leaves persist	vender. ages 52–53. 3'–4' White flowers ir throughout winter—useful
— tene CHAMAEC	Ela. Slender Heather. 6"–10" Lac EYPARIS. See RETINOSPORA, pa DAPHNE calyculata. Leatherleaf. April. The brown leaves persist	vender.  ages 52–53.  3'–4' White flowers in throughout winter—useful  1.10 10.00
— tene CHAMAEC CHAMAED	Ela. Slender Heather. 6"-10" Lac EYPARIS. See RETINOSPORA, pa DAPHNE calyculata. Leatherleaf. April. The brown leaves persist 15 to 18 in	vender. ages 52–53. 3'–4' White flowers in throughout winter—useful 1.10 10.00 1.50
— tene CHAMAEC CHAMAED	Pla. Slender Heather. 6"-10" Lac CYPARIS. See RETINOSPORA, pa DAPHNE calyculata. Leatherleaf. April. The brown leaves persist 15 to 18 in	vender.  ages 52-53.  3'-4' White flowers in throughout winter—useful  1.10 10.00  1.50  caster. 6'-8' Large dark
— tene CHAMAEC CHAMAED	Pla. Slender Heather. 6"-10" Lac CYPARIS. See RETINOSPORA, pa DAPHNE calyculata. Leatherleaf. April. The brown leaves persist 15 to 18 in	vender.  ages 52–53.  3'–4' White flowers in throughout winter—useful  1.10 10.00  1.50  caster. 6'–8' Large darl ange berries; quick grower
— tene CHAMAEC CHAMAED COTONEA	Pla. Slender Heather. 6"-10" Lac CYPARIS. See RETINOSPORA, pa DAPHNE calyculata. Leatherleaf. April. The brown leaves persist 15 to 18 in	vender.  ages 52–53.  3'–4' White flowers in throughout winter—useful  1.10 10.00  1.50  caster. 6'–8' Large darl ange berries; quick grower  .50
— tene CHAMAEC CHAMAED COTONEA	Pla. Slender Heather. 6"-10" Lac EYPARIS. See RETINOSPORA, pa DAPHNE calyculata. Leatherleaf. April. The brown leaves persist 15 to 18 in	vender.  ages 52-53.  3'-4' White flowers in throughout winter—useful  1.10 10.00  1.50  caster. 6'-8' Large dark ange berries; quick grower  .50  r. 1'-1½' Small box-like
— tene CHAMAEC CHAMAED COTONEA	Ella. Slender Heather. 6"-10" Lac CYPARIS. See RETINOSPORA, pa DAPHNE calyculata. Leatherleaf. April. The brown leaves persist 15 to 18 in	vender.  ages 52–53.  3'–4' White flowers in throughout winter—useful 1.10 10.00 1.50  caster. 6'–8' Large darkange berries; quick grower .50  r. 1'–1½' Small box-like Effective among rocks.
— tene CHAMAEC CHAMAED COTONEA horizon	Pla. Slender Heather. 6"-10" Lac CYPARIS. See RETINOSPORA, pa DAPHNE calyculata. Leatherleaf. April. The brown leaves persist 15 to 18 in	vender.  ages 52–53.  3'–4' White flowers in throughout winter—useful 1.10 10.00 1.50  caster. 6'–8' Large darkange berries; quick grower .50  r. 1'–1½' Small box-like Effective among rocks.  .50 4.50 35.00
— tene CHAMAEC CHAMAED COTONEA horizon	Ela. Slender Heather. 6"-10" Lac EYPARIS. See RETINOSPORA, pa DAPHNE calyculata. Leatherleaf. April. The brown leaves persist 15 to 18 in	vender.  ages 52–53. $3'-4'$ White flowers in throughout winter—useful 1.10 10.00 1.50  caster. $6'-8'$ Large darkange berries; quick grower .50  r. $1'-11/2'$ Small box-like Effective among rocks.  .50 4.50 35.00  mbent habit. Red berries
— tene CHAMAEC CHAMAED  COTONEA  horizon  — perp	Ela. Slender Heather. 6"-10" Lac EYPARIS. See RETINOSPORA, pa DAPHNE calyculata. Leatherleaf. April. The brown leaves persist 15 to 18 in	vender.  ages 52–53.  3'–4' White flowers in throughout winter—useful 1.10 10.00 1.50  caster. 6'–8' Large darkange berries; quick grower 50  r. 1'–1½' Small box-like Effective among rocks.  .50 4.50 35.00  mbent habit. Red berries .60 5.00
— tene CHAMAEC CHAMAED  COTONEA  horizon  — perp	Ela. Slender Heather. 6"-10" Lac EYPARIS. See RETINOSPORA, pa DAPHNE calyculata. Leatherleaf. April. The brown leaves persist 15 to 18 in	vender.  ages 52–53.  3'–4' White flowers in throughout winter—useful 1.10 10.00 1.50  caster. 6'–8' Large darkange berries; quick grower .50  r. 1'–1½' Small box-like Effective among rocks.  .50 4.50 35.00  mbent habit. Red berries .60 5.00  en leaves; red fruits.
— tene CHAMAEC CHAMAED  COTONEA  horizon  — perp lemoine	Ela. Slender Heather. 6"-10" Lac EYPARIS. See RETINOSPORA, pa DAPHNE calyculata. Leatherleaf. April. The brown leaves persist 15 to 18 in 1½ to 2 ft.  STER franchetti. Franchet Cotone green leaves, open habit. bright or 1½ to 2 ft.  Tallis (davidiana). Rock Cotoneaster shiny leaves—bright red berries. It 3" pots  Dusilla. Has very small leaves; procus 3" pots  Estimate of the street of the s	vender.  ages 52–53.  3'–4' White flowers in throughout winter—useful 1.10 10.00 1.50  caster. 6'–8' Large darkange berries; quick grower .50  r. 1'–1½' Small box-like Effective among rocks.  .50 4.50 35.00  mbent habit. Red berries .60 5.00  en leaves; red fruits.  .50 4.50
— tene CHAMAEC CHAMAED  COTONEA  horizon  — perp lemoine	Ela. Slender Heather. 6"-10" Lac EYPARIS. See RETINOSPORA, pa DAPHNE calyculata. Leatherleaf. April. The brown leaves persist 15 to 18 in 1½ to 2 ft.  STER franchetti. Franchet Cotone green leaves, open habit. bright or 1½ to 2 ft.  Italis (davidiana). Rock Cotoneaster shiny leaves—bright red berries. If 3" pots  Dusilla. Has very small leaves; procur 5" pots  El. Slender branching shrub; dark gree 2 yr.  hylla. Rockspray. 2'-2½' Very sm	vender.  ages 52–53.  3'–4' White flowers in throughout winter—useful  1.10 10.00  1.50  caster. 6'–8' Large darl range berries; quick grower  .50  r. 1'–1½' Small box-like  Effective among rocks.  .50 4.50 35.00  mbent habit. Red berries  .60 5.00  en leaves; red fruits.  .50 4.50  nall leaves, very deep green
— tene CHAMAEC CHAMAED  COTONEA  horizon  — perp lemoine	Ela. Slender Heather. 6"-10" Lac EYPARIS. See RETINOSPORA, pa DAPHNE calyculata. Leatherleaf. April. The brown leaves persist 15 to 18 in	vender.  ages 52–53.  3'–4' White flowers in throughout winter—useful  1.10 10.00  1.50  easter. 6'–8' Large darkange berries; quick grower  .50  r. 1'–1½' Small box-like  Effective among rocks.  .50 4.50 35.00  mbent habit. Red berries  .60 5.00  en leaves; red fruits.  .50 4.50  nall leaves, very deep green  liage later than horizontalis
— tene CHAMAEC CHAMAED  COTONEA  horizon  — perp  lemoine	Ela. Slender Heather. 6"-10" Lac EYPARIS. See RETINOSPORA, pa DAPHNE calyculata. Leatherleaf. April. The brown leaves persist 15 to 18 in 1½ to 2 ft.  STER franchetti. Franchet Cotone green leaves, open habit. bright or 1½ to 2 ft.  Italis (davidiana). Rock Cotoneaster shiny leaves—bright red berries. If 3" pots  Dusilla. Has very small leaves; procur 5" pots  El. Slender branching shrub; dark gree 2 yr.  hylla. Rockspray. 2'-2½' Very sm	vender.  ages 52–53.  3'–4' White flowers in throughout winter—useful  1.10 10.00  1.50  easter. 6'–8' Large darkange berries; quick grower  .50  r. 1'–1½' Small box-like  Effective among rocks.  .50 4.50 35.00  mbent habit. Red berries  .60 5.00  en leaves; red fruits.  .50 4.50  nall leaves, very deep green  liage later than horizontalis
— tene CHAMAEC CHAMAED  COTONEA  horizon  — perp  lemoine	Pla. Slender Heather. 6"-10" Lac EYPARIS. See RETINOSPORA, pa DAPHNE calyculata. Leatherleaf. April. The brown leaves persist 15 to 18 in	vender.  ages 52–53.  3'–4' White flowers in throughout winter—useful 1.10 10.00 1.50  caster. 6'–8' Large darlyange berries; quick grower .50  r. 1'–1½' Small box-like Effective among rocks50 4.50 35.00  mbent habit. Red berries .60 5.00  en leaves; red fruits50 4.50  nall leaves, very deep green liage later than horizontalis .60 5.00 30.00 .75 6.00 40.00
— tene CHAMAEC CHAMAED  COTONEA  horizon  — perp lemoine micropl	Pla. Slender Heather. 6"-10" Lac CYPARIS. See RETINOSPORA, pa DAPHNE calyculata. Leatherleaf. April. The brown leaves persist 15 to 18 in 1½ to 2 ft.  STER franchetti. Franchet Cotone green leaves, open habit. bright or 1½ to 2 ft.  Italis (davidiana). Rock Cotoneaster shiny leaves—bright red berries. I 3" pots  Pusilla. Has very small leaves; procur 3" pots  Pusilla. Slender branching shrub; dark gree 2 yr  hylla. Rockspray. 2'-2½' Very sm Rather more bushy and retains fol 12 to 15 in 15 to 18 in 15 pots	vender.  ages 52–53.  3'–4' White flowers in throughout winter—useful 1.10 10.00 1.50  aster. 6'–8' Large darkange berries; quick grower 50  ar. 1'–1½' Small box-like Effective among rocks.  .50 4.50 35.00  and leaves; red fruits.  .50 4.50  anall leaves, very deep green liage later than horizontalis  .60 5.00  .75 6.00 40.00  .50 4.50 35.00
— tene CHAMAEC CHAMAED  COTONEA  horizon  — perp lemoine micropl	Pla. Slender Heather. 6"-10" Lac CYPARIS. See RETINOSPORA, pa DAPHNE calyculata. Leatherleaf. April. The brown leaves persist 15 to 18 in 1½ to 2 ft.  STER franchetti. Franchet Cotone green leaves, open habit. bright or 1½ to 2 ft.  Italis (davidiana). Rock Cotoneaster shiny leaves—bright red berries. I 3" pots  Pusilla. Has very small leaves; procur 3" pots  Pusilla. Slender branching shrub; dark gree 2 yr  hylla. Rockspray. 2'-2½' Very sm Rather more bushy and retains fol 12 to 15 in 15 to 18 in 15 pots	vender.  ages 52–53.  3'–4' White flowers in throughout winter—useful 1.10 10.00 1.50  aster. 6'–8' Large darkange berries; quick grower 50  ar. 1'–1½' Small box-like Effective among rocks.  .50 4.50 35.00  and leaves; red fruits.  .50 4.50  anall leaves, very deep green liage later than horizontalis  .60 5.00  .75 6.00 40.00  .50 4.50 35.00
— tene CHAMAEC CHAMAED  COTONEA  horizon  — perp lemoine micropl	Pla. Slender Heather. 6"-10" Lac EYPARIS. See RETINOSPORA, pa DAPHNE calyculata. Leatherleaf. April. The brown leaves persist 15 to 18 in	vender.  ages 52–53.  3'–4' White flowers in throughout winter—useful 1.10 10.00 1.50  aster. 6'–8' Large darkange berries; quick grower 50  ar. 1'–1½' Small box-like Effective among rocks.  .50 4.50 35.00  and leaves; red fruits.  .50 4.50  anall leaves, very deep green liage later than horizontalis  .60 5.00  .75 6.00 40.00  .50 4.50 35.00
— tene CHAMAEC CHAMAED  COTONEA  horizon  — perp lemoine micropl  — thym	Pla. Slender Heather. 6"-10" Lac CYPARIS. See RETINOSPORA, pa DAPHNE calyculata. Leatherleaf. April. The brown leaves persist 15 to 18 in 1½ to 2 ft.  STER franchetti. Franchet Cotone green leaves, open habit. bright on 1½ to 2 ft.  Italis (davidiana). Rock Cotoneaster shiny leaves—bright red berries. If 3" pots  Dusilla. Has very small leaves; procur 3" pots  ei. Slender branching shrub; dark gree 2 yr.  hylla. Rockspray. 2'-2½' Very sm Rather more bushy and retains fol 12 to 15 in 15 to 18 in 17" pots  mifolia. Thyme Rockspray. 1½'-2' 3" pots	vender.  ages 52–53.  3'–4' White flowers in throughout winter—useful 1.10 10.00 1.50  caster. 6'–8' Large darkange berries; quick grower 50  r. 1'–1½' Small box-like Effective among rocks.  .50 4.50 35.00  mbent habit. Red berries 60 5.00  en leaves; red fruits.  .50 4.50  all leaves, very deep green liage later than horizontalis 60 5.00  .75 6.00 40.00  .50 4.50 35.00  Very small leaves, bushy .60 5.00
— tene CHAMAEC CHAMAED  COTONEA  horizon  — perp lemoine micropl  — thym	Pla. Slender Heather. 6"-10" Lac CYPARIS. See RETINOSPORA, pa DAPHNE calyculata. Leatherleaf. April. The brown leaves persist 15 to 18 in 1½ to 2 ft.  STER franchetti. Franchet Cotone green leaves, open habit. bright or 1½ to 2 ft.  STER franchetti. Franchet Cotone green leaves, open habit. bright or 1½ to 2 ft.  STER franchetti. Franchet Cotone green leaves, open habit. bright or 1½ to 2 ft.  STER franchetti. Franchet Cotone green leaves, open habit. bright or 1½ to 2 ft.  STER franchetti. Franchet Cotone green leaves, open habit. bright or 1½ to 2 ft.  Stender branching shrub; dark gree 2 yr.  Stender branching shrub; dark gree 3" pots.  Stender branching shrub; dark gree 2 yr.  Stender branching shrub; dark gree 3" pots.  Stender b	vender.  ages 52–53.  3'–4' White flowers in throughout winter—useful 1.10 10.00 1.50  aster. 6'–8' Large dark ange berries; quick grower 5.50  r. 1'–1½' Small box-like Effective among rocks.  .50 4.50 35.00  mbent habit. Red berries 60 5.00  en leaves; red fruits.  .50 4.50  all leaves, very deep green liage later than horizontalis  .60 5.00 30.00  .75 6.00 40.00  .50 4.50 35.00  Very small leaves, bushy  .60 5.00  en sester. 3'–4' Has round
— tene CHAMAEC CHAMAED  COTONEA  horizon  — perp lemoine micropl  — thym	April. Slender Heather. 6"-10" Lac CYPARIS. See RETINOSPORA, pa DAPHNE calyculata. Leatherleaf. April. The brown leaves persist 15 to 18 in 1½ to 2 ft.  STER franchetti. Franchet Cotone green leaves, open habit. bright or 1½ to 2 ft.  STER franchetti. Franchet Cotone green leaves—bright red berries. I 3" pots  Dusilla. Has very small leaves; procur 3" pots  Ei. Slender branching shrub; dark gree 2 yr  Shylla. Rockspray. 2'-2½' Very sm Rather more bushy and retains fol 12 to 15 in 15 to 18 in 15 to 18 in 15" pots  Infolia. Thyme Rockspray. 1½'-2' 3" pots  Infolia. Thyme Rockspray. 1½'-2' Ifolia lanata (buxifolia.) Box Coton leaves similar to boxwood. Open	vender.  ages 52–53.  3'–4' White flowers in throughout winter—useful  1.10 10.00  1.50  caster. 6'–8' Large dark ange berries; quick grower  50  r. 1'–1½' Small box-like  Effective among rocks.  50 4.50 35.00  mbent habit. Red berries  60 5.00  en leaves; red fruits.  50 4.50  nall leaves, very deep green liage later than horizontalis  60 5.00 30.00  75 6.00 40.00  50 4.50 35.00  Very small leaves, bushy  60 5.00  easter. 3'–4' Has round growth, red berries.
— tene CHAMAEC CHAMAED  COTONEA  horizon  — perp lemoine micropl  — thyn rotundi	Ela. Slender Heather. 6"-10" Lac EYPARIS. See RETINOSPORA, pa DAPHNE calyculata. Leatherleaf. April. The brown leaves persist 15 to 18 in 1½ to 2 ft.  STER franchetti. Franchet Cotone green leaves, open habit. bright or 1½ to 2 ft.  STER idavidiana). Rock Cotoneaster shiny leaves—bright red berries. If 3" pots  pusilla. Has very small leaves; procur 3" pots  ei. Slender branching shrub; dark gree 2 yr  hylla. Rockspray. 2'-2½' Very sm Rather more bushy and retains fol 12 to 15 in 15 to 18 in 3" pots  inifolia. Thyme Rockspray. 1½'-2' 3" pots  ifolia lanata (buxifolia.) Box Coton leaves similar to boxwood. Open 3" pots	vender.  ages 52–53.  3'–4' White flowers in throughout winter—useful  1.10 10.00  1.50  caster. 6'–8' Large dark  tange berries; quick grower  .50  r. 1'–1½' Small box-like  Effective among rocks.  .50 4.50 35.00  mbent habit. Red berries  .60 5.00  en leaves; red fruits.  .50 4.50  nall leaves, very deep green liage later than horizontalis  .60 5.00 30.00  .75 6.00 4.50  .50 4.50 35.00  Very small leaves, bushy .60 5.00  deaster. 3'–4' Has round growth, red berries.  .50 4.50
— tene CHAMAEC CHAMAED  COTONEA  horizon  — perp lemoine micropl  — thyn rotundi	Ela. Slender Heather. 6"-10" Lac EYPARIS. See RETINOSPORA, pa DAPHNE calyculata. Leatherleaf. April. The brown leaves persist 15 to 18 in 1½ to 2 ft.  STER franchetti. Franchet Cotone green leaves, open habit. bright or 1½ to 2 ft.  Stalis (davidiana). Rock Cotoneaster shiny leaves—bright red berries. If 3" pots  pusilla. Has very small leaves; procur 5" pots  ei. Slender branching shrub; dark gree 2 yr.  hylla. Rockspray. 2'-2½' Very sm Rather more bushy and retains fol 12 to 15 in 15 to 18 in 3" pots  nifolia. Thyme Rockspray. 1½'-2' 3" pots  fiolia lanata (buxifolia.) Box Coton leaves similar to boxwood. Open 3" pots  Simon's Cotoneaster. 5'-6' Open	vender.  ages 52–53.  3'–4' White flowers in throughout winter—useful  1.10 10.00  1.50  caster. 6'–8' Large darl range berries; quick grower  .50  r. 1'–1½' Small box-like  Effective among rocks.  .50 4.50 35.00  mbent habit. Red berries  .60 5.00  en leaves; red fruits.  .50 4.50  nall leaves, very deep green liage later than horizontalis  .60 5.00 30.00  .75 6.00 40.00  .50 4.50 35.00  Very small leaves, bushy .60 5.00  teaster. 3'–4' Has round growth, red berries.  .50 4.50  n growth; attractive foliage
— tene CHAMAEC CHAMAED  COTONEA  horizon  — perp lemoine micropl  — thyn rotundi	Ela. Slender Heather. 6"-10" Lac EYPARIS. See RETINOSPORA, pa DAPHNE calyculata. Leatherleaf. April. The brown leaves persist 15 to 18 in	vender.  ages 52–53.  3'–4' White flowers in throughout winter—useful  1.10 10.00  1.50  caster. 6'–8' Large darlange berries; quick grower  .50  r. 1'–1½' Small box-like  Effective among rocks.  .50 4.50 35.00  mbent habit. Red berries  .60 5.00  en leaves; red fruits.  .50 4.50  nall leaves, very deep green liage later than horizontalis  .60 5.00 30.00  .75 6.00 40.00  .50 4.50 35.00  Very small leaves, bushy .60 5.00  deaster. 3'–4' Has round growth, red berries.  .50 4.50  n growth; attractive foliage d locations.
— tene CHAMAEC CHAMAED  COTONEA  horizon  — perp lemoine micropl  — thyn rotundi simonsi	Ela. Slender Heather. 6"-10" Lac EYPARIS. See RETINOSPORA, pa DAPHNE calyculata. Leatherleaf. April. The brown leaves persist 15 to 18 in 1½ to 2 ft.  STER franchetti. Franchet Cotone green leaves, open habit. bright or 1½ to 2 ft.  Stalis (davidiana). Rock Cotoneaster shiny leaves—bright red berries. If 3" pots  pusilla. Has very small leaves; procur 5" pots  ei. Slender branching shrub; dark gree 2 yr.  hylla. Rockspray. 2'-2½' Very sm Rather more bushy and retains fol 12 to 15 in 15 to 18 in 3" pots  nifolia. Thyme Rockspray. 1½'-2' 3" pots  fiolia lanata (buxifolia.) Box Coton leaves similar to boxwood. Open 3" pots  Simon's Cotoneaster. 5'-6' Open	vender.  ages 52–53.  3'–4' White flowers in throughout winter—useful  1.10 10.00  1.50  caster. 6'–8' Large darl range berries; quick grower  .50  r. 1'–1½' Small box-like  Effective among rocks.  .50 4.50 35.00  mbent habit. Red berries  .60 5.00  en leaves; red fruits.  .50 4.50  nall leaves, very deep green liage later than horizontalis  .60 5.00 30.00  .75 6.00 40.00  .50 4.50 35.00  Very small leaves, bushy .60 5.00  teaster. 3'–4' Has round growth, red berries.  .50 4.50  n growth; attractive foliage

EVERGREENS AND CONI	FERS		43
CRYPTOMERIA lobbi compacta. Cave Crypt narrow irregular column—compac bronze winter color. Prefers moist	omeria. t and	picturesqu	Forms ne. Rich
2½ to 3 ft	3.00 3.50 4.25		
DAPHNE cneorum. Rose Daphne. 1' Gray-g Pretty pink flowers in April–May.	reen foli Delight	age, low s tful fragra	preading. .nce.
3" pots	1.00 1.50	5.00 9.00 14.00	
EPIGAEA repens. Trailing Arbutus. 6" Has leaves tinged red; fragrant flowers,	May; go	ood grour	nd cover.
ERICA carnea. Spring Heath. 6"-8" Rose-pin stricta. Corsican Heath. 12"-18" Rosy-p vagans. Cornish Heath. 12"-15" Purple-	ourple. red.		25.00
3" pots	.40	3.50	on aroon
EUONYMUS japonica. Japanese Euonymus. 1 leaves. Upright bushy habit. Ned 12 to 15 in **	eds wint	er protect 6.00	ion here.
— microphyllus. Boxleaf Burning Bush. 8 leaves; compact growth; fine for edgi 2 yr	ing; prot .30	ect where 2.50	exposed. 15.00
patens (sieboldianus). Spreading Euonymus forming broad, rather loose shrub; winter. Ornamental fruits. Effecti	leaves p ve amor	persisting	until late
12 to 15 in **		4.50 6.50 8.50	40.00 60.00
radicans. Wintercreeper. Climbing to 15 ft. for covering low walls. Also useft 2 yr. bushy **	Self-clir ıl for un .25	nging vine der planti 2.00	. Good ng. 15.00
— acutus. Sharpleaf Wintercreeper. A g narrow leaves, white veins, purplis	raceful sh unde	form wi rneath—a 2.50	th long ttractive. 20.00
— — colorata. Similar to acutus but purple la 2 yr**	aves, in	tensified in 3.00	n winter. 25.00
— carrierei. Glossy Wintercreeper. Large, 9 to 12 in. **	.30 .35	2.50 3.00	20.00 25.00
— minimus. Baby Wintercreeper. Has ting dainty trailing habit. Charming for			
— variegatus. Variegated Wintercreeper.	.30 Leaves v	2.50	20.00
yellowish white and pink. Clinging	g vine—	grows vig	orously.
2 yr., bushy**	.50	2.50	20.00

44	EVERGREENS AND CONT	FERS				
	US radicans vegetus. Bigleaf Winte interesting growth; leaves round, dorange fruits. Handsome among 9 to 12 in **	ull green; bright scarlet and evergreens; self-clinging.				
GAULTHE	RIA procumbens. Wintergreen. 6' glossy green foliage; pink flowers 2 yr., clumps	' Handsome aromatic dark followed by scarlet berries35 3.00 25.00				
	solchica dentata. Colchis Ivy. 30' shaped dark gree leaves; self clingir 2 yr	ng; Protect until acclimated50 4.00 30.00				
	English Ivy. 20'-50' Evergreen, go clinging vine. Best on north side 2 yr.**	or protected from hot sun35 3.00 25.00				
— grac	ilis. Miniature English Ivy. 8'-10' leaves. Also self-clinging and com	paratively hardy.				
ILEX crena	ta. Japanese Holly. 8'-10' Box-li Stiff dense branching habit; black be 2 to 2½ ft	erries; forms splendid hedge.				
— micr	ophylla. Small Leaf Japanese Holly and more hardy than the type. M 12 to 15 in					
glabra.	Inkberry. 5'-6' Shining dark greet Black berries. Useful for shady sp 12 to 15 in	ots, also succeeds in sun.				
opaca.	American Holly. $25'-30'$ Does best place. Rather difficult to transplan $1\frac{1}{2}$ to $2$ ft. $2$ to $2\frac{1}{2}$ ft $2$ to $3$ ft. $2$ to $3\frac{1}{2}$ ft $3$ to $3\frac{1}{2}$ ft.	in moist, partially shaded t. Best moved in spring. 2.50 3.00 4.00 5.00				
For oth	er ILEX see page 17.					
JUNIPERUS canadensis. See Communis.						
chinens	is. Chinese Juniper. 15'-20' Form green foliage of two types. A sple 2 to 2½ ft	nal columnar outline, gray- ndid hardy evergreen. 2.25 2.75 3.75 4.75				
— albo	variegata. White Leaf Chinese Juni foliage with creamy branches inters but useful in low plantings. Thes 15 to 18 in	spersed. Formal pyramid				

EVERGREENS AND CONIFERS 45 Per 10 Per 100 Each JUNIPERUS chinensis columnaris. Columnar Chinese Juniper. 15'-20' Grows rapidly, forming tall, narrow column of gray-green foliage. Spire-like effect. Very useful. Improved by clipping. 2½ to 3 ft..... 3.25 3 to 3½ ft.....  $3\frac{1}{2}$  to 4 ft..... 4.25 - femina reevesi. Reeves Juniper. Spreading upright, light green, hardy. - fortunei. Has gray green foliage. Forms a broad irregular pyramid. 1½ to 2 ft..... 1.75 2.35 3.00 3.75 - neaboriensis. Conical Chinese Juniper. 7'-8' Very formal narrow pyramid. Prickly leaves. Useful accent plant-very hardy. 15.00 2.25 2.75 3.50 2½ to 3 ft..... 3 to 3½ ft..... 3½ ft..... 4.25 - oblonga. 7'-8' Forms broad irregular pyramid with feathery branches. Gravish foliage shaded purple in winter. Distinct. 15.00 172 to 2 to 2½ ft 2.35 2½ to 3 ft 3.00 3 to 3½ ft 3.75 22,50 210.00 29.00 275.00 35.00 — pfitzeriana. Pfitzer Juniper. 5'-6' Broad bushy habit. Gray-green foliage, giving feathery appearance. Adaptable and hardy. Recommended for mass or mixed planting. 15 to 18 in ..... 1.65 16.00  $1\frac{1}{2}$  to 2 in ..... 1.85 17.50 165.00  $\frac{1}{2}$  to  $\frac{2}{2}$  ft..... 3.00 2½ to 3 ft..... 4.00 ft..... 5.00 - sargenti. Sargent Juniper. 11/2' Prostrate habit, grass-green foliage. A very hardy valuable ground cover and rock plant. 2.00 2.50 4.00 communis. Common Juniper.  $2'-2\frac{1}{2}'$  Forms a vase-shaped bush. 12 to 15 in ..... .75 6.00 15 to 18 in ..... 1.00 8.00  $1\frac{1}{2}$  to 2 ft..... 1.50 12.50  $2^{1/2}$  to  $2\frac{1}{2}$  ft..... 2.00 17.50 2½ ft..... 2.50 - aurea. Golden Common Luniper 1'=11/4' Low spreading habit

		,0,,,,,	CIL C	,,,,,,	non omnipe		/2 LC 1	v opic	uumg	IIu Ditt
Golden foliage, particularly bright in spring.										
	12	to	15	in			1.00			
	2	to	$2\frac{1}{2}$	ft.	spread		3.00			
— cana					Juniper.				vase-s	haped
	b	ush.	Lea	ives	dark green	above, b	luish ben	eath.		
	12	to	15	in			.90	7.5	0	
	15	to	18	in			1.15	10.0	0	
	2	to	$2\frac{1}{2}$	ft			2.00	18.5	0	

EVERGREERS TRVE COLVILLERS
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
<ul> <li>depressa plumosa. Plumed Spreading Juniper. New, exceedingly hardy, transplants readily, assumes purple color in winter.</li> <li>15 to 18 in</li></ul>
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
— suecica.       Swedish Juniper.       Quick growing, narrow upright form.         12       to 15       in       .85       7.50         15       to 18       in       1.00       9.00         1½       to 2       ft       1.35       12.50       110.00         2       to 2½       ft       1.85       17.50       150.00         2½       ft       2.35       22.50
— nana. Dwarf Swedish Juniper. 3'-3½' A narrow compact column of slow growth. Good foundation or rockery plant.  12 to 15 in
conferta (litoralis). Shore Juniper. $1'-1\frac{1}{2}'$ Prostrate habit, useful on sandy places or seaside planting. Large spreading leaves. $\frac{1\frac{1}{2}}{2}$ to $\frac{2}{2}$ ft
excelsa stricta. Spiny Greek Juniper. 4'-5' Compact, well-shaped pyramid. Foliage gray-green—most useful for formal effects.  12 to 15 in
horizontalis (sabina prostrata). <i>Creeping Savin.</i> 1'-1½' Branches trail along ground. Good for rock work and ground covering.  15 to 18 in
<ul> <li>douglasi. Wankegan Juniper. 1'-1½' Long branches trailing along ground. Steely-blue foliage. A splendid ground cover, also effective among rock. Distinct purple hue in winter.</li> <li>12 to 15 in</li></ul>

EVERGREENS AND CONI	MATERIAL PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPE					
JUNIPERUS japonica. Japanese Juniper. 3'-4 branches, dark green scaly leaves; and foundation work. This is one retaining its rich green throughout t	adapted to rock planting of the hardiest evergreens					
12 to 15 in	1.25 11.50 1.50 14.00 2.25					
TRIMMED GLOBES. These are h						
8 in	1.00 9.00 1.25 1.50 2.00					
— aurea. Golden Japanese Juniper. 2'–3'	Slow growing, compact. 2.00					
— — <b>variegata.</b> Golden Variegated Junipe	er. $2'-2\frac{1}{2}'$ Attractive.					
15 to 18 in	1.50 2.25					
sabina. Savin. 6'-7' Dense dark green foli forming irregular vase-shaped bush. 15 to 18 in	age. Spreading branches Good throughout winter. 1.60 15.00 2.00 19.00					
— tamariscifolia. $Tamarix\ Juniper.\ 1'-11_2'$ compact but soft texture in low ever	' Flat, spreading, making green planting; gray green.					
12 to 15 in	1.50 2.25 3.00					
squamata meyeri. Meyer Juniper. 3'-4' Dis						
10 to 12 in	2.50 3.00					
— variegata. Variegated spreading type, prono 12 to 15 in 15 to 18 in	ounced white branchlets. 2.50 3.00					
virginiana. Redcedar. 25'-30' Useful in forma						
2 to 3 ft 3 to 4 ft 4 to 5 ft	2.50 3.00 4.00					
— alba spica. Variegated Redcedar. An upright form with graceful pendulus branchlets and prominent white markings. Hardy.						
1½ to 2 ft	2.25 3.00					
— burki. Burk's Juniper. Distinct blue, form	ning a dense soft column.					
2 to 2½ ft	2.50 3.00					
2½ to 3 ft	3.75					
$3\frac{1}{2}$ to 4 ft	4.50					
— cannarti. Cannart Cedar. 12'-15' Very deep rich blackest green foliage. Dense growing columnar form. Very hardy.						
2½ to 3 ft	3.00					
3 to $3\frac{1}{2}$ ft	3.75 4.50 5.25					

 elegantissima. Goldtip Redcedar. 12'-15' Bright yellow tips to branches, turning bronze in winter. Attractive variety. 3.00

2½ to 3 ft.....

48	EVERGREENS AND COL	NIFERS
		Each Per 10 Per 100
	S virginiana glauca. Silver Red bluish-gray foliage. Develops in	nto a tall narrow column.
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2.75 25.00
	$2\frac{1}{2}$ to 3 ft	3.00 29.00 285.00
	3 to 3½ ft	4.00 39.00
	3½ to 4 It	4.75 45.00 6.00
— nend	dula Washing Redeedar 8'-10	Y Branches langthen and
penu	droop over, giving a picturesque	effect when more mature.
	3 to 3½ ft	
— schot	tti. Schott Redcedar. 12'-15' H	
	pact formal columnar habit. Go	ood winter color, quite hardy.
	2 to 2½ ft	2.50
	2½ to 3 ft	3.00
	3 to 3½ ft	3./5
	4 to 5 ft	5.25
— tripa	rtita. Fountain Redcedar. 4'-5'	
ci ipu	15 to 18 in	
	1½ to 2 ft	
waukega	an. See Horizontalis Douglasi, pag	ge 46.
KALMIA lat	tifolia. Mountain Laurel. 5'-7'	Most effective in June when
	the clusters of pink flowers open	. Good foliage, likes shade.
	This is probably the hardiest of a	native evergreen shrubs.
	Nursery Grown Clump	
	12 to 15 in	1.25 11.00 100.00
	15 to 18 in	1.50 12.50 115.00
	Collected Clumps	
	2 to 2½ ft	2.00 17.50 150.00 2.50 22.50 200.00
LEIODHVI	LUM buxifolium. Sand Myrtle.	
LEIOFHILI	in June, leaves are small. Good	ground cover or rock plant
	10 to 12 in	
LEUCOTUC	DE catesbaei. Drooping Leucoth	
LECCOTIC	flowers, May. Handsome lustro	
	Splendid for under planting in	
	12 to 15 in	1.35 12.50 110.00
LONICERA	pileata. Privet Honeysuckle. 2'	Needs some protection.
	2 yr**	.50 4.50
	3" pots	.40 3.50
MAHONIA		ape. 4'-5' Shining green
	leaves turn rich scarlet in autur	
•	yellow flowers appear—blue-blac	
	12 to 15 in	
bealei.	Leatherleaf Hollygrape. 6'-7' Lar	
	underneath; thick upright branche by grape-like blue-black berries.	
	12 to 15 in	1.00 9.00
MITCHELL	A repens. Partridge Berry. 4''-	
THE CHEEL	April-May, red berries follow.	Thick green leaves. Good
	for ground cover in shade.	3.22.2
	Clump	.35 3.00 25.00

Each Per 10 Per 100					
PACHISTIMA canbyi. Canby Pachistima. 3"-4" An excellent ground cover with leathery box-like leaves. Forms a dense green carpet. 3" pots					
PACHYSANDRA terminalis. ground cover.Japanese Spurge.8"Valuable evergreenBot grownEachPer 10Per 100Per 100151.2010.0080.00					
PICEA canadensis (alba). White Spruce. $50'-60'$ Silvery foliage—develops into shapely specimen of close texture. Rather slow growing.         Each       Per 10       Per 100         12 to 15 in       .95       9.00         15 to 18 in       1.10       10.00         1½ to 2 ft       1.50         2 to $2\frac{1}{2}$ ft       2.00         2½ to 3 ft       2.75					
<ul> <li>— albertiana. Dwarf Alberta Spruce. 4' A dense cone of bluegreen, very hardy. A gem for small scale work and rock garden.</li> <li>8 to 10 in</li></ul>					
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$					
- conica. Arrowhead Norway Spruce. 6'-7' Grows slowly; compact and symmetrical. Good for foundation or formal work.  3" pots					
— procumbens. Prostrate Norway Spruce. 1½'-2' Interesting semitrailing spruce, slow growth, excellent for rockery. 2½" pots					
orientalis. Oriental Spruce. 50'-60' Splendid symmetrical specimen.  Deep green glossy needles. Graceful habit, slow grower.  1½ to 2 ft					
pungens.         Colorado Spruce.         60′-80′         Branches in distinct whorls, forming a handsome lawn specimen.         Gray-green needles.           12 to 15 in					
— glauca. Colorado Blue Spruce. 60'-80' Steel blue needles.  12 to 15 in					
PIERIS japonica. Japanese Andromeda. 4'-5' Thick shiny leaves turning bronze in winter. Drooping clusters of small white flowers open in May. Best in moist, partially shaded place.  10 to 12 in					
floribunda. Mountain Andromeda. 4' Waxy white flowers in May.  Good deep green foliage, best in half shady places, very hardy.  12 to 15 in					
mariana. See page 22.					

Each Per 10 Per 100

PINUS cembra. Swiss Stone Pine. 20'–25' Thin bluish-green needles and close growth give soft texture. Symmetrical blunt pyramid when young. Grows slowly—quite hardy.
12 to 15 in
densifiora. Japanese Red Pine. 40'-50' Long bright green needles. Succeeds well at seashore—grows quickly, bushy plants.
2 to 2½ ft
<ul> <li>umbraculifera (Tanyosho). Japanese Umbrella Pine. 3'-4' A dwarf variety in which the branches form a flat-topped table-like bush. A handsome and useful dwarf evergreen.</li> </ul>
$\frac{1}{2}$ to 2 ft
montana mughus. Mugho Pine. 2½'-3' Forms a round-topped bush. Useful for rock planting and foundation work.
10 to 12 in
nigra (austriaca). Austrian Pine. $60'-70'$ Rich dark green, vigorous, dense grower. Good for background—thrives at seashore.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
ponderosa. Bull Pine. 80'-100' Irregular picturesque outline.
2½ to 3 ft
resinosa. Red Pine. 60'-70' Dark green stiff needles, vigorous symmetrical growth, very hardy.
6 to 7 ft., specimens 12.00 7 to 8 ft., specimens 15.00
strobus. White Pine. 80'-100' Probably our most adaptable and useful pine. Very picturesque when old. Grows quickly.  3 to 4 ft
sylvestris. Scotch Pine. 60'-70' Rather short blue-green twisted needles. Does well on poor soils. Picturesque when old.
2 to 2½ ft
thunbergii. Japanese Black Pine. 50'-60' Stiff dark green needles. Good for seaside planting.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
POTENTILLA tridentata. Wineleaf Cinquefoil. 8" Dark green leaves in threes; forms compact little bush, white flowers May–June.
2 yr

Each Per 10 Per 100					
PSEUDOTSUGA douglasi. Douglas Fir. 70'-80' Very hardy, dark bluish-green coloring. Prefers well-drained open situation.					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$					
PYRACANTHA coccinea lalandi. Laland Firethorn. 10'-12' Small dark green leaves; upright branches with few laterals. Small white flowers followed by large clusters of bright orange berries. Best with slight shelter.					
2 yr50 4.00 30.00					
RETINOSPORA obtusa (CHAMAECYPARIS). Hinoki Cypress. 15'–20' Dark green lustrous foliage, grows slowly, beautiful specimen					
15 to 18 in					
Compacta: 1 Oototati Cypress: 2/2 + 1 timost spiterical in shape:					
Good green during winter—useful in foundation planting.  12 to 15 in					
— <b>crippsi.</b> Cripps Golden Cypress. 10'-12' Particularly good golden leaved form Slow growing - hardy. Bright yellow all year. 12 to 15 in					
— gracilis. Slender Hinoki Cypress. 12' 15' Narrow irregular					
pyramid, rich dark green foliage. Slow grower picturesque. $2$ to $2\frac{1}{2}$ ft					
— compacta. Compact Hinoki Cypress. 4'–5' Very slow and compact grower. Roughly pyramidal in outline—rare.					
- nana. Dwarf Hinoki Cypress. 2'-2½' Forms a dense irregular little mass, useful for rock gardens. Our plants are potgrown.  3" pots					
— youngi. Young Golden Cypress. 12'-15' Graceful loose habit,					
light yellow foliage on outside of bush. A handsome plant. 2 to $2\frac{1}{2}$ ft. 2.35 22.50 $2\frac{1}{2}$ to 3 ft 3.00 28.00 3 to $3\frac{1}{2}$ ft 4.00 38.00 $3\frac{1}{2}$ to 4 ft 5.00					
pisifera. Sawara Cypress. 25'-35' Quick grower, loosely pyramidal.					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$					
— aurea. Golden Sawara Cypress, 25'-35' Foliage bright yellow, especially in spring. Branches droop when older.					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$					

52 EVERGREENS AND COMITERS
Each Per 10 Per 100
RETINOSPORA filifera. Thread Cypress. 15'-20' Has long, stringy,
drooping branches, bright green foliage—graceful, decorative.
15 to 18 in
1½ to 2 ft
$2\frac{1}{2}$ to $3$ ft
3 to $3\frac{1}{2}$ ft
<ul> <li>aurea. Golden Thread Cypress. 10'-12' Bright golden yellow.</li> <li>Grows slower than preceding. Useful in small plantings.</li> </ul>
10 to 12 in
12 to 15 in
15 to 18 in
— nova. Variegated Thread Cypress. 10'-12' Branches are variegated green and yellow. Rather irregular in outline.
12 to 15 in 1.50
15 to 18 in
. 1½ to 2 ft
plumosa. Plume Cypress. 25'-35' Forms a dense cone of fine texture.
Used for shearing into formal shapes. These are fine plants.
15 to 18 in 1.25 11.00
$1\frac{1}{2}$ to 2 ft
2 to 2½ ft
2½ to 3 ft
3 to 3½ ft
4 ft 5.50
5 ft., specimens 12.00
- aurea. Golden Plume Cypress. 20'-25' Has yellow leaves.
15 to 18 in
$1\frac{1}{2}$ to 2 ft
2 to 2½ ft
2½ to 3 ft
3 to 3½ ft
4 ft., specimens. 8.50
lutescens. Dwarf Yellow Plume Cypress. 2½'-3' Forms a low
broad round-topped bush. Bright silver tipped branchlets.
10 to 12 in 1.00 9.00
12 to 15 in
15 to 18 in
$1\frac{1}{2}$ to 2 ft
squarrosa veitchi. Veitch Moss Cypress. 25'-30' Foliage blue-gray, feathery and dense, giving soft woolly appearance. Broad pyramidal outline when young. Well furnished specimens.
15 to 18 in
2 to 2½ ft
$2\frac{1}{2}$ to 3 ft
3 to 3½ ft
$3\frac{1}{2}$ to 4 ft
<ul> <li>sulphurea. Sulphur Moss Cypress. 20'-25' Similar in growth to Veitch's but has light yellow tips.</li> </ul>
15 to 18 in
thyoides leptoclada. Andely Cypress. 5'-6' Broad columnar habit,
branching from ground. Bluish-green foliage.
2 to $2\frac{1}{2}$ ft
$2\frac{1}{2}$ to 3 ft

EVERGREENS AND CONIFERS 53							
Each Per 10 Per 100 RETINOSPORA thyoides leptoclada ericoides. Heath Retinospora. 3'-4' Has heather-like leaves, giving woolly effect. A broad bush. 15 to 18 in							
RHODODENDRON carolinianum. Carolina Rhododendron. 4'-6' Bright pink flowers, May-June. Compact, bushy. Best in open places.  Bushy Nursery Grown Clumps							
15 to 18 in							
<ul> <li>— album. White Carolina Rhododendron. 4'-6' Similar to type, but has white flowers. Foliage slightly larger.</li> <li>Bushy Nursery Grown Clumps</li> </ul>							
$\begin{array}{cccccccccccccccccccccccccccccccccccc$							
catawbiense. Catawba Rhododendron. 6'-9' Large rosy-purple flowers, May-June. Deep green leaves. Prefers half-shade.  Bushy Nursery Grown Clumps							
$\begin{array}{cccccccccccccccccccccccccccccccccccc$							
HYBRID RHODODENDRONS. 3' 8'							
Abraham Lincoln. Bright Red. Album elegans. Blush pink to white. Tall. Caractacus. Crimson, tinged purple. Charles Bagley. Deep scarlet. Delicatissimum. Flesh pink. Everestianum. Rosy lilac, yellow throat. F. D. Godman. Red. General Grant. Rosy Red. Kettledrum. Red. Lady Armstrong. Pale rose, very spotted. Mrs. C. S. Sargent. Pink. Parson's grandiflorum. Bright Carmine. Purpureum elegans. Fine purple. Purpureum grandiflorum. Rosy purple. Roseum elegans. Rose. Roseum superbum. Rosy red.							
MIXED HYBRIDS							
15 to 18 in							
maximum. Rosebay Rhododendron. 8'-12' Beautiful light pink flowers freely produced in May-June. Large handsome foliage—most effective in masses where shaded from hot sun.  Nursery Grown Clumps							
$\begin{array}{cccccccccccccccccccccccccccccccccccc$							
2 to 2½ ft. 1.75 15.00 135.00 2½ to 3 ft. 2.25 20.00 175.00 3 to 4 ft. 3.00 27.50 225.00 4 to 5 ft. 4.00 35.00 300.00 5 to 6 ft. 6.00 50.00							

RHODODENDRON minus. Piedmont Rhododendron. 6'-8' Rather open grower—rose-pink flowers in June July.						
Bushy Nursery Grown Clumps						
15 to 18 in 2.50						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$						
SHORTIA galacifolia. Oconee Bells. 6" Splendid evergreen ground cover for shade. Large heart-shaped leathery leaves, white flowers.						
2 yr						
STRANVAESIA davidiana. 10'-15' Handsome broad-leaved shrub, practically evergreen; attractive white flowers. June, followed by pea-cized scarlet berries.						
2 yr						
TAXUS baccata compacta. 3'-4' Neat. compact, short deep-green leaves. 15 to 18 in 1.50						
<ul> <li>erecta. Shortleaf English Yew. 3'-5' Compact. upright. Stiff dark green leaves crowded on branches.</li> </ul>						
15 to 18 in 1.50						
- repandens. Spreading English Yew. 112'-2' Spreading horizontal						
branches, dark green leaves. Good for low planting.						
12 to 15 in 1.50 13.50 125.00	1					
15 to 18 in						
canadensis. Canada Yew. 2'-212' Spreading habit, bronzy in winter Prefers shade—good for underplanting. Crimson fruits.						
12 to 15 in 1.35 12.50						
15 to 18 in						
cuspidata. Japanese Yett. 4'-5' (Spreading form.) Rich dark green						
leaves spreading, bushy. Valuable for foundation planting						
12 to 15 in	1					
12 to 15 in 1.50 13.50 125.00 15 to 18 in 2.25 20.00 185.00 1½ to 2 ft 3.00 29.00 275.00 2 to 2½ ft 4.25 40.00	)					
2 to 2 <sup>1</sup> 2 ft 4.25 40.00						
11 to 2 ft 3.00 29.00 275.00 2 to 21 ft 4.25 40.00 3 ft 6.50						
,						
- nana (brevifolia). Dwarf Japanese Yew. 2'-3' Broad thick leaves						
blackish green. Slow growing, irregular, spreading—hardy	,					
10 to 12 in						
15 to 18 in 5.00						
media. A new form that will undoubtedly be popular. It has the rich						
blackish-green thick leaves of "brevifolia" and robust habit o "cuspidata." Very hardy.	-					
12 to 15 in 1.75 15.00						
THUJA lobbi atrovirens. Rich shining deep green fleshy leaves-vigorous						
$1\frac{1}{2}$ to 2 ft						
2 to 2½ ft 2.25						
2 ½ to 5 ft. 2.75 3 to 5 ½ ft. 3.25						
$5^{1}$ to $4^{1}$ ft 4.00						

EVENUNCEINS AIND COL	ALEVO		33			
	Each	Per 10	Per 100			
THUJA occidentalis. America Arborvitae.			pyramid			
with broad base. Bronzy winter						
1½ to 2 ft		11.00	100.00			
2 to 2½ ft	1.50	14.50	135.00			
2½ to 3 ft	2.00	18.50	175.00			
3 to 3½ ft	2.75	26.50	250.00			
3½ to 4 ft	3.25	31.00	300.00			
4 to 5 ft	4.25	40.00	385.00			
5 ft	5.00					
— columbia. Columbia Arborvitae. 6' silvery white. Formal narrow p	amaid	nches tip	ped with			
1½ to 2 ft 2 to 2½ ft	2.00					
2 to 2½ ft	2.50					
— compacta. Parsons Dwarf Arborvite shaped -bright green. Useful ir 12 to 15 in	formal p	-4′ Almo blanting. 10.00	ost globe 85.00			
15 to 18 in	175	10.50	110.00			
1½ to 2 ft	1.75	16.50	150.00			
— douglasi aurea. Douglas Golden Arb pyramid with golden-green foliag		10'-15'	A broad			
1½ to 2 ft	1.75					
2 to 2½ ft	2.00					
2½ to 3 ft	2.75					
3 to 3½ ft	3.50 4.50					
elegantissima. Golden Tipped Arboru spring tipped with yellow. Rich	lustrous					
1½ to 2 ft						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2.00 2.75					
3 to 3½ ft	3.50					
3½ to 4 ft	4.50					
. 5			1 111			
- ellwangeriana. Tom Thumb Arborvit	ae, 4'-6	Has he	eather-like			
leaves—dense habit—soft close te			coloring.			
12 to 15 in		5.00				
15 to 18 in	.85 1.00	6.50				
— globosa. Globe Arborvitae. 2½'-3'	Useful	in form	al work.			
Naturally compact globe shaped,						
10 to 12 in		8.00	75.00			
12 to 15 in		9.50	90.00			
15 to 18 in	1.50 2.00	14.00				
1½ ft						
2 ft 2.50  — hoveyi. Hovey Arborvitae. 3'-4' Oval in shape, nearly as broad						
as high. Bright green foliage.						
12 to 15 in	1.00	9.00	75.00			
15 to 18 in	1.25	11.50	90.00			
1½ to 2 ft	1.50	13.50				
— <b>lutea.</b> Geo. Peabody Arborvitae. 10'-15' Conspicuous golden yellow form—columnar outline. A distinctive lawn plant.						
1½ to 2 ft		13.50	125.00			
2 to 2½ ft		17.50				
2½ to 3 ft	2.75	26.50				
3 to 3½ ft	3.50					

56	EVER	GREENS AND	CONIFERS		
e 1½ 2 2½ 3	reen foliage.  ffect in light  to 2 ft  to 2½ ft  to 3 ft  to 3½ ft	Moss Arbored Short stiff for and shade. Fo	itae. 10'-20' ern-like branc ormal slender 1.35 1.75 2.35 3.00	Per 10 Rich de ches give pyramid-12.50 16.50 22.50 27.50 32.50	ep blue- pleasing
— pumila. 12 15 1½	to 15 in to 18 in	A compact dwarf	1.00 1.25	green, qui	e hardy.
\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	green coloring plendid for $\frac{1}{2}$ to $\frac{2}{5}$ for $\frac{1}{2}$ for $$	nidal Arborvit g throughout wi accents or forma t t t t t t c	nter. Narrov ll planting 1.60 2.00 2.50 3.00 3.85 6.00	15.00 17.50 23.50 28.50 37.50	135.00 165.00 225.00 275.00
12	ock garden. to 15 ir	tle Gem Arborv Grows broader	than it does	in height.	Hardy.
f 15 11 2	form. Slow to 18 in to 2 fo $2\frac{1}{2}$ fo $2\frac{1}{2}$ f	al Arborvitae. grower—good g	green in winte 1.50 2.00 2.50	er. A fine 14.00	
1 12 15	ow mushros to 15 ir to 18 ir	abrella Arborvit  om shaped form  n  t	with rich gree 1.25 1.75	articularly en foliage. 11.00 16.50	good
11/2 2 21/3	yellow foliagy to 2 for to $2\frac{1}{2}$ to 3 for to $3\frac{1}{2}$ for to $3\frac{1}{2}$ for the following forms of the fol	aena Arborvita ge, bronzy in win t t t t	1.50 2.00 2.50 3.35	Tariegated pyramidal 19.00 24.00 32.50	greenish —hardy.
12 15 11 2	fleshy foliag  to 15 i  to 18 ii  to 2 i  to 2½ f  to 3 f  to $3\frac{1}{2}$ f	Siberian Arbee. Broadly рута n t t	midal—rugge 	8.00 9.50 12.50 18.00 24.00	90.00 115.00 160.00
11/2	and coarse g $\frac{1}{2}$ to 2 f to $2\frac{1}{2}$ f	arborvitae 15' prowth. Assume t t t	s bronze tone 1.75 2.50	thy scale-lis in wint	ke leaves er.

EVERGREENS AND CONIFERS 57
THUJA orientalis (BIOTA). Oriental Arborvitae. 20'-25' Rather stiff columnar habit—bright green foliage, bronze in winter.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
— aurea conspicua (BIOTA.) Goldspire Arborvitae. 7'-8' Golden yellow in spring, bronze yellow in winter. Distinctive.  1½ to 2 ft
- compacta (BIOTA). Seibold Arborvitae. 3'-4' Forms a compact oval-shaped specimen. Good persistent fresh green color.  15 to 18 in
— elegantissima (BIOTA). Yellow Column Arborvitae. 7'-8'
Assumes rich deep golden bronze color in winter—handsome, $1\frac{1}{2}$ to $2$ ft 1.75 16.50 $2$ to $2\frac{1}{2}$ ft 2.50 24.50
<ul> <li>nana aurea (BIOTA). Berckman Golden Arborvitae. 2½′-3′ A gem for dwarf planting —compact roundish shape, warm golden yellow foliage. Especially good for formal work and edging.</li> <li>8 to 10 in</li></ul>
TSUGA canadensis. Canada Hemlock. 75'-90' Most graceful and
adaptable. Useful as clipped hedge or informal planting.  1½ to 2 ft. 1.75 17.00 160.00 2 to 2½ ft. 2.50 24.50 235.00 2½ to 3 ft. 3.50 32.50 3 to 3½ ft. 4.25 40.00 3½ to 4 ft. 5.00 47.50 4 to 4½ ft. 6.50 62.50 4½ to 5 ft. 8.00 75.00 5 to 6 ft. 10.00
caroliniana. Carolina Hemlock. 50'-60' Particularly fine evergreen.
2½ ft
VIBURNUM rhytidophyllum. Leatherleaf Viburnum. 6'-8' Large oblong leaves deep green above, gray beneath—bright red berries—a bold handsome shrub but needs a sheltered place.  12 to 15 in
1½ to 2 ft 1.35 12.50 4 in. pots 75 6.50 60.00 6 in. pots 1.00 9.00
VINCA minor. Periwinkle, Myrtle. 4" Evergreen ground cover. Delicate lilac-blue flowers in spring. Succeeds best in shade.  Each Per 10 Per 100 Per 1000
Pot grown
YUCCA filamentosa.Adam's Needle.2'-3'Tall creamy flower spikes.2yrEachPer 10Per 100.201.5010.00

## Herbaceous Perennials

All Herbaceons Perennials are grown at our F. & F. Nurseries, Springfield, N. J.

Springficia, N. J.			
ALPINE AND ROCK PLANTS LISTED SEPAR	ATEL	Y ON PA	AGE 65.
ACTIVITIES A CONTRACT A	Each	Per 10	
ACHILLEA ageratum. 2' Yellow, June-Aug	.15	1.20	10.00
millefolium rosea. Pink Yarrow. 2' Pink,	1.5	1.20	10.00
June-Sept	.15	1.20	10.00
ptarmica Boule de Niege. Ball of Snow Yar- rov. 18" White June-Sept	.15	1.20	10.00
ptarmica The Pearl. 2' Db. white, June''Sept.	.15	1.20	10.00
tomentosa. Woolly Yarrow. I' Yel., June	.20	1.50	12.00
ACONITUM fischeri. Azure Monkshood. 2½'	.20	1.50	12.00
Dark blue, Sept.—Oct	.30	2.50	20.00
napellus. Aconite. 3' Dark blue, July"Aug.	.40	3.50	30.00
Spark's variety. Spark's Monkshood. 4'-5'	.40	3.30	30.00
Blue, June-July	.30	2.50	20.00
AETHIONEMA grandiflorum. Persian Stonecress.			
9" Rose pink, May-June	.30	2.50.	20.00
ALTHAEA. Hollyhock. Single and double. Red,			
pink, white, yellow, in separate colors.	1.5	1.00	10.00
July-Aug	.15	1.20	10.00
ALYSSUM sa atile compactum. Dwarf Golden	.15	1.20	10.00
Tuft. I' Yellow, April	.13	1.20	10.00
ANCHUSA italica dropmore. Italian Bugloss. 3' Blue, June-Sept	.15	1.20	10.00
myosotidiflora. Siberian Bugloss. 3'Blue, May	.25	2.00	15.00
ANDROSACE chumbyi. Rock Jasmine. 4" Pink,	.23	2.00	13.00
April-May	.35	3.00	
ANEMONE japonica alba. Japanese Anemone.		0.00	
2½' White, SeptOct	.25	2.00	15.00
— Mont Rose. $2\frac{1}{2}$ Double pink, Sept.—Oct.	.25	2.00	15.00
- Prince Henry. 2' Red, SeptOct	.25	2.00	15.00
- Queen Charlotte. 2½' Semi-Double,pink,			
SeptOct.	.25	2.00	15.00
— rubra. 2½' Red, SeptOct	.25	2.00	15.00
— Whirlwind. 2½' Semi-Dbl., white, SeptOct.	.25	2.00	15.00
pulsatilla. European Pasqueflower. 10"			
Violet, April-May	.25	2.00 ·	15.00
ANTHEMIS tinctoria Kelwayi. Kelway Camo-			
mile. 2' Yellow, June-Oct	.15	1.20	10.00
AQUILEGIA. Long-spurred hybrids. 21/2' Vari-			
ous colors, May-June	.15	1.20	10.00
candidissima. 1½' White, May	.15	1.20	10.00
and white, May	.20	1.50	12.00
chrysantha. Golden Columbine. 21/6' Yellow			
shades, May-June	.15	1.20	10.00
Mrs. Scott Elliot hybrids. $3\frac{1}{2}$ -3' Various	.20	1.50	12.00
colors, May-June	.15	1.20	10.00
Snow Queen. 2½' Best white, May"[une Rose Queen. 2½' Best pink. May-June	.20	1.50	12.00
ARABIS alpina. Alpine Rock Cress. 6" White,			
April-May	.20	1.50 <	12.00
- flore pleno. Double Rock Cress. 6" White,	7.0	2.50	20.00
April-May	.30	2.50	20.00
ARCTOSTAPHYLAS. See Evergreens, page 41.			

TIERDITCEOOD TERESTATINE			
E	ach	Per 10	Per 100
ARENARIA balearica. Corsican Sandwort. 2" White, June-Sept	.20	1.50	12.00
montana. Mountain Sandwort. 3" White, May	.20	1.50	12.00
ARMERIA. See STATICE.			
ARTEMISIA abrotanum lactiflora. Mugwort. 4' White, AugOct	.25	2.00	15.00
White, AugOct ASCLEPIAS tuberosa. Butterfly Weed. 2' Orange,	.25	2.00	15.00
July-Aug.	.15	1.20	10.00
ASTER alpinus. Rock Aster. 8" Lilac, May-June	.20	1.50	12.00
Barr's Pink. 4' Large pink	.25	2.00	15.00
Beauty of Colwall. 4' Lavender, AugOct.	.20	1.50	12.00
Blue Gem. 3'-4' Double rich blue	.25	2.00	15.00
Charm. 3' Double violet-blue	.20	1.50	12.00
Climax. 4'-5' Lavender-blue—a beauty	.20	1.50	12.00
Delicata. 2'-3' Pink	.20	1.50	12.00
Elta. 3'-4' Pale lilac, choice double	.20	1.50	12.00
Maggie Perry. 3' Large mauve	.20	1.50	12.00
Mauve Cushion. I' A new unusual plant,			
free flowering, delicate mauve	.20	1.50	12.00
Nancy Ballard. 3'-4' Semi-double purple	.25	2.00	15.00
Nova Belgii. 4' Deep lavender	.20	1.50	12.00
Perry's White. 3'-4' Fine white	.20	1.50	12.00
Ryecroft Pink. 4'	.20	1.50	12.00
Sam Banham. 3'-4' White	.20	1.50	12.00
sub coeruleus. 12" Mauve, June-July	.20	1.50	12.00
ASTILBE Gloria. 2' Pink. June–July	.40	3.50	30.00
Gladstone. 2' White, June–July.	.40	3.50	30.00
AUBRETIA deltoides. 2' Purple shades, Apr.—May	.25	2.00	15.00
BAPTISIA australis. Blue Indigo: 3' May-June	.15	1.20	10.00
BELLIS perennis. English Daisy. 5" Pink, May	15	1.20	10.00
- fl. pl. 6" Double pink and white, May	.15	1.20	10.00
— monstrosa rosea. 6" Pink, May	.15	1.20	10.00
BOLTONIA asteroides. White Bohonia. 4' White,	.15	1.20	10.00
AugSept	.15	1.20	10.00
latisquama nana. Dwarf Pinkray Boltonia.			
2' Light pink, AugSept	.15	1.20	10.00
CALANDRINIA umbellata. Rock Purslane. 6" Crimson, June-Sept	.20	1.50	12.00
CALTHA palustris. Marshmarigold. 1' Yel., May	.25	2.00	15.00
CAMPANULA carpatica. Carpathian Bellflower,			
6" Light blue, July	.20	1.50	12.00
— alba. White Carpathian Bellflower, 6" White, July-Aug	.20	1.50	12.00
	.35	3.00	25.00
garganica. 4" Light blue, June	.55	3.00	23.00
glomerata. Danesblood, 18" Dark blue, June–July	.30	2.50	20.00
latifolia macracantha. 3' June-July. Lilac and			
deep purple	.20	1.50	12.00
medium. Single Canterbury Bells, 2' Pink, blue, white; separate colors or mixed, June	.15	1.20	10.00
<ul> <li>calycanthema. Cup and Saucer, 2' Blue, pink, white; separate colors or mixed, June</li> </ul>	.15	1.20	10.00
persicifolia grandiflora. Peach-leaved Bell-	•13		
persicifolia grandiflora. Peach-leaved Bell- flower, 2' Blue, June-July	.20	1.50	12.00

00 TILIONCLOOS TEICENTAIN	-0		
	lach	Per 10	Per 100
CAMPANULA persicifolia alba. White Peach- leaved Bellflower, 2' White, June–July	.20	1.50	12.00
portenschlagiana. Dalmatian Bellflower. 4"		7.00	25.00
Blue, May-June	.35	3.00	25.00
rotundifolia. Harebell. 9" Blue, June-Aug.	.25	2.00	15.00
CATANACHE coerulea. Blue Cupid's Dart. 2' Blue, July-Aug	.10	1.50	12.00
CENTAUREA dealbata. Persian Centaurea, 18"	1.5	1.00	10.00
Pink, July-Aug	.15	1.20	10.00
montana. Cornflower, 1½' Blue, July-Aug.	.15	1.20	10.00
— alba. $1\frac{1}{2}$ White, June-Aug	.15	1.20	10.00
CENTRANTHUS ruber. Jupiter's Beard. 2' Red, June Sept	.15	1.20	10.00
- alba. White Jupiter's Beard. 2' White, June-Sept	.15	1.20	10.00
CERASTIUM tomentosum. Snow-in-Summer.			
6" White, May-June	.20	1.50	10.00
CHELONE lyoni. Pink Turtlehead. 2½' Coralpink, Aug.—Sept	.20	1.50	12.00
CHRYSANTHEMUM articum. Arctic Daisy. 1½'			
White, SeptNov	.20	1.50	12.00
maximum. Shasta Daisy. 2' White, July-Sept.	.15	1.20	10.00
- Etoile d'Or. 2½' The best Shasta Daisy, White, July-Sept	.25	2.00	15.00
parthenium fl. pl. Feverfew. 1½' Yellow,	20	1.50	10.00
July-Octuliginosum. Giant Daisy. 3' White, June-Sept.	.20	1.50 1.20	12.00
			10.00
NAMED VARIETIES	.30	2.50	20.00
Donkelaria. $2\frac{1}{2}$ Large, early yellow.			
Firelight. $2\frac{1}{2}$ Bright red.			
Globe d'Or. 18" Button, yellow, early.			
Mrs. Henry Vincent. 3' Large yellow.			
Marie DuPont. 3' Large white, mid-season.			
Queen of White. 2½' White.			
Red Doty. 2½' Pompom, red, mid-season.			
White Doty. 2½' Pompom, white, mid-sease	on.		
Yellow Doty. 2½' Pompom, yellow, mid-sea	ason.		
CIMICIFUGA racemosa. Cohosh Bugbane. 3'-4'			
White, July-August. Useful for shrub-	25	2.00	15.00
bery border	.25	2.00	15.00
White, July-Aug	.30	2.50	20.00
CLEMATIS davidiana. Fragrant Tube Clematis, 3' White, AugSept	.30	2.50	20.00
integrifolia. 2' Solitary blue flowers, June–Aug.	.30	2.50	20.00
recta. Ground Clematis. 2½' Wh., June-July	.30	2.50	20.00
CONVALLARIA majalis. Lily-of-the-Valley. 9"			_ 5.50
White, May-June. Clumps	.40	3.50 1.00	30.00 6.00
COREOPSIS lanceolata grandiflora. Big Coreopsis. 2' Yellow, June–Oct	.15	1.20	10.00

	Each	Per 10	Per 100
DELPHINIUM belladonna. Larkspur, 21/2' Light			
blue, June-Oct	.15	1.20	. 10.00
bellamosum. Larkspur. 2' Dk. blue, June-Oct.	.15	1.20	10.00
chinensis. Slender Larkspur, 2' Deep blue, June-Oct	.15	1.20	10.00
— album. White Slender Larkspur. 2' White,			
June-Oct	.15	1.20	10.00
elatum. Bee Larkspur. Blue, June-Oct	.15	1.20	10.00
formosum. Hardy Larkspur, 2½' Dark blue, June-Oct	.15	1.20	10.00
Gold Medal Hybrids. 2½' Finest strain pro- curable, June-Oct	.25	2.00	15.00
DIANTHUS allwoodi Jean. 1' Fragrant white,			
May-Oct	.25	2.00	15.00
- Robert. 1' Fragrant rose-pink, May-Oct.	.25	2.00	15.00
barbatus. Sweet William. 18" Double flower,			
May-June. White, Pink, Red—in separate colors, or mixed	.15	1.20	10.00
deltoides. Maiden Pink. 8" Pink, May–June	.20	1.50	12.00
latifolius atrococcineus. Double-cluster Pink.	.20	1.50	12.00
$I_{2}^{1/2}$ Scarlet, May-June	.15	1.20	10.00
plumarius semperflorens. Perpetual Pink. 15" White and pink, May-June	.15	1.20	10.00
— Gertrude. 1' Red, May-June	.25	2.00	15.00
- Her Majesty. 10" Double white, May-June	.25	2.00	15.00
DICENTRA eximinia. Fringed Bleeding Heart.			
1' Pink, May-Aug	.25	2.00	15.00
formosa. Western Bleeding Heart. 1' Pink, May–Aug	.20	1.50	12.00
spectabilis. Bleeding Heart. 2' Pink and	.20	1.50	12.00
white, May-June	50	4.00	35.00
DICTAMNUS alba (fraxinella). Gas Plant, 2½' White, June–July. Fine in large masses	.35	3.00	25.00
- ruber. 2½' Rosy purple, June-July	.35	3.00	25.00
DIGITALIS grandiflora. Yellow Foxglove. 2½'	.55	3.00	23.00
Yellow, June-July	.15	1.20	10.00
Giant Shirley. 4'-5' Wh. to deep pink, June-July	.20	1.50	12.00
purpurea. Common Foxglove. 2½' Purple,			
June-July	.15	1.20	10.00
— alba. $2\frac{1}{2}$ White, June-July	.15	1.20	10.00
— gloxiniaeflora. 3'-4' From rose to ddep			
purqle, June-July	.15	1.20	10.00
DORONICUM caucasicum. Caucasian Leopard-			
bane. 1½' Yellow, May, June	.40	3.50	30.00
DRACOCEPHALUM ruyschiana. Siberian Drag-	o =	2.22	
onhead. 1' Blue, June-July	.25	2.00	15.00
ECHINACEA purpurea. Purple Coneflower. 3½' Purple, July–Aug	.15	1.20	10.00
ECHINOPS ritro. Steel Globe Thistle, 3' Steel bue,			
July-Aug.	.20	1.50	12.00
EPIGAEA repens. See Evergreens, page 43.			
ERIGERON speciosus. Oregon Fleabane. 2' Violet			
blue June-July.	.20	1.50	12.00
Quakeress. 2½' Mauve, June-Oct	.25	2.00	15.00

	,	D 10	D
	ach	Per 10	Per 100
ERYNGIUM amethystinum. Amethyst Eryngo. 2' Blue, July-Aug.	.25	2.00	15.00
planum. Eryngo. 2' Steel blue, July-Sept	.20	1.50	12.00
EUPATORIUM coelestinum. Blue Mist-Flower.	.20	1.50	12.00
2' Blue, AugOct	.15	1.20	10.00
urticaefolium. Snow Thoroughwort. 3'	• • • •	1.20	10.00
White, July-Sept	.15	1.20	10.00
FERNS—Adiatum pedatum. Am. Maidenhair 1'	.20	1.50	12.00
•	.20		
Aspidium acrostichoides. Silvery Spleenwort.1'		1.50	12.00
Asplenium filixfemina. Lady Fern. 2'-3'	.20	1.50	12.00
Dicksonia punctilobula. Gossamer Fern. 1½′–2′		1.50	12.00
Pteretis nodulosa. Ostrich Fern. 2'	.25	2.00	15.00
FUNKIA subcordata grandiflora. White Plantain Lily. 18" White, July-Aug	.35	3.00	25.00
minor. Dwarf Plantain Lily. 8" White.			
Aug-Septcoerulea. Blue Plantain Lily. 18" Purplish	.35	3.00	25.00
	.20	1.50	12.00
blue, July-Augvariegata. Variegated Leaf Funkia. 18" Blue,	.20	1.50	12.00
July-Aug.	.15	1.20	10.00
GAILLARDIA grandiflora. Blanket Flower. 18"		-	
Yellow, red, May-Nov.	.15	1.20	10.00
- compacta. Dwarf Blanket Flower. 15"			
Yellow and red, May-Nov	.20	1.50	12.00
GAULTHERIA. See Evergreens, page 44.			
Dazzler. 1½' New. Large red, May-Nov.	.25	2.00	15.00
GENTIANA andrewsi. Closed Gentian. 18" Blue,	.23	2.00	13.00
Aug. Oct	.20	1.50	12.00
GEUM chiloense (coccinea). Chiloe Avens. 1'	.20	1.50	12.00
Red, June-Aug.	.20	1.50	12.00
— atrosanguineum. fl. pl. $1\frac{1}{2}$ Double red,			
May-July	.20	1.50	12.00
- Lady Stratheden, 18" Orange, June-Sept	.20	1.50	12.00
<ul> <li>Lady Stratheden. 18" Orange, June- Sept</li> <li>Mrs. Bradshaw. 1½' Vivid red June-Sept.</li> </ul>	.20	1.50	12.00
GLOBULARIA trichosanthes. Syrian Globe			
Daisy. 6" Violet blue. May-June	.25	2.00	15.00
GRASSES-Festuca glauca. Dwarf Blue Stem			
Grass. 1'	.20	1.50	12.00
	.20	1.50	12.00
Miscanthus sinensis. Eulalia. 5'-6' Green. — gracillimus. Maiden Grass. 5' Green	.20	1.50	12.00
- variegatus. Variegated Eulalia. 4'	.20	1.50	12.00
— zebrimus. Striped Eulalia. 5'	.25	2.00	15.00
Phalaris arundinaecea picta. Variegated			
Ribbon Grass. 2½'	.20	1.50	12.00
GYPSOPHILA paniculata. Baby's Breath. 2' White, June-July.			
Whitz, June-July.	.15	1.20	10.00
— Bristol fairy. The best double 3" pots cerastioides. Mouse-ear Gypsophylla. 4"	1.00	7.50	50.00
cerastioides. Mouse-ear Gypsophylla. 4"	0.5	2.00	15.00
White, Mayrepens. Creeping Gypsophylla. 4" White,	.25	2.00	15.00
June-July	.20	1.50	12.00
HELIANTHEMIIM champacietus mutabila Fichla	.20	1.50	12.00
Surrose. 8" Variousshades, June-July — aureum. 8" Yellow, June-July — Bride. 8" White-gray foliage — Mrs. Earle. 8" Scarlet — Rose queen. 8" Pink, June-July	.20	1.50	12.00
— aureum. 8" Yellow, June-July	.25	2.00	15.00
- Bride. 8" White-gray foliage	.25	2.00	15.00
- Mrs. Earle. 8" Scarlet	.25	2.00	15.00
- Rose queen. 8" Pink, June-July	.25	1.00	15.00

HERBACEOUS FERENNIA			03
HELENIUM autumnale superba. Sneezeweed. 4'	Each	Per 10	Per 100
Yellow, AugSept	.20	1.50	12.00
- rubrum. 4' Reddish bronze, AugSept	.20	1.50	12.00
pumilum magnificum. Dwarf Sneezeweed.			
1'-1½' Yellow, July-Oct	.25	2.00	15.00
Riverton Gem. Brouze Sneezeweed. 3' Bronze,	20	1.50	10.00
AugSept	.20	1.50	12.00
HELIANTHUS decapetalus Soliel d'or. Sun- flower. 4'-5' Yellow, AugSept	.15	1.20	10.00
HELIOPSIS pitcheriana. Heliopsis. 3' Yellow,	*10		
July-Sept	.15	1.20	10.00
scabra excelsa. New 3' Rich yellow, semi-	2 =	2.22	
double July-Oct	.25	2.00	15.00
HEMEROCALLIS flava. Lenion Day Lily. 2½'	.20	1.50	12.00
Yellow, May fulva. Tawney Day Lily. 2½' Copper, July	.15	1.20	10.00
- Dr. Regel. 1½' Orange, May	.25	2.00	15.00
thunbergi. 2½' Bright yellow, July Oct	.15	1.20	10.00
HEPATICA triloba. Roundlobe Hepatica. 6"	•10	1.20	10.00
Blue, April-May	.25	2.00	15.00
HESPERIS matroralis. Dames Rocket. 2' Fink,			
May-June	.15	1.20	10.00
candidissima. 2½' White, May July	.15	1.20	10.00
HEUCHERA americana. American Aluuroot. 2' Greenish white, June–Aug	.20	1.50	12.00
brizoides. Pinkbells. 1½' Pale pink, May–Sept	.30	2.50	20.00
Perry's white. 1½' Pure white, June–Sept	.30	2.50	20.00
Pluie de Feu. 2' Fiery red, June–July	.30	2.50	20.00
sanguinea alba. Snowdrop. 1½' Wh., June–Sep.	.30	2.50	20.00
HIBISCUS moscheutos. Marshmallow. 5" Aug			
Sept.	.20	1.50	12.00
White, Pink, Red, Crimson Eye	.20	1.50	12.00
HOLLYHOCK. See ALTHEA. In separate colors.			
IBERIS gibraltarica. Gibraltar Caudytuft. 8"			
Pale lilac, May	·20	1.50	12.00
sempervirens. Caudytuft. 10" Wh., Apr.–May	.20	1.50	12.00
- Little Gem. 6" White, April	.25	2.00	15.00
IRIS cristata. Crested Iris. 4" Rich blue, May	.20	1.50	12.00
pumila cyanea. Dwarf Iris. 8" Purple, May	.15	1.20	10.00
— excelsa. 6" Yellow, May	.25	2.00	15.00
— Sambo. 6" Violet-blue, May	.15	1.20	10.00
— Schneecuppe. 6" White, Maygermanica. Fleur-de-lis. (German Iris.) 1½'-3'	.20	1.50	12.00
Alcazar—Purple and violet	.25	2.00	15.00
Dr. Bernice—Bronze	.15	1.00	8.00
Florentina alba—White	.15	1.00	8.00
Her Majesty—Pink.	.15	1.00	8.00
Isoline—Smoky pink	.25	2.00	15.00
La Niege. Splendid white	.25	2.00	15.00
Lohengrin—Mauve-rose	.20	1.50	12.00
Loreli—Yellow and purple	.20	1.50	12 00
Mad. Chereau-White pencilled blue	.15	1.00	8.00
Ma Mie. White pencilled blue	.25	2.00	15.00

TIENDACEOUS FENERVINIA	LD		
IRIS germanica E	ach	Per 10	Per 100
Mme. Pacquitte—Rosy claret	.15	1.00	8.00
Nibelungen—Bronze	.20	1.50	10.00
Pallida Dalmatica—Lavender	.25	2.00	15.00
Pallida Speciosa—Deep lavender	.20	1.50	12.00
Prosper Laugier—Bronze and pink	.25	2.00	15.00
Quaker Lady—Blue-yellow	.25	2.00	15.00
Rhein Nixe—White-purple	.20	1.50	12.00
Sherwin Wright—Yellow	.25	2.00	15.00
Assorted varieties, separate colors		1.00	6.00
kaempferi. Japanese Iris. $2'-2\frac{1}{2}'$ Named	.25	2.00	15.00
Bride—Plum red, wh. centre. Eclipse—Purplish red, tall. Frate—Lilac veined white. Gold Bound—Wh., yel. center.  Helen J. C. Mt. He	Von	Siebold -	-Viored.
Eclipse—Purplish red, tall. J. C.	Vaug	ghan—Pu	re white.
Gold Bound—Wh., vel. center. Violet	Bea	utv—Dee	n violet.
siberica. Siberian Iris. 2' Purple, May-June	.15	1.20	10.00
Perry's Blue. 3' Vivid blue, May-June	.25	2.00	15.00
Snow Queen. White Siberian Iris. 2'	.20	2,00	15.00
White, May-June	.15	1.20	12.00
LATHYRUS latifolius. Pink Beauty. 21/2' Pink,			
June-Aug	.15	1.20	10.00
White Pearl. $2\frac{1}{2}$ White, July-Aug	.15	1.20	10.00
LAVENDULA vera. Lavender. 18" Blue, July-Aug.	.20	1.50	12.00
— Munsted. Dwarf Lavendar. 1' Deep blue,	0.5	2.00	15.00
July-Sept.	.25	2.00	15.00
LIATRIS spicata. Spike Gayfeather. 2½ Light purple, July-Sept	.15	1.20	10.00
pycnostachya. Cattail Gayfeather. 4' Pur-	.13	1.20	10,00
ple, July-Aug	.20	1.50	12.00
LINUM perenne. Blue Perennial Flax. 1' June-July	.15	1,20	10.00
- album. White Flax. 1' White, June-July	.15	1.20	10.00
LOBELIA cardinalis. Cardinal Flower. 3' Red,			
July-Aug.	.20	1.50	12.00
siphilitica. Blue Lobelia. 2½' July Sepi	.20	1.50	12.00
LUPINUS polyphyllus. Lupine. 3' Blue, June-July	.20	1.50	12.00
— albiflorus. 3' White, June-July	.20	1.50	12.00
— Moerheimi. 2½' Pink, June-July	.20	1.50	12.00
LYCHNIS alpina. Arctic Campion, 6" Pink, Apr.	.20	1.50	12.00
chalcedonica. Maltese Cross. 2' Scarlet, June	.15	1.20	10.00
haageana. Haage Campion. 1' Scarlet, May.	.20	1.50	12.00
viscaria splendens. Rosepink Campion. 1'	1.5	1.20	10.00
Crimson, May-June————————————————————————————————	.15	1.20 1.20	10.00
- fl. pl. 1' Double pink, May-June	.20	1.50	12.00
LYTHRUM salicaria roseum. Rose Loose-strife.	.20	1.50	12.00
2½' Pink, July–Aug	.20	1.50	12.00
MERTENSIA virginica. Virginia Bluebell. 11/2'			
May-June	.15	1.20	10.00
MITCHELLI. See Evergrenes, page 48.			
MONARDIA didyma. Oswego Bee Balm. 2½' Red, June–Aug	.15	1.20	10.00
fistulosa media. Purple Bee Balm. 2½'			
Purplish pink, June-Aug	.15	1.20	10.00
MYOSOTIS scorpioides (palustris). Forget-Me- Not. 10" Blue, May-Sept	.15	1.20	10.00
Barr's alpine blue. 6" New, clear blue, MayJuly	.20	1.50	12.00

TIER BITCE OCD TERES VIVI	LL		03
NEPETA mussini. Gray Catmint. 10" Mauve	Each	Per 10	Per 100
April-Tune	.15	1.20	10.00
NIEREMBERGIA rivularis. Whitecup. 4"	.20	1.50	12.00
OENOTHERA youngi. Evening Primrose. 2' Yellow, June-Aug	.15	1.20	10.00
missouriensis. Ozark Sundrops. 9" Yellow June-Aug	.20	1.50	12.00
speciosa. White Sundrops. 18" Wh. Aug-Sep	.15	1.20	10.00
PACHYSANDRA terminalis. Japanese Spurge. 8" Pot grown. 80.00 thousand.		1.50	10.00
PACHISTIMA. See Evergreens, page 49.			
PAEONIA. Peony.			
Baroness Schroeder. Blush white Delachi. Deep crimson Edouard Audre. Bright red Eugene Verdier, Pale pink Felix Crousse. Brilliant red Festiva maxima. White	.75	6.50	60.00
Delachi. Deep crimson	.50	4.00	30.00
Edouard Audre. Bright red	.50	4.00	30.00
Eugene Verdier, Pale pink	.75	6.50	60.00
Felix Crousse. Brilliant red	./5	6.50	50.00
Festiva maxima. White	.50	4.00	30.00
Kari Roseffeld. Brilliant red .	1.00	8.50	75.00
Louis van Houtte. Crimson	.50	4.00	35.00
Feix Crousse. Brilliant red Festiva maxima. White Karl Rosefield. Brilliant red Louis Van Houtte. Crimson Meissonier. Red Mons. Jules blie. Pink Sarah Bernhardt. Fragrant Pink	.50	4.00 6.00	30.00
Carab Rornhardt Frogrant Dials	1.00	8.50	50.00 75.00
PAPAVER alpinum. Alpine Poppy. 10" Various	1.00	0.30	73.00
colors, May-Sept	.15	1.20	10.00
nudicaule. Iceland Poppy. 1' May June	.15	1.20	10.00
Deserts of Liseanness 21/2 C.			
— Beauty of Livermore. 2½' Crimson	.30	2.50	20.00
— Mrs. Perry. $2\frac{1}{2}$ Orange, June-July	.25	2.00	18.00
- orientalis. Perry's White 2½' June-July	.25	2.00	18.00
- Princess Victoria Louise. 21/6' Pink.	.25	2.00	18.00
— Royal Scarlet. 2½' Vivid scarlet, June-July	.25	2.00	18.00
PENTSTEMON torreyi. Torrey Beard Tongue.			
3' Red, June-Aug	.15	1.20	10.00
PHLOX amoena. 4" Trailing rose pink, May	.20	1.50	12.00
Arendsi Louise. 2' Lilac, dark eye, May-July	.20	1.80	15.00
Arendsi Louise. 2' Lilac, dark eye, May-July divaricata. 1' Lavender blue, May	.20	1.50	12.00
subulata. Moss pink. 4" Pink, April-May	.15	1.20	10.00
- alba White Mose Pink A" White Apr May	.15	1.20	10.00
— Apple Blossom. Delicate pink, April May	.25	2.00	15.00
- Nelsoni. 4 Small vivid white, May	.20	1.50	12.00
<ul> <li>Vivid. 6" Clear bright rose, splendid evergreen foliage; does not run, best dwarf phlox.</li> </ul>	.25	2.00	15.00
- G. F. Wilson. Lavender Moss Pink. 4"		2.00	. 5.00
Lavender blue, April-May	.25	2.00	15.00
ovata (carolina) Mountain Pink. 10" Rosy-red	.20	1.50	12.00
DECUSSATA. Garden Phlox. 11/2' July-Sept.	.20	1.50	12.00
	.20	1.80	15.00
B. Compte. Reddish purple	.20	1.80	15.00
Doutchland Brilliant rad	.20	1.80	15.00
Deutchland. Brilliant red Dr. Konigshofer. Brilliant scarlet, crimson eye.	.20	1.80	15.00
Enchantress. Rich salmon pink	.20	1.50	12.00
Elizabeth Campbell. Pink	.20	1.80	15.00
Fireglow. Bright orange-scarlet	.20	1.80	15.00
Elizabeth Campbell. Pink  Fireglow. Bright orange-scarlet  General Von Heutz. Salmon-red, white center	.15	1.20	10.00
Hindenburg. Vivid red	.20	1.80	15.00
Hindenburg. Vivid red	.15	1.20	10.00
Louise Abbema. Dwarf white	.15	1.20	10.00

66 HERBACEOUS PERENNIA	LS		
PHLOX. DECUSSATA, Continued. E	ach	Per 10	Per 100
		1.50	12.00
Milly Von Hoboken. Soft pink	15		
Miss Lingard. Early tall white		1.20	10.00
Mrs. Jenkins (Independence). White	.15	1.20	10.00
Mrs. Jenkins (Independence). White	.15	1.20	10.00
Thor. Deep salmon pink	.15	1.20	10.00
Wanadis. Deep lilac	.20	1.50	12.00
PHYSALIS franchetti. Chinese Lantern. 2'			
PHYSALIS franchetti. Cutnese Lantern. 2	1.5	1.20	10.00
Orange red seed pods, Oct	.15	1.20	10.00
PHYSOSTEGIA virginiana. False Dragonhead.			
2½' Pink, June-July	.15	1.20	10.00
Vivid. Large deep pink. Aug	.20	1.50	12.00
	0		. 2.00
PLATYCODON grandiflorum. Balloon Flower.			
Light blue, June-July	.15	1.20	10.00
Light blue, June–Julyalbum. 18" White, June–July	.15	1.20	10.00
PLUMBAGO larpentae. Blue Leadwort. 9"			
Plus Aug Cont	.25	2.00	15.00
Blue, Aug. Sept	.23	2.00	13.00
POLEMONIUM caeruleum. Greek Valerian. 15"			
Sky blue, June-July	.20	1.50	12.00
humile (Richardsoni.) Jacob's Ladder. 12"			
humile (Richardsoni.) Jacob's Ladder. 12" Blue, June-July reptans. Creeping Polemonium. 8" Blue,	.20	1.50	12.00
rentans Creaning Polamonium 9" Rlug	.20	1.50	12.00
DOTENTILLA tridentata Con Economica 50		1.50	12.00
POTENTILLA tridentata. See Evergreens, page 50	).		
PRIMULA acaulis (vulgaris). English Primrose.			
6" Pale yellow, April-May	.25	2.00	15.00
elatior. Oxlip. 8" Flowers in umbels, various colors, May			
colors May	.20	1.50	12.00
innonian Labannaa Prinnaaa a'' Dur rad luna	.20	1.50	12.00
Varia Countin 6" Vallanta and April Man	.20	1.50	12.00
Veris. Cowstip. o Tenow to red April-Way			
Veris, Cowslip. 6" Yellow to red April-May  - Hose-in-Hose. 6" True yellow form	.35	3.00	25.00
PYRETHRUM hybridum. Painted Lady. 2'			
Double mixed July-Aug	.15	1.20	10.00
RUDBECKIA laciniata Golden Glow 5' Yellow	.15	1.20	10.00
RUDBECKIA laciniata. Golden Glow. 5' Yellow purpurea. See ECHINACEA.	***	1.20	10.00
anaginan (noumnni) Chamu Coua florum			
speciosa (newmanni). Showy Cone-flower.	1.5	1.20	10.00
2' Yellow, Aug.	.15	1.20	10.00
SALVIA azurea grandiflora (pitcheri). Azure			
Salvia. 3' Light blue, Aug	.20	1.50	12.00
nemorosa. Violet Sage. 2' May-June pratensis. Meadow Sage. 2' Deep blue, June-Jul.	.20	1.50	12.00
pratensis. Meadow Sage. 2' Deep blue, June-Jul.	.20	1.50	12.00
SAPONARIA ocymoides splendens. Rock Soap-			
SAI ONARIA Ocymoldes spiendens. Rock Soup-	20	1.50	12.00
wort. I' Red, May-July	.20	1.50	12.00
SANTOLINA incana. Hoary Lavender Cotton.			
SANTOLINA incana. Hoary Lavender Cotton.  1½' Gray foliage  SCABIOSA caucasica. Cancasian Scabiosa. 2'	.20	1.50	12.00
SCABIOSA caucasica. Cancasian Scabiosa. 2'			
Lilac, June-Aug—alba. White Scabiosa. 2' June	.25	2.00	15.00
— alba. White Scabiosa. 2' June	.30	2.50	12.00
SCUTELLARIA baicalensis coelestina. Azure			
Skullcap. 1' Blue, July-Aug	.20	1.50	12.00
SEDUM acre. Gold Moss. 3" Yellow, May-June	.15	1.20	10.00
album. White Stonecrop. 3" White, May-June	.15	1.20	10.00
divergens. 6"	.20	1.50	12.00
hispanicum. Spanish Stonecrop. 4" Pale pk., July	.20	1.50	12.00
kamtschaticum. Orange Stonecrop. 8" Yellow reflexum. Jenny Stonecrop. 8"-10" Yel., June rupestre. 6"-8" Yellow, June	.25	2.00	15.00
reflexum. Jenny Stonecrop. 8"-10" Yel. June	.20	1.50	12.00
rupestre 6"-8" Yellow June	.20	1.50	12.00
sarmentosum. Stringy Stonecrop. 2" Yellow	.15	1.20	10.00
covengulare Dright collect Up. 2 1 ellow	.13		
sexangulare. Bright yellow, July-Augsieboldi. Siebold Stonecrop. 6"-8" Pk., AugSep.	.20	1.50	12.00
sieboidi. Sieboid Stonecrop. 6"-8" Pk., Aug. – Sep.	.20	1.50	12.00
spectabile. Showy Stonecrop. 18" Pink, Aug Sep	20	1.50	12.00
- Brilliant. 18" Deep rose. AugSept	.20	1.50	12.00
spectabile. Showy Stonecrop. 18" Pink, Aug.—Sep — Brilliant. 18" Deep rose. Aug.—Septstoloniferum. 6" Purplish-pink, July, Aug	.20	1.50	12.00

E.	ıch	Per 10	Per 100
SEMPERVIVUM arachnoideum. Cobweb House-			
leek. 4" Red, SeptOct	.20	1.50	12.00
globiferum. Globe Houseleek. 8" Yel., SepOct.	.20	1.50	12.00
SILENE alpestris. Alpine Catchfly. 5" Pink, May	.20	1.50	12.00
,,	.20	1.50	12.00
SPIREA aruncus. Goatsbeard. 4' White, June	.35	3.00	25.00
STACHYS lantana. Woolly Betony. 18" Purple	.15	1.20	10.00
STATICE armeria laucheana. Thrift. 6" Red	.15	1.20	20.00
latifolia. Sea Lavender. 2' Lilac-blue, July-Aug.	.15	1.20	10.00
maritima splendens. 8" Bright rose-pk., June-July	.20	1.50	12.00
— alba. 8" White, June-July	.20	1.50	12.00
pseudoarmeria (armeria formosa). False			
Thrift. 8'' Pink, June	.20	1.50	12.00
STOKESIA laevis cyanea. 2' Lilac-blue, July-Aug.	.15	1.20	10.00
— alba. 2' White, July-Aug	.25	2.00	15.00
THALICTRUM adiantifolium. Maidenhair			
	.25	2.00	15.00
aquilegifolium. Columbine Meadowrne. 2'	0.5	2.22	
Rosy-purple, June-July	.25	2.00	15.00
dipterocarpum. Yunnan Meadowrue. 3'-4'	.25	2.00	15.00
Mauve, Aug. Sept	.23	2.00	13.00
THYMUS serpyllum album. White Thyme. 2" White, June–July	.25	2.00	15.00
— coccineus. Crimson Thyme. 3" June	.25	2.00	15.00
— splendens. Firefly Thyme. 3" Purplish-red	.25	2.00	15.00
	.25	2.00	15.00
TRITOMA pfitzeri. Bonfire Torchlily. 21/4' Red	.23	2.00	13.00
and yellow, Aug.—Sept	.25	2.00	15.00
TROLLUS europeus. Orange Globeflower. 18"			
Orange, May-Aug	.35	3.00	
TUNICA saxifraga. Tunic Flower. 6" Wh, July-Aug.	.15	1.20	10.00
VALERIANA officinalis. Valerian. 3'-4' Blush			
pink, June-July	.20	1.50	12.00
VERONICA longifolia subsessilis. Clump Speed-			
well. 2' Violet-blue, Aug.	.25	2.00	15.00
gentianoides. Gentian Speedwell. 8" Blue,	.25	2.0C	15.00
repens. Creeping Speedwell. 2" Blue, May.	.25	2.00	15.00
— Heavenly Blue. Rock Speedwell. 4" Blue	.25	2.00	15.00
spicata. Spike Speedwell. 18" Blue, May-June	.15	1.20	10.00
spuria (amethystina). Bastard Speedwell.	0.0		
2' Blue, May-June	.20	1.50	12.00
teucrium rupestris. Rock Speedwell. 4" Blue	.20	1.50	12.00
— rosea. Pink Rock Speedwell. 4" Pink, June	.25	2.00	15.00
VINCA minor. Periwinkle. 4" Lilac blue, April-	1.5	1.20	10.00
May. Pot grown. 80.00 thousand	.15		
— alba. White Periwinkle. 6" Wh.,AprMay VIOLA cornuta. Tufted Pansy. 8" Blue-violet	.25	2.00	15.00
Admiration. 6" Violet, May-June	.15	1.20	10.00
Blue Perfection. 6" Purple-blue, May-Aug.	.15	1.20	10.00
Jersey Gem. 6" Rich violet, May-Aug	.25	2.00 1.20	15.00 10.00
White Perfection 6" White May-Aug	.15	1.20	10.00
Yellow Gem. 6" Yellow, May-Aug	.15	1.20	10.00
Rose Queen. Rose-pink White Perfection. 6" White, May-Aug Yellow Gem. 6" Yellow, May-Aug odorata. Gov. Herrick. 4" Violet, April-June	.20	1.50	12.00

## Fruit Trees and Bushes

APPLES AND CRAB APPLES	Each	Per 10
1 in. and upXX	1.00	9.00
11 16th to 7/ in	.60 .40	5.00 3.50
$\frac{7}{8}$ in. to 1 in	.30	2.50
SUMMER-Early Harvest, Gravenstein, Red Astrachan	Yellow '	
AUTUMN -Duchess, Fall Pippin, King, Sweet Bough,		
WINTER -Baldwin, Delicious, Fameuse, Golden Ru		
N. W. Greening, Northern Spy, Rome Beauty, Stay		
CRAB APPLES-Hyslop, Red Siberian, Transcendent.		····eu.p·
PEARS—Standard		
l in. and upXX	1.00	9.00
$\frac{7}{8}$ in. to 1 in	.75 .50	6.00 4.50
Med. grade, $\frac{5}{8}$ in. to 11-16th in	.40	3.50
Bartlett, Beurre Bosc, Beurre d'Anjou, Clapp's Fa	vorite, D	uchess,
Flemish Beauty, Kieffer, Lincoln, Lawrence, Seckel, Sheldon.		
DWARF-Bartlett, Duchess, Seckel.		
First grade, 5/8 in. and up	.60	5.00
Med. grade, ½ in. to 5/8 inB	.45	4.00
CHERRIES—1 in. to 1½ inXX	1.25	
7/8 in. to 1 in	1.00	8.50
11-16th in. to ½ in	.75 .60	6.00 5.00
Black Tartarian, Downer's Late Red, Early Richmo		
Montmorency, Schmidt's Biggareau, Yellow Spanish, Napoleon.		
		on.
PLUMS— 1 in. and up	1.00 .75	6.50
11-16th in. to $\frac{7}{8}$ in	.50	4.00
Abundance, Bradshaw, Burbank, Yellow Egg, Germ	an Prune	e.
Each		
PEACHES—¾ in, and up, 5 to 7 ftXX .50	4.00	35.00
$\frac{5}{8}$ to $\frac{3}{4}$ in. 4 to 6 ft	3.00	25.00
	2.50	20.00
	Yellow	
Belle of Georgia, White Elberta, Yellow Iron Mo		White
QUINCES— $\frac{34}{5}$ in., 4 to 5 ft	7.50	
$\frac{5}{6}$ in., 3 to 4 ft	5.00 3.50	
Champion, Orange.	3,30	
NUTS-Japan Walnut, Black Walnut, Butternut.		
4 to 6 ft 1.00 each 6 to 8 ft	1	50 each
GRAPES — Agawam, red; Moore's Diamond, white; Catawba, red; Concord, black.	Niagara,	white.
2 yr	2.00	15.00
CURRANTS-Cherry, Fay's Prolific, Perfection, Whi		
2 yr	2.00	15.00
GOOSEBERRIES—Downing, Houghton, Joselyn.		10.00
2 yr	2.00	15.00
$RASPBERRY-Cuthbert,\ Cumberland\ (black),\ St.\ Regis$	(transpl.)	6.00
BLACKBERRIES—Blowers		5.00

### PLANTS SUITABLE FOR THE ROCK GARDEN

### Herbaceous Perennials

Achillea tomentosa, 1' Alyssum saxatile compactum, 1' Androsace chumbyi, 4" Anemone pulsatilla, 13" Arabis alpina, 6" Arabis alpina floro pleno, 7" Arenaria balearica, 2" Arenaria montana, 3" Aster alpinus, 8" Aster sub coeruleus, 12" Bellis perennis, 5", Bellis perennis flore pleno, 6" Bellis perennis monstrosa rosea, 6" Calandrinia umbellata, 6" Campanula carpatica, 6" Campanula carpatica alba, 6" Campanula garganica, 4" Campanula portenschlagiana, 4" Campanula rotundifolia, 9" Cerastium tomentosum, 6" Dianthus deltoides, 8" Dicentra eximia, 1 Dicentra formosa, 1' Dracocephalum ruyschiana, 1' Ferns, Adiatum pedatum, 1' Ferns, Aspidium acrostichoides, 1' Funkia subcordata minor, 8" Geum chiloense (coccinea), 1' Geum chiloense Mrs. Brad., 11/2' Globularia trichosanthes, 6" Grasses, Festuca glauca' 1' Gypsophila cerastioides, 4" Gypsophila repens, 4" Helianthemum cham. aureum, 8" Helianthemum cham. bride, 8" Helianthemum cham. Mrs. Earle ,8" Helianthemum cham. mutabile, 8" Helianthemum cham. rose queen, 8" Heuchera brizoides, 11/2 Iberis gibraltarica, 8' Iberis little gem, 6" Iberis sempervirens, 10" Iris cristata, 4" Iris excelsa, 6" Iris sambo, 6" Iris Schneecuppe, 6" Iris pumila cyanea, 8" Lavendula vera munsted, 1' Linum perenne, 1' Linum perenne album, 1' Lychnis alpina, 6" Myosotis scorpioides, 10" Myosotis Barr's alpine blue, 6" Nepeta mussini, 10" · Nierembergia rivularis, 4"

Oenothera missouriensis, 9"

Papaver alpinum, 10" Papaver nudicaule, 1' Phlox amoena, 4" Phlox apple blossum Phlox divaricata, I' Phlox nelsoni, 4" Phlox subulata, 4" Phlox subulata alba, 4" Phlox subulata vivid, 6" Phlox subulata G. F. Wilson, 4" Plumbago larpentae, 9" Primula elatoir, 8" Primula japonica, 9" Primula veris, 6" Primula veris hose-in-hose, 6" Primula (vulgaris), 6" Polemonium reptans, 8" Saponaria ocymoides splendens, 1' Sedum acre, 3" Sedum album. 3" Sedum divergens, 6" Sedum hispanicum, 4" Sedum kamschaticum, 8" Sedum reflexum, 8''-10'' Sedum rupestre, 6"-8" Sedum sarmentosum, 2" Sedum sexangulare Sedum sieboldi, 6"-8" Sedum stoloniferum, 6" Sempervivum arachnoideum, 4" Sempervivum globiferum, 8" Silene alpestris, 5' Silene schafta, 6" Statice armeria laucheana, 6" Statice maritima splendens, 8" Statice maritima alba, 8" Thymus serphyllum album,  $2^{\prime\prime}$ Thymus serphyllum coccineum, 3" Thymus serphyllum lanuginosus 2" Thymus serphyllum splendens, 3" Tunica saxifraga, 6" Veronica gentianoides, 8" Veronica repens, 2" Veronica repens heavenly blue, 4" Veronica teuerium rupestris, 4' Veronica teuerium rosea,  $4^{\prime\prime}$ Vinca minor, 4" Viola admiration, 6" Viola blue perfection, 6" Viola cornuta, 8" Viola Jersey gem, 6" Viola odorata Gov. Herrick, 4" Viola rose queen Viola white perfection, 6" Viola yellow gem, 6"

### PLANTS SUITABLE FOR THE ROCK GARDEN

## Evergreens

Arctostaphylos uva-ursi Azalea amoena. 2 - -3Azalea Hinodegiri. 3'-4 Calluna vulgaris, 1 2 Cotoneaster horizontalis. 12- -2 Cotoneaster microphylla. 2 21: Cotoneaster thymifolia,  $1 \le -2$ Daphne encorum. 1 Epigaea repens. 6 Eupnymus radicans minimus. 2'-3' Euonymus japonicus microphyllus Juniperus chinensis sargenti. 12-7 Juniperus communis cracovica. 4'-5' Juniperus communis suecica na., 3" Juniperus communis depressa plum. Juniperus conferta. I-I-1 Tuniperus horizontalis.  $I-I^{\perp_{0}}$ Juniperus horizontalis doug..  $I-I_{-1}$ Iuniperus iaponica. 3'-4 luniperus iaponica aurea, 2'-3' luniperus sabina tamariscifolia. I Juniperus squamata meyeri. 3'-4' luniperus squamata verlegata Lieophyllum buxifolium. 18''

Lonicera pileata. 2" Mitchella repens. 4" Pachistima canbvi 3"-4" Picea alba albertiana, 4' Picea excelsa procumbens, 11: -2 Picea excelsa conica. 6'-7 Pinus densiflora umbraculif.. 3'-4' Pinus montana mughus, 212'-3' Potentilla tridentata, 8" Retinospora obtusa grac. com. 4'-5' Retinospora obtusa grac. nana. 2' Taxus baccata compacta. 3'-4' Taxus baccata erecta. 3'-5' Taxus baccata repandens, 112-2' Taxus canadensis. 21-212 Taxus cuspidata nana. 2'-3, Thuia occidentalis compacta, 2'-4' Thuia occidentalis globosa. 219'-3' Thuia occidentalis pumila. 2'-21g' Thuia occidentalis recurva nana, 2' Thuia occidentalis umbraculif. 2'-3' Thuia orientalis compacta, 3'-4' Thuia orientalis nana aurea. 21, '-3'

# Deciduous Shrubs

Caryopteris incana. 2-3
Ceanothus americana. 3-4
Cytisus scoparius. 4-5
Deutzia gracilis. 3'
Genista tinctoria. 3'
Hypericum buckleyi. 1'
Hypericum moserianum. 2'
Hypericum patulum grandifl. 2<sup>1</sup>/<sub>2</sub>
Hypericum patulum Henryi. 2-3'
Iasminum nudiflorum. 3'

Lonicera syringantha. 3'-5'
Lonicera syringantha wolfi, 2½'-3'
Lonicera spinosa alberti. 2'
Lonicera thibetica. 3'-4'
Potentilla fruticosa. 3'-4'
Rosa rugosa repens alba
Rosa spinosissima. 3'-4'
Spiraea japonica. 3'
Viburnum opulus nanum. 1½'-2'

# GROUND COVERS

## For Shady Places

Epigaea repens
Euonymus radicans minimus
Galex aphylla
Gaultheria procumbens
Hedera helix and varieties
Letophyllum buxifolium
Mitonella repens

Pachistima canbyi Pachysandra terminalis Shortia galactifolia Taxus canadensis Vaccineum vitis-idaea Vinca minor

# For Sunny Places

Arctostaphyllos uva-ursi Calluna vulgaris and varieties Iuniperus communis depressa Iuniperus conferta Iuniperus horizontalis Juniperus sargenti Juniperus tamariscifolia Pachysandra terminalis Zanthorhiza apiifolia

### PLANTS FOR SHADED SITUATIONS

## Deciduous Trees and Small Shrubs

Acanthopanax pentaphylla, 7'-8' Amelanchier canadensis, 12'-15' Aronia melanocarpa, 8'-10 Aronia arbutifolia, 6'-8 Azalea arborescens, 10'-12'Azalea nudiflora, 6'-8'Azalea vaseyi, 5'-6' Azalea viscosa, 4'-5' Benzoin aestivalis, 10'-12' Calycanthus floridus, 4'-5' Ceanothus americanus, Cephalanthus occidentalis, 5'-6' Cercis canadensis, 12'-15' Chionanthus virginica, 15'-18' Clethra alnifolia, 4'-5 Cornus alternifolia, 15'-18' Cornus amomum, 8'-9' Cornus florida, 15'-25' Cornus florida rubra, 15'-20' Halesia tetraptera, 12'-15'

Hamamelis virginiana, Hydrangea arborescens, 4'-5' Hydrangea quercifolia, 3'-4' Hypericum aureum, 3'-4' Ligustrum ibota regelianum, 5'-6' Ligustrum vulgare, 10'-12' Lonicera fragrantissima, 6'-8' Lonicera morrowi, 7'-8' Lonicera tatarica, 9'-10' Myrica cerifera, 4'-5' Oxydendrum arboreum, 25′-30′ Philadelphus, 9'-10' Physocarpus opulifolia, 9'-10' Rhodotypos kerrioides, 4'-5' Rubus odoratus, 5'-6'Symphoricarpos racemosa, 5'-6' Symphoricarpos vulgare, 4'-5'Viburnum dentatum, 10'-12'Viburnum lentago, 18'-20' Viburnum molle, 10'-12'

## Evergreen

Andromeda floribunda, 4' Andromeda japonica, 4'-5' Azalea amoena, 2½'-3' Azalea hinodegiri, 3'-4' Buxus sempervirens, 12'-15' llex crenata microphylla, 6'-8' llex glabra, 5'-6' Juniperus canadensis, 2½'-3' Kalmia latifolia, 5'-7' Leucothoe catesbaei, 3'-4'

Mahonia aquifolium, 4'-5'
Pachysandra terminalis, 6''-8''
Rhododendron carolinianum, 5'-6'
Rhododendron cataw. hybrids, 3'-8'
Rhododendron catawbiense, 6'-9'
Rhododendron maximum, 8'-12'
Taxus cuspidata, 4'-5'
Taxus cuspidata brevifolia, 2'-3'
Taxus canadensis, 2'-2½'
Tsuga canadensis, 75'-90'

## Herbaceous Perennials

Aconitum Aquilegia Amemone japonica Convallaria majalis Digitalis Dicentra spectabilis Dicentra eximia Funkia Hepatica triloba Lobelia cardinalis Lobelia syphilitica Lythrum Lychnis chalcedonica Myosotis palustrus Platycodon grandiflora Polemonium Primula Vinca minor Viola cornuta Veronica spicata

## PLANTS FOR BINDING AND COVERING SOIL ON STEEP BANKS

### Shrubs

Acanthopanax pentaphylla, 7'-8' Berberis thunbergi, 4'-5' Comptonia asplenifolia, 2'-3' Myrica cerifera, 4'-5' Lonicera tatarica, 9'-10' Rhus glabra, 10'-12' Rhus typhina, 15'-18'

Celastrus scandens, 20'-25' Lonicera japonica, 15'-20' Lycium chinensis, 12'-15' Rosa setigera, 5'-6' Sambucus canadensis, 8'-9' Spiraea tomentosa, 3'-4' Symphoricarpos racemosus, 5'-6' Symphoricarpos vulgare, 4'-5' Rosa rugosa, 4'-5' Rhus canadensis, 4'-5'

### Vines

Rosa setigera Rosa wichuriana Rosa lucida, 5'-6'

### PLANTS FOR DRY SOILS

### Trees

#### Deciduous

Acer negundo, 60' Ailanthus glandulosus, 50'–60' Betula populifolia, 30'–40' Phellodendron sachalinense.

## Evergreen

Pinus resinosa, 50'-60' Pinus rigida, 40'-50' Pinus divaricata, 40'-50' Pinus strobus, 80'-100'

## Shrubs Deciduous

Acanthopanax pentaphylla, 7'-8' Comptonia asplenifolium, 2'-3' Cornus paniculata, 10'-12' Colutea arborescens, 8'-10' Hypericum prolificum, 2½'-3' Hypericum kalmianum, 4'-5' Lespedeza bicolor, 5'-6' Myrica cerifera, 4'-5' Prunus maritima, 9'-10' Robina hispida, 5'-6'

Rosa setigera, 5'-6' Rhus typhina, 15'-18' Rhus canadensis, 4'-5' Rhamnus cathartica, 9'-10' Ribes aureum, 7'-8' Symphoricarpos racemosus, 5'-6' Symphoricarpos vulgare, 4'-5' Vaccinium corymbosum, 5'-6' Viburnum latana, 15' 18'

### Evergreen

Arctostaphylos uva-ursi Juniperus communis,  $2'-2\frac{1}{2}'$ Juniperus communis depressa,  $1\frac{1}{2}'$ Juniperus sabina, 6' 7' Juniperus horizontalis,  $1'-11\frac{1}{2}'$  Mahonia aquifolia, 4'-5' Pachysandra terminalis, 8'' Pinus montana mughus,  $2\frac{1}{2}'-3'$ 

# Herbaceous Perennials Sunny Places

Asclepias tuberosa Armeria Anthemis tinctoria Achillea tomentosa Achillea ptarmica, The Pearl Baptisia australis Baptisia tinctoria Cerastium tomentosum Dianthus barbatus Gypsophilla paniculata Helianthemum
Helianthus
Linum perenne
Lupinus polyphyllus
Lychnis haageana
Oenothera youngi
Phlox subulata
Pentstemon barbatus
Sempervivum
Sedum

Aquilegia canadensis Aster alpinus Aquilegia chrysantha Heuchera sanguinea

# Shady Places

Iberis sempervirens Platycodon grandiflorum Sedum spectabile

# PLANTS FOR AUTUMN COLORING

### Trees

Acer rubrum, 50'-75' Acer saccharum, 50'-75' Crataegus cordata, 12'-15' Cornus florida, 15'-25' Liquidamber styraciflua, 50'-60' Quercus palustris, 75'-90' Oxydendron orboreum,

## Shrubs

Aronia arbutifolius, 6'-8' Aronia melanocarpa, 8'-10' Berberis thunbergi, 4'-5' Cornus paniculata, 10'-12' Cornus alternifolia, 15'-18' Euonymus americana, 7'-8' Euonymus alatus, 9'-10' Oxydendrum arboreum, 25′–30′ Rhus copallina, 12′–13′ Rhus aromatica, 4′–5′ Rhus glabra, 10′–12′ Vaccinium corymbosum, 5′–6′ Viburnum (all species)

### PLANTS FOR WET OR MARSHY PLACES

### Deciduous Trees

Acer rubrum, 50'-75' Betula nigra, 50'-60' Liquidamber styraciflua, 50'-60' Larix leptolepis, 50'-60'

Ouercus bicolor 75'-90'

Ouercus palustris, 75'-90' Salix babylonica, 50'-60' Salix discolor, 15'-20' Ulmus americana, 80'-100' Taxodium distichum, 100'

### Shrubs

Azalea viscosa, 4'-5' Cephalanthus occidentalis, 4'-5' Calvcanthus floridus, 4'-5' Chamaedaphne calvculata, 3'-4' Cornus stolonifera, 7'-8' Cornus amomum, 8'-9' Clethra alnifolia, 4'-5' Ilex verticillata, 6'-8' Ilex glabra, 5'-6' Itea virginica, 3'-4'

Benzoin aestivalis, 10'-12' Aronia arbutifolia, 6'-8' Aronia melanocarpa, 8'-10' Rosa palustris, 6'-7' Sambucus canadensis, 8'-9' Spiraea tomentosum. 3'-4' Viburnum dentatum, 10'-11' Viburnum lentago, 18'-20' Viburnum cassinoides, 5'-6'

## Herbaceous Perennials

Aster novae-angliae Asclepias tuberosa Boltonia latisquama Caltha palustris Cimicifuga foetida simplex Cimicifuga racemosus Helenium autumnale

Hibiscus moscheutos Iris sibirica Iris kaempferi Lobelia cardinalis Lythrum salicaria roseum Myosotis palustris Physostegia virginica

# Broadleaved Evergreen Shrubs

Azalea amoena Azalea hinodegiri

Azalea, Japanese varieties Berberis illicifolia

Berberis julianae

Buxus

Calluna vulgaris Chamaedaphne calyculata

Cotoneaster franchetti Cotoneaster horizontalis Cotoneaster lemoinei Cotoneaster microphylla Cotoneaster rotundifolia Cotoneaster Simonsi Daphne cneorum Epigaea repens

Euonymus japonica

Euonymus patens Euonymus radicans and varieties Ilex crenata microphylla & varieties

Ilex glabra Ilex opaca Kalmia latifolia

Leiophyllum buxifolium Leucothoe catesbaei Lonicera pileata Mahonia aquifolia Mahonia beali Mitchella repens Pachistima canbyi Pieris japonica

Potentilla tridentata Pyracantha coccinea lalandi Rhododendrons in vaetriy Stranvaesia davidiana Viburnum rhytidophyllum

Yucca filiamentosa

Pieris floribunda

## BERRY-BEARING TREES AND SHRUBS

## Red Berries

Berberis vulgaris, 7'-8'
Berberis thunbergi, 4'-5'
Cornus florida, 15'-25'
Crataegus cordata, 12'-15'
Crataegus crus-galli, 15'
Crataegus coccinea, 15'-20'
Cotoneaster horizontalis, 1'-1½'
Cotoneaster divaricata
Euonymus alatus, 9'-10'
Euonymus europaeus, 12'-14'
Euonymus bungeana, 12'-14'
Ilex verticillata, 6'-8'

Lonicera tatarica, 9'-10'
Lonicera maacki, 8'-9'
Photinia villosa
Rhamnus caroliniana
Rosa rubiginosa, 5'-6'
Rosa rugosa, 4'-5'
Rosa blanda, 4'-5'
Sorbus aucuparia, 25'-30'
Sambucus racemosus, 8'-10'
Stranvaesia davidiana
Viburnum opulus, 9'-10'
Viburnum dilatatum, 8'-9'
Viburnum americanum, 8'-9'
Benzoin aestivale, 10'-12'

### White Berries

Cornus stolonifera, 7'-8'

Lonicera morrowi, 7'-8'

Cornus alba, 8'-10'

Symphoricarpos racemosus, 5'-6'

## Yellow Berries

Elaeagnus longipes, 6'-8'

Elaeagnus angustifolia, 15'-18' Eleagnus umbellatus

## Black Berries

Aralia spinosa, 18'-20' llex glabra, 5'-6' llex crenata microphylla, 6'-8' Ligustrum vulgare, 10'-12' Ligustrum regelianum Phellodendron sachalinense Aronia melanocarpa, 8'-10' Amelanchier canadensis, 12'-15'

Rhodotypus kerrioides, 4'-5' Sambucus canadensis, 8'-9' Viburnum acerifolium Viburnum prunifolium Viburnum sieboldi, 9'-10' Viburnum plicatum, 7'-8' Viburnum lantana, 15'-18' Rhamnus cathartica, 9'-10'

## Deep Blue-black Berries

Mahonia aquifolia, 4'–5' Vaccinium corymbosum Viburnum dentatum, 10'–12' Viburnum cassinoides, 5'-6' Viburnum lentago Viburnum molle

## Blue Berries

Cornus amomum, 8'-9' Ampelopsis heterophylla Callicarpa purpurea (mauve)
Callicarpa japonica
Symplocos paniculata

# INDEX OF BOTANICAL AND COMMON NAMES

A			PAGI
4.1.5	PAGE	Berberis	7, 8, 4
Abies		Betony	
Acanthopanax		Betula Bignonia	{
Acer	3, 4	Bignonia	8, 9
Achillea		Biota	57
Aconite	58	Birch	8
Aconitum	58	Bittersweet	
Actinidia	4	Black Alder	
Adam's Needle		Blackberries	
Aesculus			
Aethionema		Black Haw	
Ailanthus		Bladder Senna	
		Bladder Nut	
Akebia		Blanket Flower	
Almond, Flowering		Bleeding Heart	6
Alpine Catchfly		BluebeardBlue Berry	
Althaea		Blue Berry	37
Alyssum	58	Blue Indigo	59
Amelanchier		Blue Spirea Boltonia	(
American Alumnroot	58	Boltonia	50
Amethyst Erynge		Boston Ivy	
Amorpha		Box Elder	
Ampelopsis	5	Boxwood	
Amygdalus	5	BOXWOOD	4
Andromeda		Bridal Wreath	
		Buddleia Buckthorn	
Androsace		Buckthorn	27
Anemone		Bugbane	
Anthemus		Bugloss	58
Anchusa		Burning Bush	1 4
Apples		Bush Clover	18
Aquilegia	58	Buttonbush	10
Arabis	58	Buttonwood	24
Aralia	3. 5	Butterfly Bush Butterfly Weed	(
Arbor Vitae54	1, 55, 56, 57	Butterfly Wood	5(
Arctostaphylos	41	Buxus	Α΄
Arenaria		Duxus	4.
Aristolochio		C	
Armeria		Calandrina	59
		Callicarpa	
Aronia Arrow Wood		Calluna	47
		Caltha	59
Artemesia		Calveanthus	(
Asclepias		Calycanthus Camomile	59
Ash		Campanula	59 60
Aster		Campion	6
Astilbe	59	Candleberry	
Aubretia	59	Candieben y	
Azaleas	6. 7. 41	Candytuft	
В		Canterbury Bells	
		Caragana	
Baccharis		Cardinal Flower	64
Baby's Breath		Carpinus	
Bald Cypresa		Caryopteris	
Balloon Flower	66	Catalpa	
Baptisia		Catanache	60
Barberry		Catchfly	
Bay Berry		Catmint	
Beauty Berry	0	Ceanothus	
Bee Balm		Cedar	45.49
		Celastrus	1,1
Beech			
Beach Plum	26	Centaurea	
Bellflower	59, 60	Centranthus	60
Bellis		Cephalanthus	
Renzoin	7	Coracus	2.

76	INI	DEX	
	PAGE	1	PAGE
Cerastium	60	Dogwood	
Cercidiphyllum		Doronicum	
Cercis		Douglas Fir	
Chamaecyparis	51_53	Dracocephalum	
Chamaedaphna		Dutchman's Pipe	
Charta Tree	30		
Chaste Tree		E	
Chelone		Echinacea.	61
Chiloe avens	02	Echinops	61
Cherries		Eleagnus	
Cherry, Flowering and	weeping 26	Elder	31 32
Chionanthus	10	Elm	
China Fleecevine			
Chinese Beauty Bush		Engelmann Creeper   Epigaea	
Chinese Lantern			
Chrysanthemum		Erigeron	
Chokeberry		Eryngium	
Cimicifuga		Euonymus Eulalia	14, 43, 44
Cinquefoil		Eulana	02
Cladrastis		Eupatorium	
Clematis		Evening Primrose	
Clethra		Exochorda	14
Columbine	58	F	
Colutea		Fagus	14
Coneflower, Purple	61	False Dragonhead	
Coneflower, Showy		False Spirea	
Convallaria		Ferns	
Coral Berry		Festuca	
Cork Tree		Feverfew	
		Fir	
Corn Flower Cornus	11.12	Flax	
Coreopsis	60	Fleur-de-lis	
Cornellian Cherry			
Cotoneaster		Forget-me-not	
Cowslip		Forsythia	
Crab Apples		Foxglove	
Crab Apple, Flowering.		Fraxinus.	
		Funkia	62
Cranberry	11 12	G	
Crataegus		Gaillardia	62
Cryptomeria		Gas Plant	
Cucumber Tree			
Cup and Saucer		Gaultheria	
Cupid's Dart		Gayfeather	
Currants		Genista	
Currant, Flowering		Gentiana	
Cydonia		Geranium Creeper	
Cypress		Geum	
Cytisus	12	Ginkgo	
D		Gleditsia	
_	<b>5</b> 0 60	Globe Flower	
Daisy		Globe Daisy	
Dame's Rocket		Globe Thistle	61
Danesblood		Globularia	
Daphne		Goatsbeard	
Daylily		Golden Bell	
Delphinium		Golden Chain	17
Desmodium		Golden Glow	
Deutzia		Gold Flower	16
Dianthus		Gold Moss	66
Dicentra	61	Golden Tuft	58
Dictamnus	61	Gooseberries	68
Diervilla	13	Grapes	68
Digitalis	61	Grasses.	
Diospyros		Greek Valerian	

77

	PAGE		PAGE
Groundsel Bush	7	Katsura Tree	10
Gymnocladus	15	Kentucky Coffee Tree	15
Gypsophylla	62	Kerria	
Gypsophylla H Halesia	1.5	Koelreuteria	
Halesia	15	L	
Hamamelis Hardhack		Laburnum	17
Hardy Pink		Laland Firethorn	51
Harehell	60	· Larch	1/
Harebell Hawthorn	12	Larix	17
Heather	42	Larkspur	
Hedera		Lathyrus	64
Helenium*	63	Lavendula Lavender	. 64
Helianthemum	62	Lavender Lead Plant	64
Helianthus		Leadwort	
Heliopsis		Leatherleaf	42
Hemerocallis		Leiophyllum	
Hemlock	57	Leopardbane	
Hepatica	63	Lespedeza	
Hercules' Club		Leucothoe	48
Hesperis	63	Liatris	64
Heuchera		Ligustrum	18, 19
Hibiscus Highbush Blueberry		Lilac	34, 35
Hoary Lavender Cotton		Lily.of-the-Valley	60
Holly		Liatris Ligustrum Lilac Lily.of-the-Valley Linden	36
Hollyhock		Lindera	/
Honey Locust.		Linum	64
Honeysuckle Bush19, 20		Liquidambar	
Honeysuckle Vine	19-21	Liriodendron	19
Hop Hornbeam		Lobelia	
Hop-Tree	26	Lonicera	10 20 48
Hornbeam Horsechestnut	9	Loosestrife	19, 20, 40
Horsechestnut	5	Lupine	
Houseleek	57	Lupinus	
Hydrangea		Lychnis	
Hypericum	16, 17	Lycium	
I .	47	Lythrum	
Iberis		3.4	
llex 17 Indigo Bush		M Magnolia	2.1
Inkharry	3	Mahania	18
Inkberry Iris	63 64	Mahonia Maidenhair, American	62
Itea	17	Maidenhair Tree	15
Iron Constitute	4.4	Maltese Cross	
Jacob's Ladder Japanese Creeper		Malus	21, 22
Jacob's Ladder	66	Maple	
Japanese Creeper	5	Marshmarigold	59
Japanese Flowering Quince	12	Marshmallow	63
Iananese Manle	3	Matricaria	64
Japanese Snowball	38	Matrimony Vine Mistflower	21
Japanese Spurge	49, 65	Mistflower	62
Jasmine		Meadow Sage	66
Jasminum		Meadowrue	67
Jersey Tea	9	Mitchella	
Jetbead		Mock Orange	25, 24
Judas Tree		Monardia Monkshood	64
Juneberry		Morus	58
Juniper Juniperus		Morus	65 66
Juniter's Reard	60	Mountain Ash	32
K	00	Mountain Laurel	48
Jupiter's Beard K Kalmia	48	Mugwort	. 59

	PAGE		PAGE
Mulberry	22	Polemonium	
Myosotis		Poplar	
Myrica	22	Poppy	
Myrtle	67	Populus	25
N		Porcelain Ampelopsis	5
Nandina	23	Potentilla	25, 50
Nannyberry	37	Privet	18, 19
Nepeta		Prunus	25
Nierembergia		Pseudotsuga	
Ninebark		Purple Fringe	
Norway Maple		Primrose	66
Nuts		Primula	66
		Prinos	
Oak		Ptelea	
Oak	.26, 27	Purple-leaf Plum	
Oconee Bells	54	Pyracantha	51
Oenothera	65	Pyrethrum	
Oregon Fleabane	61		
Osier	12	Q	
Ostrya	23	Quercus	
Oxlip		Quinces	12, 68
Oxydendrum		R	
Oregon Holly Grape	48	Raspberry, Flowering	3.1
		Raspherry	68
P		RaspberryRedbud	10
Pachistima	49	Redcedar	4.7
Pachysandra	49, 65	Red Maple	
Paeonia		Retinospora	
Painted Lady	66	Rhamnus	
Pagoda Tree	32	Rhododendron	
Pansy	67		
Papaver	65	Rhodora	
Partridge Berry		Rhodotypos	27 20
Paulownia		Rhus	27, 28
Pears		Ribes	
Peaches		Robinia	
Peach, Flowering		Rock Cress	
Peatree		Rock Jasmine	
Pearl Bush		Rock Purslane	
Penstemon		Rock Soapwort	
Persian Stonecress.		Rockspray	
Peony		Rosa	28, 29
Perennial Pea		Rose of Sharon	15
Periwinkle		Rose Acacia	28
Persimmon	17	Rose Bay	53
		Roses, Native & Species	28, 29
Phellodendron	23	Roses, Hybrids	30
Philadelphus		Roses, Climbing	
Phlox		Rubus	
Photinia		Rudbeckia	
Physalis		Russian Olive	
Physocarpos			
Physostegia	66	S	
Picea	49	Sage	66
Pieris		Salisburia	
Pine	50	Salix	31
Pinus	50	Salvia	66
Plane Tree	24	Sambucus	31, 32
Plantain Lily	62	Sand Myrtle	
Platanus		Sandwort	
Platycodon		Santoline	
Plumbago	66	Saponaria	
Plum, Dbl. & Single Flowerin		Sassafras	
Plums.		Scabiosa	
Polygonum		Scotch Broom	
,	2 Т	Deoter Diooni	

79

	PAGE		PAGE
Scutellaria	. 66	Thrift	67
Sempervivium	67	Thyme	
Sedum	66	Torch Lily	
Shasta Daisy	60	Torrey Beard Tongue	65
Shortia		Thymus	67
Siberian Dragonhead		Tilia	36
Siberian Pea Tree	9	Trailing Arbutus	43
Silene	67	Tritoma	
Silver Bell		Tree of Heaven	4
Silvery Spleenwort	62	Trollins	67
Skullcap Azura	61	Trumpet Vine	
Smoke Tree		Tulip Tree	
Sneezeweed		Tunic Flower	
Snowball		Tunica	
Snowberry	34	Tsuga	57
Snow-in-Summer		Turtlehead	60
Sophora		II	
Southern Bush Honeysuc	kle13	U Ulmus	76 77
Sorbaria		Ulmus	36, 37
Sorbus		Umbrella Tree	9
Sorrel Tree		V	
Sourwood	23	Vaccinium	37
Speedwell	67	Valeriana	67
Speedwell Spice Bush Spirea	7	Varnish Tree	
Spirea32,	33, 34, 67	Veronica	67
Spruce	49	Viburnum	37, 38, 57
St. Johnswort	16, 17	Vinca	67
Stachys	67	Viola	
Stagger Bush Staphylea	24	Virginia Creeper	
Staphylea	34	Violet	
Statice		Vitex	39
Stephanandra		Vitis	
Stokes Aster		W	
Stonecrop		W.	77
Storax		Wayfaring Tree	
Stranvaesia		Wax Myrtle	
Styrax		Weeping Mulberry	22
Sugar Maple	4	Weigela	
Sumach		Whitecup	
Summer Sweet		*	
Sundrops		White Fringe	
Sunflower		White Ash	15
Sunrose		Willows	31
Sweet Bay		Winterberry	
Sweet Briar			
Sweet Gum		Wintergreen	
Sweetleaf		Winter Jasmine	17
Sweet Pepper Bush	10	Witch Hazel	15
Sweet Shrub		Wintercreeper	
Sweetspire	1/	1	,
Sweet William		Witherod	
Symphoricarpos		Wisteria	40
Symplocos		Woadwaxen	15
Syringa	34, 35	V	
T			F0
Tamarack	17	Yarrow	
Tamarix		Yellowroot	40
Taxodium		Yellowood	
Taxus		Yew	
Thalictrum		Yucca	5/
Thuja		Z	
Thoroughwort		Zanthoriza	40





